

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1972

[Full Table of Content](#)



## 72/R/BE/2 Spring Beans Varieties and Viruses

### Rothamsted Research

Rothamsted Research (1973) *72/R/BE/2 Spring Beans Varieties and Viruses* ; Yields Of The Field Experiments 1972, pp 325 - 326 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/BE/2

SPRING BEANS

VARIETIES AND VIRUSES

Object: To study the spread and effects on yield of Broad Bean Stain and True Mosaic Viruses in different varieties of beans - Great Knott III.

Sponsor: A.J. Cockbain.

Design: 6 randomised blocks of 4 plots.

Whole plot dimensions: 6.40 x 15.2. Area harvested: 0.00488.

Treatments: Varieties and sowing dates:

Sown on 29 Mar, 1971:	Herz Freya	(HF)
	Maris Bead	(MB)
	Minor	(M)
Sown on 4 Apr:	Tarvin	(T)

NOTE: Tarvin was not available at date of sowing the other varieties.

Basal applications: Ground chalk at 7.5 tonnes. FYM at 30 tonnes. 400 kg (0:14:28) placement drilled. Weedkillers: Paraquat at 0.56 kg ion in 220 l, simazine at 0.84 kg in 220 l. Insecticide: Phorate at 1.1 kg as granules.

Seed: Sown at 220 kg.

Cultivations, etc.: Ground chalk applied: 3 Sept, 1971. Paraquat applied: 30 Sept. FYM applied: 15 - 22 Nov. Ploughed: 15 - 24 Nov. Simazine applied: 2 May. Insecticide applied: 20 June. Combine harvested: 26 Sept. Previous crops: Winter wheat 1970, barley 1971.

NOTE: Incidence of viruses and infestation by weevils were assessed.

Standard error per plot.

Grain, tonnes/hectare: 0.184 or 5.7% (23 d.f.)

72/R/BE/2

TABLE OF MEANS

GRAIN: TONNES/HECTARE

VARIETY

HF	MB	M	T	Mean
3.16	3.48	3.21	3.15	3.25

STANDARD ERROR OF DIFFERENCES  
VARIETY 0.106

Mean D.M. %: 81.3