

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/W/RN/4 Market Garden - Potatoes, Sugar Beet

Rothamsted Research

Rothamsted Research (1973) *72/W/RN/4 Market Garden - Potatoes, Sugar Beet* ; Yields Of The Field Experiments 1972, pp 74 - 78 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/W/RN/4

MARKET GARDEN

Object: To study direct and residual effects of phosphate, applied either as fertiliser or in organic manures in the period 1942 - 67, on yields of three crops grown in rotation - Woburn Lansome I.

Sponsor: A.E. Johnston.

The third year of revised scheme, potatoes and sugar beet.

For previous years see 'Details' 1967, 68/B/4(t), 69/W/RN/4, 70/W/RN/4(t) and 71/W/RN/4(t).

Whole plot dimensions: 8.53 x 5.18. Area harvested: Potatoes - 0.00147, sugar beet - 0.00127.

Superphosphate treatments (applied to whole plots with confounding of certain two and three factor interactions):-

Series A: Potatoes: None (O), 188 kg P2O5 (P).

Series B: Sugar beet: None (O), 126 kg P2O5 (P).

Basal applications:-

Series A: Potatoes: Manures: 2.5 tonnes ground chalk, 420 kg muriate of potash (60% K2O), 1170 kg 'Nitro-Chalk', 605 kg Epsom salts (16% MgO), Weedkillers: Paraquat at 0.56 kg ion in 280 l. Linuron at 1.1 kg plus paraquat at 0.42 kg ion in 370 l. Fungicide: Mancozeb at 1.3 kg in 430 l. Fungicide with insecticide: Mancozeb at 1.3 kg plus demeton-s-methyl at 0.25 kg in 430 l.

Series B: Sugar beet: Manures: 2.5 tonnes ground chalk, 630 kg muriate of potash (60% K2O) in autumn, 750 kg (25:0:16), 590 kg Epsom salts (16% MgO), boron at 6.7 kg B2O3 in 400 l. Weedkiller: Phenmedipham at 1.1 kg in 280 l. Insecticide: Demeton-s-methyl at 0.5 kg in 280 l.

Varieties: Potatoes: Pentland Crown.

Sugar beet: Klein E sown at 11 kg.

Cultivations, etc.:

Series A: Potatoes: Paraquat applied: 9 Sept, 1971. Ground chalk applied: 4 Oct. Ploughed: 15 Oct. Deep-tine cultivated: 3 Nov. N and K applied: 23 Mar, 1972. P treatments applied: 12 Apr. Mg applied: 13 Apr. Rotary cultivated: 17 Apr. Potatoes planted: 18 Apr. Linuron and paraquat applied: 8 May. Rotary ridged: 7 June. Fungicide applied: 6 July. Fungicide plus

72/W/RN/4

insecticide applied: 27 July. Sprayed with undiluted BOV at
200 l: 22 Sept. Haulm mechanically destroyed: 27 Sept.
Lifted: 2 Oct.

Series B: Sugar beet: Ground chalk applied: 4 Oct, 1971. Deep-
tine cultivated: 6 Oct. K applied: 27 Oct. Deep-tine cultivated:
3 Nov. Ploughed: 15 Nov. NK, P, and Mg applied: 22 Mar. Power
harrowed, seed drilled: 23 Mar. Weedkiller applied: 3 May.
Singled: 19 - 22 May. Boron spray applied: 9 June. Insecticide
applied: 29 June. Lifted: 6 - 8 Nov.

72/W/RN/4

TABLES OF MEANS

SERIES A

POTATOES

Organic		POKO		PKL		P2K2	
1942-61*	1962-67	O	P	O	P	O	P

TOTAL TUBERS: TONNES/HECTARE

O	O			42.0	44.7	30.5	48.5
S1	O					52.2**	58.7**
S2	O					61.8**	58.0**
T1	O					54.5**	56.9**
T2	O					58.3**	58.5**
D1	D1	40.2	54.3	43.0	49.7		
D2	D2	58.8	62.7	52.6	46.7		
C1	D1	50.9	52.3	40.3	54.6		
C2	D2	58.5	56.5	49.6	64.6		

PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

O	O			97.7	97.9	96.8	97.7
S1	O					97.7**	97.8**
S2	O					98.0**	98.0**
T1	O					97.8**	97.8**
T2	O					98.7**	98.1**
D1	D1	97.3	98.1	97.4	96.8		
D2	D2	98.3	98.8	98.2	98.1		
C1	D1	97.9	97.0	97.1	98.4		
C2	D2	99.0	99.0	98.5	97.9		

* Last applied to leeks 1961/62

** PKL 1962-65

72/W/RN/4

SERIES B

SUGAR BEET

Organic
1942-61 1962-64 1966-67

POKO		P1K1		P2K2	
O	P	O	P	O	P

ROOTS (WASHED): TONNES/HECTARE

O	O	O			42.5	42.2	42.5	46.6
O	O	PT			46.8	44.3	44.1	46.5
S1	O	O	45.7*	45.9*				
S2	O	O	44.6*	47.8*				
T1	O	O	52.7*	47.2*				
T2	O	O	49.1*	45.6*				
D1	D1	D1	48.9	49.4	53.8	36.0		
D1	D1	O	51.3	47.5	52.7	34.9		
D2	D2	D2	44.2	49.2	47.1	55.7		
D2	D2	O	48.7	46.1	49.0	50.3		
C1	D1	D1	49.5	52.4	49.8	51.2		
C2	D2	D2	49.8	46.1	52.9	52.5		

SUGAR %

O	O	O			17.4	17.4	17.0	17.5
O	O	PT			17.5	17.4	17.6	17.3
S1	O	O	17.1*	17.4*				
S2	O	O	17.3*	17.1*				
T1	O	O	17.4*	17.1*				
T2	O	O	17.1*	17.4*				
D1	D1	D1	17.5	17.2	17.3	17.4		
D1	D1	O	17.1	17.4	17.2	17.1		
D2	D2	D2	17.1	17.1	16.7	17.1		
D2	D2	O	17.0	17.0	17.6	17.0		
C1	D1	D1	17.8	17.3	17.5	17.3		
C2	D2	D2	16.9	16.6	17.1	17.3		

* P1K1 1962-64

72/W/RN/4

SERIES B

SUGAR BEET

1942-61	Organic		POKO		P1K1		P2K2	
	1962-64	1966-67	O	P	O	P	O	P

TOTAL SUGAR: TONNES/HECTARE

O	O	O			7.41	7.36	7.22	8.18
O	O	PT			8.18	7.69	7.79	8.05
S1	O	O	7.79*	7.97*				
S2	O	O	7.69*	8.19*				
T1	O	O	9.19*	8.04*				
T2	O	O	8.41*	7.93*				
D1	D1	D1	8.55	8.50	9.29	6.27		
D1	D1	O	8.78	8.27	9.06	5.95		
D2	D2	D2	7.53	8.39	7.86	9.53		
D2	D2	O	8.27	7.82	8.64	8.55		
C1	D1	D1	8.83	9.06	8.75	8.85		
C2	D2	D2	8.43	7.65	9.05	9.11		

TOPS: TONNES/HECTARE

O	O	O			37.6	39.2	30.0	36.5
O	O	PT			36.5	32.7	31.1	38.6
S1	O	O	39.7*	38.1*				
S2	O	O	39.2*	40.2*				
T1	O	O	41.3*	46.1*				
T2	O	O	39.2*	36.5*				
D1	D1	D1	38.6	38.6	44.0	29.0		
D1	D1	O	40.8	44.0	34.3	24.7		
D2	D2	D2	31.1	32.2	36.5	37.6		
D2	D2	O	34.3	38.6	34.3	36.5		
C1	D1	D1	34.3	41.8	33.3	37.0		
C2	D2	D2	34.3	30.6	33.3	36.5		

* P1K1 1962-64