


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1973

[Full Table of Content](#)



73/W/CS/103 - Simazine Rates & Soil Types - Wheat

Rothamsted Research

Rothamsted Research (1974) *73/W/CS/103 - Simazine Rates & Soil Types - Wheat* ; Yields Of The Field Experiments 1973, pp 256 - 260 - DOI: <https://doi.org/10.23637/ERADOC-1-98>

73/W/CS/103

SIMAZINE RATES AND SOIL TYPES

Object: To study the residual effects on heavy and light soils containing different amounts of organic matter of simazine and other weedkillers applied to beans on the yield of winter wheat - Woburn, Warren Field II, White Horse, Great Hill Bottom I.

Sponsors: J.R. Moffatt, A.E. Johnston, G.G. Briggs.

The second year, winter wheat.

For previous year see 72/W/CS/103(t).

Design: Warren Field II, White Horse: 4 blocks of 15 plots.
Great Hill Bottom I: 3 blocks of 15 plots.

Whole plot dimensions:

Warren Field II, White Horse: 4.26 x 12.2. Area harvested: 0.00347.
Great Hill Bottom I: 4.26 x 9.14. Area harvested: 0.00260.

Treatments (to beans 1972): All combinations of:-

1. Weedkiller: WEEDKILLR

Simazine	Simazine
Simazine with trietazine (1:7)	Sim/Tri

2. Rate of weedkiller (kg): RATE

	White Horse &			
	Warren Field II	Gt Hill Bottom I		
50% below normal for soil type	0.56	0.42	0.56	0.42
Normal rate for soil type	1.12	0.84	1.12	0.84
50% above normal for soil type	1.68	1.26	1.68	1.26

3. Times of applying weedkiller: TIME

Early, day after sowing	Early
Late, 10 days after sowing on White Horse and Warren Field II, 37 days after sowing on Great Hill Bottom I	Late

73/W/CS/103

together with three extra treatments

EXTRA

No weed control	None
Mechanical cultivation	Mechancl
Chlorpropham with diuron ('New Residuren' at 4.2 l on White Horse and Great Hill Bottom I, 5.6 l on Warren Field II) applied the day after sowing.	Chlor/di

Basal applications: Manures: (8:20:16) at 310 kg, combine drilled. N at 100 kg as 'Nitro-Chalk' on Warren Field II and White Horse, N at 110 kg as 'Nitro-Chalk' on Great Hill Bottom I. Weedkillers: Paraquat at 0.56 kg ion in 280 l on Warren Field II only. Ioxynil at 0.63 kg plus mecoprop at 1.9 kg in 280 l on all fields.

Seed: Maris Huntsman, sown at 190 kg.

Cultivations, etc.:-

Warren Field II: Paraquat applied: 29 Sept, 1972. Deep-tine cultivated three times: 9 Oct, 13 Oct, 14 Oct. Rotary cultivated: 18 Oct.

Seed sown: 20 Oct. N applied: 18 Apr, 1973. Ioxynil plus mecoprop applied: 26 Apr. Combine harvested: 31 Aug.

White Horse: Ploughed: 18 Oct, 1972. Seed sown: 23 Oct. N applied:

18 Apr, 1973. Weedkiller applied: 21 Apr. Combine harvested: 31 Aug.

Great Hill Bottom I: Deep-tine cultivated twice: 7 Oct, 1972. Seed sown: 23 Oct. N applied: 18 Apr, 1973. Weedkiller applied: 26 Apr. Combine harvested: 31 Aug.

Standard errors per plot.	Grain, tonnes/hectare.
Warren Field II:	0.567 or 7.1% (42 d.f.)
White Horse:	0.401 or 7.2% (42 d.f.)
Great Hill Bottom I:	0.222 or 2.7% (28 d.f.)

73/W/CS/103

TABLES OF MEANS

GRAIN: TONNES/HECTARE

WARREN FIELD II (W)

	RATE			TIME		Mean
	0.56	1.12	1.68	Early	Late	
WEEDKILLR						
Simazine	8.27	8.07	7.93	8.28	7.91	8.09
Sim/Tri	7.61	7.82	7.81	7.58	7.91	7.75
			RATE			
			0.56	7.98	7.90	7.94
			1.12	7.87	8.02	7.95
			1.68	7.92	7.81	7.87
Mean				7.93	7.91	7.92

EXTRA

None Mechanc1 Chlor/di

8.30 8.07 8.24

STANDARD ERRORS OF DIFFERENCES

WEEDKILLR	RATE	TIME	EXTRA	WEEDKILLR RATE	WEEDKILLR TIME	RATE TIME
	0.164	0.200	0.164	0.401	0.283	0.231
Grand mean	7.98					
Mean D.M. %	82.0					

73/W/CS/103

GRAIN: TONNES/HECTARE

WHITE HORSE (W)

	RATE			TIME		Mean
	0.42	0.84	1.26	Early	Late	
WEEDKLLR						
Simazine	5.83	5.52	5.55	5.85	5.41	5.63
Sim/Tri	5.53	5.63	5.40	5.58	5.46	5.52
			RATE			
			0.42	5.77	5.59	5.68
			0.84	5.67	5.47	5.57
			1.26	5.70	5.24	5.47
Mean				5.72	5.43	5.57

EXTRA

None Mechanc1 Chlor/di

5.62 5.39 5.76

STANDARD ERRORS OF DIFFERENCES

WEEDKLLR	RATE	TIME	EXTRA	WEEDKLLR RATE	WEEDKLLR TIME	RATE TIME
0.116	0.142	0.116	0.283	0.200	0.164	0.200
Grand mean	5.58					
Mean D.M. %	82.3					

73/W/CS/103

GRAIN: TONNES/HECTARE

GT HILL BOTTOM I (W)

	RATE			TIME		Mean
	0.42	0.84	1.26	Early	Late	
WEEDKILLER						
Simazine	8.08	8.28	8.27	8.25	8.17	8.21
Sim/Tri	8.35	8.32	8.04	8.20	8.28	8.24
			RATE			
			0.42	8.15	8.28	8.22
			0.84	8.39	8.21	8.30
			1.26	8.14	8.17	8.16
Mean				8.23	8.22	8.22

EXTRA

None Mechanc1 Chlor/di

8.38 8.55 8.46

STANDARD ERRORS OF DIFFERENCES

WEEDKILLER	RATE	TIME	EXTRA	WEEDKILLER RATE	WEEDKILLER TIME	RATE TIME
	0.074	0.091	0.074	0.181	0.128	0.105
						0.128

Grand mean 8.27

Mean D.M. % 83.1