


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1973

[Full Table of Content](#)



73/R/WS/1 - N Levels & Physiology - Spring Wheat

Rothamsted Research

Rothamsted Research (1974) *73/R/WS/1 - N Levels & Physiology - Spring Wheat* ; Yields Of The Field Experiments 1973, pp 311 - 311 - DOI: <https://doi.org/10.23637/ERADOC-1-98>

73/R/WS/1

SPRING WHEAT

N LEVELS AND PHYSIOLOGY

Object: To study the physiological basis of the response of spring wheat to a wide range of nitrogen levels - Long Hoos V.

Sponsor: G.N. Thorne.

Design: 2 randomised blocks of 18 plots.

Whole plot dimensions: 2.41 x 14.9. Area harvested: 0.00106.

Treatments: All combinations of:-

1. Nitrogen fertiliser (kg N):

	N
None	0
25	25
50	50
75	75
100	100
125	125
150	150
175	175
200	200

2. Seed rates (kg):

	SEEDRATE
132	132
244	244

Basal applications: Manures: (0:20:20) at 780 kg. Weedkiller: MCPA, mecoprop and dicamba ('Tetralex plus' at 7.0 l in 290 l). Fungicides: Ethirimol at 0.35 kg in 290 l on four occasions, oxycarboxin at 1.5 kg in 290 l on one occasion, and 'BAS 3170F' at 2.2 kg in 290 l on one occasion.

Seed: Kleiber.

Cultivations, etc.: - Ploughed: 12 Nov, 1972. Basal PK applied: 29 Nov. Power harrowed and seed sown: 13 Mar, 1973. N treatments applied: 10 Apr. Weedkiller applied: 18 May. Fungicides applied: