

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1975

[Full Table of Content](#)



### 75/ W/RN/15 - Rotation and Fumigation - Potatoes, Barley, Sugar Beet

#### Rothamsted Research

Rothamsted Research (1976) 75/ W/RN/15 - *Rotation and Fumigation - Potatoes, Barley, Sugar Beet* ;  
Yields Of The Field Experiments 1975, pp 120 - 125 - DOI:

<https://doi.org/10.23637/ERADOC-1-141>

75/W/RN/15

ROTATION AND FUMIGATION

Object: To study different ways of using nematicides in a three-course rotation and to determine the effects on crop yield and incidence of pathogenic nematodes - Woburn Butt Close.

Sponsors: F.G.W. Jones, A.G. Whitehead, T.D. Williams.

The seventh year, potatoes, barley, sugar beet.

For previous years see 69/W/RN/15(t), 70/W/RN/15(t) and 71-74/W/RN/15.

Design: 3 series each of 2 blocks of 3 plots split into 7.

Whole plot dimensions: 5.33 x 31.1.

Treatments:

All phases of the rotation potatoes, barley, sugar beet are present. Each crop tests all combinations of:-

Whole plots: 1. Nitrogen fertiliser (kg N): N

To potatoes and sugar beet	To barley	Potatoes & s.beet	Barley
75	38	75	38
150	75	150	75
225	113	225	113

Sub plots: 2. Chemicals: CHEMICAL

None	0
Dichloropropane/dichloropropene ('D-D') at 448 kg before potatoes	DD(F)
Dichloropropane/dichloropropene ('D-D') at 448 kg before sugar beet	DD(SE)
Dichloropropane/dichloropropene ('D-D') at 448 kg before barley	DD(B)
Dichloropropane/dichloropropene ('D-D') at 448 kg before all crops	DD(ALL)
Dazomet at 224 kg before all crops since 1970 only	DAZ(ALL)
Benomyl at 22 kg before all crops since 1974 only	BEN(ALL)

Standard applications:

Potatoes: Manures: (0:14:26) at 1050 kg. Weedkiller: Linnuron at 1.2 kg plus paraquat at 0.28 kg ion in 281 l. Insecticide: Demeton-s-methyl at 0.25 kg in 280 l. Fungicide: Mancozeb at 1.3 kg in 391 l.

75/W/RG/15

2

Barley: Manures: (0:20:20) at 320 kg, combine drilled. Weedkiller: Ioxynil at 0.52 kg with mecoprop at 1.9 kg in 280 l.  
Sugar beet: Manures: Magnesian limestone at 2.5 tonnes. (0:14:28) at 1050 kg. Boron at 7.4 kg B<sub>2</sub>O<sub>3</sub> ( as 'Solubor' ) applied with the second application of insecticide. Insecticide: Demeton-s-methyl at 0.25 kg in 280 l and on the second occasion in 390 l.

Seed: Potatoes: Penllan Crowr.

Barley: Julia, dressed with ethirimol, sown at 160 kg.

Sugar beet: Klein E, sown at 6 kg.

Cultivations, etc.:-

All series: Ploughed: 29 Nov, 1974. 'D-D' injected: 5 Dec. Dezomet applied, and these plots only rotary cultivated, and all plots spring-tine harrowed: 6 Dec. Benomyl applied, and these plots only rotary cultivated: 23 Apr, 1975. Spring-tine cultivated, PK and N applied: 25 Apr.

Potatoes: Spring-tine cultivated with crumbler: 28 Apr. Rotary cultivated, potatoes planted: 1 May. Weedkiller applied: 22 May. Grubbed: 23 June. Rotary ridged: 24 June. Insecticide applied: 26 June. Fungicide applied: 15 July. Haulm mechanically destroyed: 29 Sept. Sprayed with undiluted B.O.V. at 160 l: 2 Oct. Lifted: 16 Oct.

Barley: Spring-tine cultivated, seed sown: 25 Apr, 1975. Weedkiller applied: 4 June. Combine harvested: 19-22 Aug.

Sugar beet: Subsoiled: Tines 140 cm apart and 56 cm deep: 18 Sept, 1974. Magnesian limestone applied: 7 Nov. Spring-tine cultivated with crumbler: 28 Apr, 1975. Seed sown: 29 Apr. Tractor hoed: 30 May. Singled: 3-4 June. Insecticide applied: 9 June. Tractor hoed: 27 June. Boron and insecticide applied: 1 July. Side hoed by hand: 4-7 July. Lifted: 3-4 Nov.

NOTES: (1) Sugar beet plots were damaged by rabbits late in the season.  
(2) Soil samples were taken after harvest for eelworm counts.

75/W/RN/15

POTATOES

TOTAL TUBERS TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

	N	75	150	225	MEAN
CHEMICAL					
0		9.8	11.1	19.4	13.4
DD(P)		22.9	31.3	25.4	26.5
DD(SB)		19.1	19.8	37.9	25.6
DD(B)		19.3	26.9	35.3	27.2
DD(ALL)		14.3	36.7	36.7	29.2
DAZ(ALL)		24.7	31.0	31.8	29.2
BEN(ALL)		12.9	20.5	24.1	19.1
MEAN		17.6	25.3	30.1	24.3

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	CHEMICAL	N*
		CHEMICAL
-----		
SED	2.44	4.22

\* WITHIN THE SAME LEVEL OF N ONLY

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP.SP	18	4.22	17.3

PERCENTAGE WARE 3.81CM(1.5 INCH) RIDDLE

\*\*\* TABLES OF MEANS \*\*\*

	N	75	150	225	MEAN
CHEMICAL					
0		89.6	86.3	94.3	90.1
DD(P)		93.3	96.9	94.8	95.0
DD(SB)		93.9	93.9	96.8	94.9
DD(B)		95.0	95.6	96.7	95.7
DD(ALL)		95.5	96.7	95.9	96.1
DAZ(ALL)		97.4	96.1	96.3	96.3
BEN(ALL)		92.7	92.7	96.0	93.5
MEAN		93.9	94.0	95.5	94.5

PLOT AREA HARVESTED 0.00052

75/W/RN/15

BARLEY

GRAIN TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

	N	38	75	113	MEAN
CHEMICAL					
0		1.19	1.73	0.65	1.19
DD(P)		1.51	1.72	1.62	1.62
DD(SB)		1.30	1.72	1.94	1.66
DD(B)		1.19	1.29	1.61	1.37
DD(ALL)		1.41	1.40	2.05	1.62
DAZ(ALL)		1.30	2.16	1.61	1.69
BEN(ALL)		1.52	1.73	1.41	1.55
MEAN		1.35	1.68	1.56	1.53

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	CHEMICAL	N*
		CHEMICAL
SED	0.168	0.291

\* WITHIN THE SAME LEVEL OF N ONLY

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP.SP	18	0.291	19.0

GRAIN MEAN DM% 84.2

SUB PLOT AREA HARVESTED 0.00052

STRAW TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

	N	38	75	113	MEAN
CHEMICAL					
0		0.84	1.13	1.02	1.00
DD(P)		0.84	1.39	1.49	1.24
DD(SB)		0.75	1.41	1.78	1.32
DD(B)		0.74	1.19	1.39	1.11
DD(ALL)		0.82	0.93	1.02	0.93
DAZ(ALL)		0.91	1.04	1.50	1.15
BEN(ALL)		1.02	1.22	1.31	1.18
MEAN		0.85	1.19	1.36	1.13

STRAW MEAN DM% 90.8

SUB PLOT AREA HARVESTED 0.00052

75/W/RN/15

SUGAR BEET

ROOTS (WASHED) TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

	N	75	150	225	MEAN
CHEMICAL					
0		6.8	11.8	10.1	9.6
DD(P)		6.9	11.0	12.4	10.1
DD(SB)		7.7	11.5	8.3	9.2
DD(B)		9.3	4.4	10.7	8.1
DD(ALL)		5.3	5.2	9.4	6.6
DAZ(ALL)		8.1	8.7	8.7	8.5
BEN(ALL)		9.4	12.3	4.5	8.7
MEAN		7.7	9.3	9.1	8.7

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	CHEMICAL	N*
		CHEMICAL
-----		
SED	1.47	2.54

\* WITHIN THE SAME LEVEL OF N ONLY

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP.SP	18	2.54	29.3

SUGAR PERCENTAGE

\*\*\* TABLES OF MEANS \*\*\*

	N	75	150	225	MEAN
CHEMICAL					
0		14.5	13.8	13.9	14.1
DD(P)		14.8	14.0	13.6	14.2
DD(SB)		14.3	13.8	13.6	13.9
DD(B)		14.6	13.8	13.3	13.9
DD(ALL)		13.9	12.9	13.4	13.4
DAZ(ALL)		14.4	13.9	13.3	13.9
BEN(ALL)		14.6	14.0	13.9	14.2
MEAN		14.4	13.7	13.6	13.9

75/W/RN/15

SUGAR BEET

TOTAL SUGAR TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

CHEMICAL	N	75	150	225	MEAN
0		0.99	1.63	1.40	1.34
DD(P)		1.02	1.54	1.69	1.42
DD(SB)		1.11	1.59	1.13	1.28
DD(B)		1.36	0.61	1.43	1.14
DD(ALL)		0.74	0.68	1.25	0.89
DAZ(ALL)		1.16	1.20	1.17	1.18
BEN(ALL)		1.37	1.73	0.62	1.24
MEAN		1.11	1.28	1.24	1.21

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	CHEMICAL	N*
		CHEMICAL
SED	0.209	0.362

\* WITHIN THE SAME LEVEL OF N ONLY

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP.SP	18	0.362	29.9

PLOT AREA HARVESTED 0.00130