


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ R/CS/106 - Chemical Control of Pathogens - Ryegrass

Rothamsted Research

Rothamsted Research (1976) 75/ R/CS/106 - *Chemical Control of Pathogens - Ryegrass* ; Yields Of The Field Experiments 1975, pp 197 - 198 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/CS/106

CHEMICAL CONTROL OF PATHOGENS

Object: To study the effects of a range of chemicals on the yield and pathogens of ryegrass - Claycroft.

Sponsors: J.F. Jenkyn, R.T. Plumb.

The third year, ryegrass.

For previous years see 73-74/R/CS/106.

Design: 3 randomised blocks of 10 plots, split into 3.

Whole plot dimensions: 4.27 x 16.7.

Treatments: All combinations of:-

Whole plots: 1. Chemicals applied cumulatively 1973 and 1974, none in 1975 (kg a.i.):

None (3 plots per block)	O
BAS 3170F, 1.12 kg per cut	BA
Benomyl, 1.12 kg per cut	BE
Captafol, 2.24 kg per cut	CA
Dazomet, 400 kg, September 1972 only	DA
Endosulfan, 2.8 l of 'Thiodan', applied frequently	EN
Menazon, 0.7 l of 'Saphi-Col', applied frequently	ME
Endosulfan + menazon, applied frequently	EN+ME

Sub plots: 2. Compound fertiliser (25:0:16), applied for first cut only, after which experiment ended (kg N):

	N
38	38
75	75
150	150

Basal applications: Manures: (0:14:28) at 500 kg.

Seed: Granie, sown spring 1973 at 45 kg.

Cultivations, etc.: - Basal PK applied: 14 Jan, 1975. NK treatments applied: 6 Mar. Cut once: 29 May.

NOTE: A mite count was made on 6 May.

75/R/CS/106

1ST AND ONLY CUT (29/5/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

CHEMRES	O	BA	BE	CA	DA	EN	ME	EN+ME	MEAN
N									
38	3.53	4.05	3.41	3.59	3.52	3.67	3.38	3.30	3.55
75	4.72	5.04	4.53	4.86	5.32	4.72	4.52	4.71	4.79
150	4.99	5.44	5.47	4.94	5.32	5.09	5.07	5.33	5.16
MEAN	4.41	4.34	4.47	4.46	4.72	4.49	4.33	4.45	4.50

*** STANDARD ERRORS OF DIFFERENCES OF MEANS ***

TABLE	N	CHEMRES	N	CHEMRES
SED		0.166 (1)		0.276 (1)
	0.105	0.203 (2)		0.339 (2)
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
CHEMRES		0.191 (3)		
		0.332 (2)		

- (1) O V ANY OF REMAINDER
- (2) ANY OF REMAINDER
- (3) O

*** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ***

STRATUM	DF	SE	CV%
BLOCK.WP	20	0.249	5.5
BLOCK.WP.SP	44	0.406	9.0

MEAN DM% 21.6

PLOT AREA HARVESTED 0.00050