


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ N/CS/107 - Vari Ties & Pathogens - 13yegrass

Rothamsted Research

Rothamsted Research (1976) 75/ N/CS/107 - Vari Ties & Pathogens - 13yegrass ; Yields Of The Field Experiments 1975, pp 199 - 200 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/CS/107

VARIETIES AND PATHOGENS

Object: To compare the yields and susceptibilities to diseases of a range of Italian and Perennial Ryegrass varieties - Long Hoos IV.

Sponsors: R.T. Plumb, J.F. Jenkyn.

The third year, Italian and perennial ryegrass.

For previous years see 73-74/R/CS/107.

Design: 2 blocks of 2 whole plots split into 5 (Italian), 6 (Perennial) sub plots.

Whole plot dimensions: 13.1 x 6.10 (Italian), 15.8 x 6.10 (Perennial).

Treatments:-

Whole plots: 1. Ryegrass type:

	TYPE
Italian	ITALIAN
Perennial	PERENNIAL

Sub plots: 2. Varieties and sowing time:

Italian varieties (sown autumn 1972 except where stated):

Asso, sown spring 1973	ASSO(S)
Grasslands Manawa	MANAWA
R.V.P.	RVP
R.V.P., sown spring 1973	RVP(S)
S.22	S.22

Perennial varieties (all sown autumn 1972):

Endura	ENDURA
Glasnevin Leafy	GLASNEVI
Gremie	GREMIE
Monta C.I.V.	MONTA
Reveille	REVEILLE
S.24	S.24

Basal applications: Manures: (0:14:28) at 820 kg. (25:0:16) at 300 kg in spring.

Cultivations, etc.: - PK applied: 25 March, 1975. NK applied: 10 Apr.
Cut: 19 June.

NOTE: Virus and mite assessments were made on 22 May.

75/R/CS/107

*** TABLES OF MEANS ***

DIC MATTER TONNES/HECTARE

LST AND ONLY CUT (19/6/75)

VARIETY ASSO(S)	ITALIAN			PERENNIAL							
	MANAWA	RVP	RVP(S)	S22	ENDURA	GLASNEVI	GREMIE	MONTA	REVELLIE	S24	MEAN
5.80	4.42	5.79	6.09	6.23	5.55	7.03	6.38	6.68	7.03	7.17	6.20

*** STANDARD ERRORS OF DIFFERENCES OF MEANS ***

TABLE ----- VARIETY

SED

ONLY WHEN COMPARING MEANS WITH SAME LEVEL OF TYPE 0.654

*** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ***

STRATUM	DF	SE	CV%
BLOCK.WP.SP	9	0.654	10.5

MEAN DM% 27.7

SUB PLOT AREA HARVESTED 0.00056