

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1975

[Full Table of Content](#)



---

## 75/ R/CS/139 - Fungicides & K - Barley

### Rothamsted Research

Rothamsted Research (1976) 75/ R/CS/139 - Fungicides & K - Barley ; Yields Of The Field Experiments 1975, pp 229 - 230 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/CS/139

FUNGICIDES AND K

Object: To study the effects of fungicides and rates of potassium on the incidence of mildew and yield of barley - W. Barnfield II.

Sponsor: J.F. Jenkyn.

The second year, barley.

For previous year see 74/R/CS/139.

Design: 3 randomised blocks of 16 plots.

Whole plot dimensions: 4.27 x 20.1.

Treatments (Cumulative on 1974): All combinations of:-

1. Fungicides:	FUNGICIDE
None (duplicated)	NONE
Ethirimol as a seed dressing (commercially dressed)	ETHIRIMOL
Tridemorph foliar spray (0.53 kg in 340 l)	TRIDEMOR

  

2. Potassium (kg K2O):	K2O
None	0
50	50
100	100
200	200

Basal applications: Manures: (30:13:0) at 340 kg combine drilled. Weed-killer: Dicamba, with mecoprop and MCPA ('Banlene Plus' at 5.6 l in 220 l).

Seed: Julia, sown at 160 kg.

Cultivations, etc.: - Ploughed: 2 Nov, 1974. Spring-tine cultivated, K applied, power harrowed and seed sown: 28 Feb, 1975. Weedkiller applied: 11 May. Tridemorph applied: 5 June. Combine harvested: 6 Aug. Previous crops: Barley 1973 and 1974.

NOTE: Mildew and Rhynchosporium were assessed on 11 June and 8 July.

75/R/CS/139

\*\*\* TABLES OF MEANS \*\*\*

GRAIN TONNES/HECTARE

K20	0	50	100	200	MEAN
FUNGCIDE					
NONE	4.48	4.90	5.15	5.42	4.99
ETHIRIMO	4.62	5.61	5.62	5.79	5.41
TRIDEMOR	4.45	5.56	5.63	6.04	5.42
MEAN	4.51	5.24	5.38	5.67	5.27

\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*

TABLE	FUNGCIDE	K20	FUNGCIDE K20
SED	0.292(1) 0.337(2)	0.337	0.476(3) 0.583(1) 0.674(2)

- (1) NONE V ETHIRIMO OR TRIDEMOR
- (2) ETHIRIMO V TRIDEMOR
- (3) NONE

\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*

STRATUM	DF	SE	CV%
*UNITS*	36	0.825	15.9

GRAIN MEAN DM% 87.2

PLOT AREA HARVESTED 0.00429