


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1975

[Full Table of Content](#)



## 75/ B&w/CS/149 - Liquid Fertilisers - Wheat

### Rothamsted Research

Rothamsted Research (1976) 75/ B&w/CS/149 - *Liquid Fertilisers - Wheat* ; Yields Of The Field Experiments 1975, pp 243 - 250 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/CS/149 and 75/W/CS/149

LIQUID FERTILISERS

Object: To study the residual effects of a range of rates and methods of applying liquid fertilisers to potatoes on the yield of winter wheat - Rothamsted (R), Geescroft and Woburn (W) Lansome III.

Sponsors: F.V. Widdowson, A. Penny.

The second year, winter wheat.

For previous year see 75/R&W/CS/149.

Design: Single replicate of 72 plots in 3 blocks of 24 plots.

Whole plot dimensions: Geescroft (R): 4.27 x 15.2. Lansome III (W): 4.27 x 12.2.

Treatments: All combinations of:-

1. Form and method of applying fertiliser in 1974: APPLICN(74)

Granules, broadcast over the plough furrow	GB
Liquid fertiliser, sprayed onto the plough furrow	LS
Liquid fertiliser placed in bands on each side of the seed	LP
Liquid fertiliser divided, 2/3 onto the plough furrow, 1/3 placed on each side of the seed	LSP

2. Rate of nitrogen and phosphorus fertiliser in 1974 (kg N and kg P<sub>2</sub>O<sub>5</sub>):

NP RATE(74)

188	N2 P2
282	N3 P3
377	N4 P4

3. Ratio of potassium rate to nitrogen and phosphorus rate in 1974:

K RATIO(74)

N:P <sub>2</sub> O <sub>5</sub> :K <sub>2</sub> O = 1:1:1	1.0
N:P <sub>2</sub> O <sub>5</sub> :K <sub>2</sub> O = 1:1:1.5	1.5

4. Nitrogen fertiliser in 1975 (kg N):

N 75

Rothamsted	Woburn	(R)	(W)
None	30	0	30
30	60	30	60
60	90	60	90

75/R/CS/149 and 75/W/CS/149

Basal applications:-

Geescroft (R): Weedkiller: Ioxynil at 0.52 kg and mecoprop at 1.6 kg in 220 l. Growth regulator: Chlormequat at 1.7 l in 220 l.

Fungicide: Benodanil at 1.1 kg in 450 l.

Lansome III (W): Weedkiller: Ioxynil 0.63 kg and mecoprop at 1.9 kg in 280 l. Growth regulator: Chlormequat at 1.7 l in 280 l.

Fungicide: Benodanil at 1.1 kg in 390 l.

Seed: Geescroft (R): Maris Templar, sown at 200 kg.

Lansome III (W): Maris Templar, sown at 200 kg.

Cultivations, etc.:-

Geescroft (R): Chisel ploughed twice: 21 Dec, 1974. Rotary harrowed, seed sown, spring-tine cultivated: 31 Dec. N applied: 24 Apr, 1975.

Weedkiller applied: 14 May. Growth regulator applied: 21 May.

Fungicide applied: 20 June. Combine harvested: 28 Aug.

Lansome III (W): Deep-tine cultivated twice: 31 Oct, 6 Nov, 1974. Spring-tine cultivated three times: 8 Nov, 25 Nov, 26 Nov. Seed sown:

4 Dec. N applied: 16 Apr, 1975. Harrowed: 22 Apr. Weedkiller and growth regulator applied: 9 May. Fungicide applied: 25 June. Combine harvested: 15 Aug.

NOTES: (1) Grain samples were taken for determination of percentage N.

(2) Yields from three plots on W/CS/149 were lost, those with treatment combinations:

APPLCN(74)	NP RATE(74)	K RATIO(74)	N 75
GB	N <sup>4</sup> P <sup>4</sup>	1.0	30
LS	N <sup>3</sup> P <sup>3</sup>	1.5	30
LSP	N <sup>4</sup> P <sup>4</sup>	1.5	90

Estimated values were used in the analysis.

75/R/CS/149 GEESCRYPT(R)

GRAIN TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

NP RATE(74) APPLICN(74)	N2 P2	N3 P3	N4 P4	MEAN
GB	4.11	5.19	5.18	4.83
LS	4.66	5.00	5.44	5.03
LP	4.93	4.84	5.03	4.93
LSP	4.46	5.43	5.28	5.05
MEAN	4.54	5.11	5.23	4.96

K RATIO(74) APPLICN(74)	1.0	1.5	MEAN
GB	4.70	4.96	4.83
LS	4.93	5.14	5.03
LP	4.99	4.87	4.93
LSP	5.00	5.10	5.05
MEAN	4.91	5.02	4.96

K RATIO(74) NP RATE(74)	1.0	1.5	MEAN
N2 P2	4.40	4.68	4.54
N3 P3	4.92	5.31	5.11
N4 P4	5.40	5.07	5.23
MEAN	4.91	5.02	4.96

N 75 APPLICN(74)	0	30	60	MEAN
GB	4.23	5.36	4.89	4.83
LS	4.26	5.21	5.63	5.03
LP	4.12	4.96	5.71	4.93
LSP	4.34	4.94	5.88	5.05
MEAN	4.24	5.12	5.53	4.96

N 75 NP RATE(74)	0	30	60	MEAN
N2 P2	3.65	4.65	5.32	4.54
N3 P3	4.55	5.32	5.47	5.11
N4 P4	4.51	5.39	5.79	5.23
MEAN	4.24	5.12	5.53	4.96

N 75 K RATIO(74)	0	30	60	MEAN
1.0	4.00	5.16	5.55	4.91
1.5	4.47	5.08	5.50	5.02
MEAN	4.24	5.12	5.53	4.96

75/R/CS/149/GEESECROFT(R)

GRAIN TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

NP RATE(74)	N2 P2		N3 P3		N4 P4	
K RATIO(74)	1.0	1.5	1.0	1.5	1.0	1.5
APPLICN(74)						
GB	4.08	4.15	4.81	5.57	5.20	5.15
LS	4.43	4.89	4.78	5.21	5.57	5.32
LP	4.74	5.12	4.78	4.89	5.45	4.61
LSP	4.37	4.55	5.29	5.57	5.35	5.20

APPLICN(74)	NP RATE(74)	N 75	0	30	60
		N2 P2	3.83	4.65	3.86
GB	N3 P3	4.75	5.49	5.33	5.49
	N4 P4	4.11	5.93	5.49	
	LS	3.64	4.67	5.67	
LS	N3 P3	4.14	5.20	5.64	
	N4 P4	4.99	5.77	5.57	
	LP	3.80	4.97	6.01	
LP	N3 P3	4.08	5.15	5.29	
	N4 P4	4.48	4.76	5.85	
	LSP	3.33	4.30	5.74	
LSP	N3 P3	5.24	5.42	5.62	
	N4 P4	4.45	5.11	6.26	

K RATIO(74)	1.0	1.5			0	30	60
		N 75	0	30			
APPLICN(74)							
GB	3.99	5.32	4.78	4.47	5.40	5.00	
LS	3.80	5.28	5.70	4.72	5.15	5.55	
LP	4.16	5.02	5.80	4.09	4.90	5.63	
LSP	4.06	5.03	5.92	4.62	4.86	5.83	

K RATIO(74)	1.0	1.5			0	30	60
		N 75	0	30			
NP RATE(74)							
N2 P2	3.35	4.56	5.30	3.95	4.74	5.35	
N3 P3	4.07	5.32	5.36	5.04	5.32	5.58	
N4 P4	4.58	5.61	6.00	4.44	5.18	5.59	

75/R/CS/149 GEESESCROFT (R)

GRAIN TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE APPLICN(74) NP RATE(74) K RATIO(74) N 75

SED	0.238	0.206	0.168	0.206
-----	-------	-------	-------	-------

TABLE APPLICN(74) APPLICN(74) NP RATE(74) APPLICN(74)  
NP RATE(74) K RATIO(74) K RATIO(74) N 75

SED	0.412	0.337	0.292	0.412
-----	-------	-------	-------	-------

TABLE NP RATE(74) K RATIO(74) APPLICN(74) APPLICN(74)  
N 75 N 75 NP RATE(74) NP RATE(74)  
K RATIO(74) N 75

SED	0.358	0.292	0.583	0.723
-----	-------	-------	-------	-------

TABLE APPLICN(74) NP RATE(74)  
K RATIO(74) K RATIO(74)  
N 75 N 75

SED	0.583	0.508
-----	-------	-------

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
WP	10	0.714	14.4

GRAIN MEAN DM% 87.9

PLOT AREA HARVESTED 0.00434

75/W/CS/149 LANSOME III(W)

GRAIN TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

NP RATE(74) APPLICN(74)	N2 P2	N3 P3	N4 P4	MEAN
GB	4.43	4.94	5.63	5.00
LS	4.91	5.36	4.95	5.07
LP	4.61	5.23	5.40	5.08
LSP	4.60	5.06	4.94	4.87
MEAN	4.64	5.15	5.23	5.00

K RATIO(74) APPLICN(74)	1.0	1.5	MEAN
GB	5.27	4.73	5.00
LS	4.86	5.29	5.07
LP	5.06	5.10	5.08
LSP	4.94	4.79	4.87
MEAN	5.03	4.98	5.00

K RATIO(74) NP RATE(74)	1.0	1.5	MEAN
N2 P2	4.58	4.69	4.64
N3 P3	5.18	5.11	5.15
N4 P4	5.33	5.13	5.23
MEAN	5.03	4.98	5.00

N 75 APPLICN(74)	30	60	90	MEAN
GB	4.35	5.15	5.50	5.00
LS	4.25	5.50	5.47	5.07
LP	4.04	5.13	6.06	5.08
LSP	4.50	5.01	5.09	4.87
MEAN	4.29	5.20	5.53	5.00

N 75 NP RATE(74)	30	60	90	MEAN
N2 P2	3.54	4.97	5.40	4.64
N3 P3	4.55	5.25	5.64	5.15
N4 P4	4.77	5.38	5.55	5.23
MEAN	4.29	5.20	5.53	5.00

N 75 K RATIO(74)	30	60	90	MEAN
1.0	4.47	5.19	5.43	5.03
1.5	4.10	5.20	5.63	4.98
MEAN	4.29	5.20	5.53	5.00

75/W/CS/149 LANSOME III (W)

GRAIN TONNES/HECTARE

\*\*\* TABLES OF MEANS \*\*\*

NP RATE(74)	N2 P2		N3 P3		N4 P4	
K RATIO(74)	1.0	1.5	1.0	1.5	1.0	1.5
APPLICN(74)						
GB	4.59	4.26	5.34	4.54	5.88	5.38
LS	4.55	5.28	5.31	5.41	4.71	5.18
LP	4.70	4.52	5.10	5.35	5.36	5.44
LSP	4.49	4.71	4.98	5.14	5.35	4.53

APPLICN(74)	NP RATE(74)	N 75			30			60			90		
		N2 P2	N3 P3	N4 P4	N2 P2	N3 P3	N4 P4	N2 P2	N3 P3	N4 P4	N2 P2	N3 P3	N4 P4
GB	N2 P2	3.59	5.03	4.66									
	N3 P3	3.85	5.42	5.55									
	N4 P4	5.60	5.01	6.29									
LS	N2 P2	3.90	5.16	5.67									
	N3 P3	4.77	5.57	5.74									
	N4 P4	4.08	5.78	4.98									
LP	N2 P2	2.90	5.03	5.90									
	N3 P3	4.79	5.14	5.75									
	N4 P4	4.44	5.21	6.54									
LSP	N2 P2	3.78	4.65	5.38									
	N3 P3	4.77	4.88	5.53									
	N4 P4	4.94	5.50	4.37									

K RATIO(74)	1.0			1.5			1.0			1.5		
	N 75	30	60	90	30	60	90	30	60	90	30	60
APPLICN(74)												
GB	5.36	5.12	5.34	3.34	5.19	5.66						
LS	3.90	5.66	5.01	4.60	5.34	5.93						
LP	3.97	4.96	6.24	4.12	5.30	5.89						
LSP	4.65	5.04	5.13	4.34	4.98	5.05						

K RATIO(74)	1.0			1.5			1.0			1.5		
	N 75	30	60	90	30	60	90	30	60	90	30	60
NP RATE(74)												
N2 P2	3.86	4.79	5.10	3.22	5.15	5.70						
N3 P3	4.50	5.44	5.61	4.60	5.06	5.67						
N4 P4	5.05	5.36	5.57	4.48	5.40	5.52						

75/W/CS/149 LANSOME III (W)

GRAIN TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	APPLICN(74)	NP RATE(74)	K RATIO(74)	N 75
SED	0.284	0.238	0.217	0.231
TABLE	APPLICN(74)	APPLICN(74)	NP RATE(74)	APPLICN(74)
	NP RATE(74)	K RATIO(74)	K RATIO(74)	N 75
SED	0.487	0.399	0.346	0.576
TABLE	NP RATE(74)	K RATIO(74)	APPLICN(74)	APPLICN(74)
	N 75	N 75	NP RATE(74)	NP RATE(74)
			K RATIO(74)	N 75
SED	0.524	0.388	0.688	1.042
TABLE	APPLICN(74)	NP RATE(74)		
	K RATIO(74)	K RATIO(74)		
	N 75	N 75		
SED	0.813	0.693		

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
WP	7	0.793	15.8

GRAIN MEAN DM% 86.1

PLOT AREA HARVESTED 0.00347