

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ R/WW/6 - Rates & Times of N & K - Winter Wheat

Rothamsted Research

Rothamsted Research (1976) 75/ R/WW/6 - Rates & Times of N & K - Winter Wheat ; Yields Of The Field Experiments 1975, pp 297 - 300 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/WW/6

WINTER WHEAT

RATES AND TIMES OF N AND K

Object: To study the effects of a range of rates and times of applying nitrogen and potassium on the yield of wheat - Long Hoos III.

Sponsors: O. Talibudeen, A. Penny, M.B. Page.

Design: 2 randomised blocks of 2 plots split into 30.

Whole plot dimensions: 2.67 x 2.74.

Treatments: All combinations of:-

Whole plots: 1. Potassium	POTASH
None	-
Potassium nitrate added to urea treatments (growth stages 6,10,11.1) to give a K:N ratio of 1:10.	K
Sub plots: 2. Nitrogen rates and times (applied as 'Nitro-Chalk' at growth stage 2, as a 5% urea solution to later growth stages) kg N:	N

Growth stage							
2		6		10		11.1	
Early tillering		Early stem extension		In boot		Grain filling	
30	+	30	+	0	+	0	11--
30	+	30	+	0	+	30	11-1
30	+	30	+	0	+	60	11-2
30	+	30	+	30	+	0	111-
30	+	30	+	30	+	30	1111
30	+	30	+	60	+	0	112-
30	+	90	+	0	+	0	13--
30	+	90	+	0	+	30	13-1
30	+	90	+	0	+	60	13-2
30	+	90	+	30	+	0	131-
30	+	90	+	30	+	30	1311
30	+	90	+	60	+	0	132-
90	+	30	+	0	+	0	31--
90	+	30	+	0	+	30	31-1
90	+	30	+	0	+	60	31-2
90	+	30	+	30	+	0	311-
90	+	30	+	30	+	30	3111
90	+	30	+	60	+	0	312-
90	+	90	+	0	+	0	33--
90	+	90	+	0	+	30	33-1
90	+	90	+	0	+	60	33-2
90	+	90	+	30	+	0	331-
90	+	90	+	30	+	30	3311
90	+	90	+	60	+	0	332-

75/R/WW/6

plus six extra sub plots per whole plot not given
POTASH but given N:

							EXTRA
0	+	0	+	0	+	0	----
30	+	0	+	0	+	0	1---
60	+	0	+	0	+	0	2---
90	+	0	+	0	+	0	3---
120	+	0	+	0	+	0	4---
180	+	0	+	0	+	0	6---

NOTE: 'Nitro-Chalk' applied: 21 Apr. Urea and potassium nitrate applied:
 21 May (stage 6), 18 June (stage 10), 16 July (stage 11.1).

Basal applications: Manures: (0:20:20) at 310 kg. Weedkillers: Ioxynil with
 mecoprop ('Actril C' at 5.6 l in 280 l).

Seed: Cappelle, sown at 200 kg.

Cultivations, etc.: - Ploughed: 18 Oct, 1974. Rotary cultivated: 28 Nov.

Seed sown: 29 Nov. Weedkiller applied: 22 May, 1975. Cut by hand:
 18 Aug. Previous crops: Fallow 1973, winter oats 1974.

NOTE: Samples of grain and straw were taken at harvest for N determinations.

75/R/WW/6

WINTER WHEAT

GRAIN TONNES/HECTARE

*** TABLES OF MEANS ***

POTASH N	-	K	MEAN
11--	3.46	3.58	3.52
11-1	3.58	3.78	3.68
11-2	3.27	3.56	3.42
111-	3.89	3.51	3.70
1111	3.87	3.75	3.81
112-	3.93	3.74	3.83
13--	3.79	3.99	3.89
13-1	4.25	4.10	4.17
13-2	4.08	4.30	4.19
131-	4.24	4.22	4.23
1311	4.36	4.33	4.34
132-	4.27	4.36	4.31
31--	4.74	4.90	4.82
31-1	5.21	5.02	5.12
31-2	5.21	5.29	5.25
311-	5.09	4.93	5.01
3111	5.16	5.09	5.12
312-	5.04	5.55	5.29
33--	4.87	5.43	5.15
33-1	5.23	5.42	5.33
33-2	5.60	5.51	5.55
331-	5.23	5.65	5.44
3311	5.35	5.27	5.31
332-	5.79	5.41	5.60
MEAN	4.56	4.61	4.59

NO POTASH APPLIED

N	----	1---	2---	3---	4---	6---	MEAN
	1.90	3.26	4.12	4.83	5.32	5.47	4.15
GRAND MEAN	4.50						

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	POTASH*
		N
SED	0.222	0.314

*WITHIN THE SAME LEVEL OF POTASH ONLY

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	63	0.314	7.0
GRAIN MEAN DM%	86.1		

75/R/WW/6

WINTER WHEAT

STRAW TONNES/HECTARE

*** TABLES OF MEANS ***

POTASH	-	K	MEAN
N			
11--	4.38	4.78	4.58
11-1	4.61	4.70	4.66
11-2	4.21	4.50	4.36
111-	4.89	4.34	4.61
1111	4.82	4.64	4.73
112-	4.52	4.54	4.53
13--	4.70	4.84	4.77
13-1	4.51	4.86	4.69
13-2	5.25	4.95	5.10
131-	5.04	5.19	5.12
1311	4.85	5.30	5.08
132-	5.12	5.32	5.22
31--	6.08	6.32	6.20
31-1	6.70	6.36	6.53
31-2	6.70	6.92	6.81
311-	6.58	6.39	6.49
3111	6.69	6.67	6.68
312-	6.94	7.07	7.00
33--	6.16	6.92	6.54
33-1	6.78	7.19	6.99
33-2	7.26	6.93	7.10
331-	6.24	6.95	6.59
3311	6.56	6.64	6.60
332-	7.37	6.90	7.13
MEAN	5.71	5.80	5.75

NO POTASH APPLIED

N	----	1---	2---	3---	4---	6---	MEAN
	2.28	4.19	5.52	6.47	6.93	8.10	5.58

GRAND MEAN 5.72

STRAW MEAN DM% 83.2

SUB PLOT AREA HARVESTED 0.00048