

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ R/B/6 - Systemic Fungicide Study - Barley

Rothamsted Research

Rothamsted Research (1976) 75/ R/B/6 - *Systemic Fungicide Study - Barley* ; Yields Of The Field Experiments 1975, pp 318 - 319 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/B/6

SPRING BARLEY

SYSTEMIC FUNGICIDE STUDY

Object: To study the effectiveness of methyl benzimidazol-2-ylcarbamate (MBC) and several precursors of MBC and to relate chemical measurements of persistence, movement and conversion to MBC to field performance - Gt. Knott II.

Sponsors: I.J. Graham-Bryce, P.H. Nicholls.

Design: 4 randomised blocks of 6 plots.

Whole plot dimensions: 2.41 x 9.14.

Treatments: Fungicidal seed dressings (at 0.5 kg/ha):-	FUNGICIDE
None	NONE
Benomyl	BENOMYL
Ethirimol	ETHIRIMO
MBC	MBC
NF 48	NF 48
Thiophanate methyl	THIOPHAN

Basal applications: Manures: (20:14:14) at 440 kg. Weedkiller: Dicamba with mecoprop and MCPA ('Tetralax Plus' at 7.0 l in 220 l).

Seed: Sultan, infected with smut, sown at 160 kg.

Cultivations, etc.: - Ploughed: 6 Nov, 1974. Spring-tine cultivated: 14 and 21 Apr, 1975. Rotary cultivated and seed sown: 23 Apr. NPK applied: 25 Apr. Weedkiller applied: 6 June. Combine harvested: 26 Aug. Previous crops: Beans 1973, winter wheat 1974.

NOTE: Counts of mildew were made three times, and of smut and eyespot once.

75/R/B/6

GRAIN TONNES/HECTARE

*** TABLES OF MEANS ***

FUNGCIDE	NONE	BENOMYL	EPHIRIMO	MBC	NF 48	THIOPHAN	MEAN
	2.82	2.99	2.71	2.96	2.99	2.59	2.84

*** STANDARD ERRORS OF DIFFERENCES OF MEANS ***

TABLE	FUNGCIDE
SED	0.204

*** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ***

STRATUM	DF	SE	CV%
BLOCK.WP	15	0.288	10.1

GRAIN MEAN DM% 88.0

PLOT AREA HARVESTED 0.00151