
Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1975



Full Table of Content

75/ R/BE/7 - Effects of in-row Aldicerb - Beans

Rothamsted Research

Rothamsted Research (1976) 75/ R/BE/7 - Effects of in-row Aldicerb - Beans; Yields Of The Field Experiments 1975, pp 348 - 349 - DOI: https://doi.org/10.23637/ERADOC-1-141

75/R/BE/7

SPRING BEANS

EFFECTS OF IN-ROW ALDICARB

Object: To study the effects of a range of rates of aldicarb applied in the rows on stem eelworm (Ditylenchus dipsaci) and weevil - transmitted viruses and the yield of field beans - Fosters O & E VI.

Sponsors: D.J. Hooper, A.J. Cockbain.

Design: 4 blocks of 4 plots.

Whole plot dimensions: 2.54 x 9.14.

Treatments: Rates of aldicarb (kg):-

None 0
1 1
2 2
4

ALDICARB

NOTE: Aldicarb applied in bands over the open drills at sowing, harrowed in.

Basal applications: Manures: (0:14:28) at 750 kg. Weedkiller: Simazine at 1.1 kg in 340 l.

Seed: Maris Bead, sown at 220 kg.

Cultivations, etc.:- Ploughed: 17 Jan, 1975. PK applied, power harrowed: 23 Apr. Seed sown: 25 Apr. Weedkiller applied: 8 May. Combine harvested: 30 Aug. Previous crops: Beans 1973 and 1974.

- NOTES: (1) Stems showing symptoms of attack by stem eelworm were counted on 5 Aug and samples of seed were taken at maturity to assess seed infestation.
 - (2) After harvest soil samples were taken to assess infestation by stem eelworm.

75/R/BE/7

*** TABLES OF MEANS ***

GRAIN TONNES/HECTARE

ALDICARB

0

1

1.08 1.69 1.87 2.03

MEAN 1.67

*** STANDARD ERRORS OF DIFFERENCES OF MEANS ***

TABLE

ALDICARB

0.106

*** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ***

STRATUM

DF

SE

CV%

BLOCK.WP

9

0.150

9.0

GRAIN MEAN DM% 87.0

PLOT AREA HARVESTED 0.00139