

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ R&w/G/1 - Aqueous Ammonia & Nitrification Inhibitors - Grass

Rothamsted Research

Rothamsted Research (1976) 75/ R&w/G/1 - Aqueous Ammonia & Nitrification Inhibitors - Grass ;
Yields Of The Field Experiments 1975, pp 391 - 398 - DOI:

<https://doi.org/10.23637/ERADOC-1-141>

75/R/G/1 and 75/W/G/1

GRASS

AQUEOUS AMMONIA AND NITRIFICATION INHIBITORS

Object: To study the effects of two nitrification inhibitors on autumn and spring-injected aqueous ammonia - Rothamsted (R) Claycroft and Woburn (W) Bull Field.

Sponsors: J. Ashworth, G.G. Briggs, A. Penny.

Design: Claycroft (R): 4 randomised blocks of 8 plots.
Bull Field (W): 3 randomised blocks of 8 plots.

Whole plot dimensions: 2.43 x 9.14.

Treatments: All combinations of:-

1. Nitrification inhibitors (added with aqueous ammonia, itself applied at 250 kg N/ha):	INHIBITOR
None	-
Carbon disulphide at 15 kg/ha	CS
'N-serve' (2-chloro-6-trichloromethyl-pyridine) at 2.5 kg/ha	NS
2. Times of applying aqueous ammonia:	N TIME
Autumn 1974	AUTUMN
Spring 1975	SPRING
together with two extra plots:	EXTRA
No nitrogen	NO N
'Nitro-Chalk' at 250 kg N/ha, dressing divided between cuts in 1975.	NC

Basal manuring: (0:14:28) at 500 kg.

Seed: Claycroft (R): Gremie perennial ryegrass.
Bull Field (W): Old grass.

Cultivations, etc.:-

Claycroft (R): Aqueous ammonia autumn treatments injected: 28 Nov, 1974.
PK applied: 14 Jan, 1975. Aqueous ammonia spring treatments injected: 26 Feb. 'Nitro-Chalk' applied in three equal applications: 18 Mar, 16 June, 8 Sept. Cut three times: 6 June, 1 Sept, 28 Oct. Previous crops: Grass 1973, 1974.

75/R/G/1 and 75/W/G/1

Bull Field (W): Aqueous ammonia autumn treatments injected: 27 Nov, 1974.
 PK applied: 10 Jan, 1975. Aqueous ammonia spring treatments injected:
 25 Feb. Nitro-Chalk applied in three equal applications: 19 Mar,
 23 June, 4 Sept. Cut twice: 12 June, 4 Sept. Previous crops:
 Grass 1973, 1974.

- NOTES: (1) Grass samples were taken for N determinations.
 (2) N in the injected soil profile was measured at regular intervals from December, 1974 to June, 1975 and ammonia evaporation was measured in December, 1974 and March, 1975.

75/R/G/1 CLAYCROFT (R)

1ST CUT (6/6/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	6.61	7.12	7.31	7.01
SPRING	6.41	7.03	7.04	6.83
MEAN	6.51	7.08	7.17	6.92

EXTRA	NO N	NC	MEAN
	4.57	6.68	5.63

GRAND MEAN 6.60

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.354	0.204	0.250	0.354

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	21	0.501	7.6

1ST CUT MEAN DM% 25.6

PLOT AREA HARVESTED 0.00082

75/R/G/1 CLAYCROFT (R)

2ND CUT (1/9/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	0.53	0.48	0.48	0.49
SPRING	0.44	0.63	0.44	0.50
MEAN	0.48	0.55	0.46	0.50

EXTRA	NO N	NC	MEAN
	0.23	0.64	0.43

GRAND MEAN 0.48

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.091	0.052	0.064	0.091

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	21	0.128	26.6

2ND CUT MEAN DM% 52.6

2ND CUT PLOT AREA HARVESTED 0.00073

75/R/G/1 CLAYCROFT (R)

3RD CUT (28/10/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	0.15	0.16	0.16	0.16
SPRING	0.19	0.21	0.22	0.20
MEAN	0.17	0.18	0.19	0.18

EXTRA	NO N	NC	MEAN
	0.08	0.48	0.28

GRAND MEAN 0.21

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.035	0.020	0.025	0.035

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	21	0.050	24.4

3RD CUT MEAN DM% 21.4

3RD CUT PLOT AREA HARVESTED 0.00065

75/R/G/1 CLAYCROFT (R)

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	7.28	7.76	7.95	7.66
SPRING	7.03	7.87	7.69	7.53
MEAN	7.16	7.81	7.82	7.60

EXTRA	NO N	NC	MEAN
	4.88	7.79	6.34

GRAND MEAN 7.28

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.342	0.198	0.242	0.342

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	21	0.484	6.6

TOTAL OF 3 CUTS MEAN DM% 33.2

75/W/G/1 BULL FIELD (W)

1ST CUT (6/6/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	6.87	7.05	7.18	7.03
SPRING	6.89	6.62	6.77	6.76
MEAN	6.88	6.83	6.98	6.90

EXTRA	NO N	NC	MEAN
	6.16	7.34	6.75

GRAND MEAN 6.86

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.473	0.273	0.334	0.473

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	13	0.579	8.4

1ST CUT MEAN DM% 23.0

PLOT AREA HARVESTED 0.00089

75/W/G/1 BULL FIELD (W)

2ND CUT (4/9/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	0.49	0.70	0.67	0.62
SPRING	1.18	0.57	0.47	0.74
MEAN	0.83	0.63	0.57	0.68

EXTRA	NO N	NC	MEAN
	0.72	1.24	0.98

GRAND MEAN 0.75

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA
SED	0.269	0.155	0.190	0.269

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	13	0.330	43.8

2ND CUT MEAN DM% 40.9

PLOT AREA HARVESTED 0.00066

75/W/G/1 BULL FIELD (W)

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

INHIBITR	-	CS	NS	MEAN
N TIME				
AUTUMN	7.35	7.75	7.85	7.65
SPRING	8.07	7.19	7.24	7.50
MEAN	7.71	7.47	7.55	7.58

EXTRA	NO N	NC	MEAN
	6.38	8.57	7.73

GRAND MEAN 7.61

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	N TIME	INHIBITR	N TIME INHIBITR AND EXTRA

SED	0.611	0.353	0.432	0.611

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	13	0.749	9.8

TOTAL OF 2 CUTS MEAN DM% 31.9