

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1976

[Full Table of Content](#)

## 76/W/CS/11 Soil Structure - Ryegrass

### Rothamsted Research

Rothamsted Research (1977) *76/W/CS/11 Soil Structure - Ryegrass ; Yields Of The Field Experiments 1976*, pp 126 - 127 - DOI: <https://doi.org/10.23637/ERADOC-1-15>

75/W/CS/11

SOIL STRUCTURE

Object: To study the residual effects of peat, at a range of nitrogen levels, on the yield of ryegrass - Woburn Stackyard II.

Sponsor: A.E. Johnston.

The 13th year, ryegrass.

For previous years see 64/C/20(t), 65/C/19(t), 66/C/11(t), 67/C/8(t), 68/C/31(t), 69/W/CS/11(t), 70/W/CS/11(t), 71/W/CS/11, 72/W/CS/11(t) and 73-75/W/CS/11.

Design: Single replicate of 5 x 4. Levels of peat in 4 randomised blocks of 5 plots.

Whole plot dimensions: 2.13 x 3.05.

Treatments: All combinations of:-

1. PEAT Peat (tonnes dry matter - total applied 1963-72):

0	0
8	8
55	55
110	110
165	165

2. NPERCUT Nitrogen fertiliser as ammonium nitrate (kg N per cut), cumulative to previous treatments:

0	0
30	30
60	60
90	90

Basal applications: Manures: Ground chalk at 2.5 tonnes. P at 85 kg, as triple superphosphate, K at 300 kg, as potassium bicarbonate, Mg at 55 kg, as magnesium sulphate. Weedkillers: Benazolin with 2,4-DB and MCPA ('Ley Cornox' at 8.4 l in 280 l).

Seed: RvP ryegrass, sown at 50 kg.

Cultivations, etc.:- Ground chalk, P, K and Mg applied, plots dug by hand: 11 Dec, 1975. N applied, seed sown: 22 Mar, 1976. Weedkiller applied: 25 May. Cut, N applied: 24 June. Cut: 5 Nov.

NOTES: (1) Soil samples were taken after the second cut for P and K analysis.

(2) Crop samples were taken for N, P, K and Mg analysis.

76/W/CS/11

1ST CUT (24/6/76) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

NPERCUT PEAT	0	30	60	90	MEAN
0	0.26	0.76	1.43	1.70	1.04
8	0.41	0.84	0.97	1.49	0.93
55	0.51	1.00	1.24	1.47	1.06
110	0.46	1.10	2.36	2.06	1.49
165	0.59	1.41	1.72	2.13	1.46
MEAN	0.45	1.02	1.54	1.77	1.20

1ST CUT MEAN DM% 34.4

1ST CUT PLOT AREA HARVESTED 0.00046

2ND CUT (5/11/76) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

NPERCUT PEAT	0	30	60	90	MEAN
0	0.31	0.67	0.79	0.95	0.68
8	0.47	0.74	0.84	0.78	0.71
55	0.49	0.84	0.93	1.00	0.81
110	0.58	0.76	0.96	0.84	0.78
165	0.43	0.85	0.88	1.11	0.82
MEAN	0.46	0.77	0.88	0.94	0.76

2ND CUT MEAN DM% 19.1

2ND CUT PLOT AREA HARVESTED 0.00042

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

NPERCUT PEAT	0	30	60	90	MEAN
0	0.57	1.43	2.23	2.65	1.72
8	0.89	1.58	1.81	2.28	1.64
55	1.00	1.84	2.17	2.48	1.87
110	1.04	1.85	3.31	2.89	2.27
165	1.02	2.27	2.60	3.24	2.28
MEAN	0.90	1.79	2.42	2.71	1.96

TOTAL OF 2 CUTS MEAN DM% 26.7