


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1976

[Full Table of Content](#)



76/R/CS/169 Organic Matter and Responses to N - Grass

Rothamsted Research

Rothamsted Research (1977) *76/R/CS/169 Organic Matter and Responses to N - Grass* ; Yields Of The Field Experiments 1976, pp 214 - 218 - DOI: <https://doi.org/10.23637/ERADOC-1-15>

76/R/CS/169

ORGANIC MATTER AND RESPONSES TO N

Object: To study the effects of different amounts of organic matter in the soil on the uptake of nitrogen fertiliser by grass - Highfield and Fosters Ley Arable (see also 75/R/RN/1&2).

Sponsors: A.E. Johnston, A. Penny.

The second year, grass.

For previous year see 75/R/CS/169.

Design: On each field: 2 blocks of 6 plots for each date of sowing grass.

Whole plot dimensions: 3.50 x 8.23.

Treatments: All combinations of:-

1. FIELD Fields:
 HIGHFLD Highfield (old grass until 1949)
 FOSTERS Fosters (old arable until 1949)
2. SOW DATE Date of sowing grass:
 1949 1949
 1973 1973 (grass 1949-1963, arable 1964-1972)
3. N PERCUT Nitrogen fertiliser, cumulative to 1975, (kg N) per cut:
 0 None (2 plots per block)
 25 25
 50 50
 75 75
 100 100

Basal applications: Manures: (0:14:28) at 500 kg. Chalk at 8.7 t.

NOTE: N PERCUT was not applied as planned after the second cut because little growth had been made in the prevailing dry conditions.

Cultivations, etc.:- PK and chalk applied: 4 Dec, 1975. N applied: 24 Mar, 1976, 24 May. Cut: 21 May, 29 June, 11 Nov.

76/R/CS/169
1ST CUT (21/5/76) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	1949	1973	MEAN
N PERCUT			
0	0.88	0.86	0.87
25	1.59	2.00	1.79
50	2.07	2.89	2.48
75	2.94	3.52	3.23
100	3.41	4.12	3.76
MEAN	1.96	2.37	2.17

FIELD	HIGHFLD	FOSTERS	MEAN
N PERCUT			
0	1.05	0.69	0.87
25	2.08	1.50	1.79
50	2.74	2.23	2.48
75	3.60	2.86	3.23
100	4.05	3.48	3.76
MEAN	2.43	1.91	2.17

FIELD	HIGHFLD	FOSTERS	MEAN
SOW DATE			
1949	2.27	1.66	1.96
1973	2.59	2.16	2.37
MEAN	2.43	1.91	2.17

N PERCUT	SOW DATE 1949		SOW DATE 1973	
	FIELD	HIGHFLD	FOSTERS	HIGHFLD
0		1.02	0.75	1.07
25		1.93	1.25	2.24
50		2.45	1.69	3.02
75		3.46	2.43	3.75
100		3.72	3.09	4.38
				FOSTERS
				0.64
				1.76
				2.76
				3.30
				3.87

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N PERCUT	N PERCUT*		N PERCUT**	
		SOW DATE	FIELD	SOW DATE	FIELD
SED	0.174	0.247	0.247	0.349	MIN REP
	0.151	0.214	0.214	0.302	MAX-MIN

* WITHIN SAME LEVEL OF SOW DATE ONLY

** WITHIN SAME LEVEL OF FIELD ONLY

*** WITHIN SAME LEVEL OF SOW DATE.FIELD ONLY

N PERCUT

MAX-MIN O V ANY OF REMAINDER

MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	24	0.349	16.1
1ST CUT MEAN DM%	23.5		
		215	

76/R/CS/169

2ND CUT (29/6/76) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	1949	1973	MEAN
N PERCUT			
0	0.40	0.31	0.36
25	0.70	0.63	0.67
50	0.77	0.65	0.71
75	0.71	0.67	0.69
100	0.59	0.54	0.56
MEAN	0.60	0.52	0.56

FIELD	HIGHFLD	POSTERS	MEAN
N PERCUT			
0	0.31	0.40	0.36
25	0.74	0.59	0.67
50	0.79	0.63	0.71
75	0.81	0.58	0.69
100	0.51	0.61	0.56
MEAN	0.58	0.54	0.56

FIELD	HIGHFLD	POSTERS	MEAN
SOW DATE			
1949	0.52	0.67	0.60
1973	0.64	0.40	0.52
MEAN	0.58	0.54	0.56

N PERCUT	1949		1973	
	FIELD	HIGHFLD	POSTERS	HIGHFLD
0		0.30	0.50	0.33
25		0.67	0.74	0.81
50		0.84	0.70	0.73
75		0.56	0.87	1.05
100		0.45	0.73	0.58

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N PERCUT	N PERCUT*	N PERCUT**	N PERCUT***	MIN REP	MAX-MIN
		SOW DATE	FIELD	SOW DATE		
SED	0.095	0.134	0.134	0.190		
	0.082	0.116	0.116	0.164		

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	24	0.190	34.0
2ND CUT MEAN DM%	43.1		

76/R/CS/169

3RD CUT (10/11/76) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	1949	1973	MEAN
N PERCUT			
0	0.65	0.62	0.64
25	1.00	1.03	1.01
50	1.28	1.40	1.34
75	1.44	1.61	1.52
100	1.60	1.63	1.61
MEAN	1.10	1.15	1.13

FIELD	HIGHFLD	FOSTERS	MEAN
N PERCUT			
0	0.67	0.61	0.64
25	1.09	0.94	1.01
50	1.26	1.41	1.34
75	1.52	1.52	1.52
100	1.65	1.58	1.61
MEAN	1.15	1.11	1.13

FIELD	HIGHFLD	FOSTERS	MEAN
SOW DATE			
1949	1.18	1.03	1.10
1973	1.11	1.19	1.15
MEAN	1.15	1.11	1.13

N PERCUT	1949		1973		
	FIELD	HIGHFLD FOSTERS	HIGHFLD	FOSTERS	
0		0.71	0.59	0.62	0.63
25		1.21	0.79	0.98	1.09
50		1.25	1.30	1.28	1.52
75		1.47	1.41	1.58	1.63
100		1.73	1.47	1.57	1.68

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N PERCUT	N PERCUT* SOW DATE	N PERCUT** FIELD	N PERCUT*** SOW DATE FIELD	MIN REP	MAX-MIN
SED	0.077	0.109	0.109	0.154		
	0.067	0.094	0.094	0.133		

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	24	0.154	13.7
3RD CUT MEAN DM%	15.3		

76/R/CS/169

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	1949	1973	MEAN
N PERCUT			
0	1.93	1.79	1.86
25	3.29	3.66	3.48
50	4.12	4.94	4.53
75	5.09	5.80	5.45
100	5.60	6.28	5.94
MEAN	3.66	4.05	3.85

FIELD	HIGHFLD	FOSTERS	MEAN
N PERCUT			
0	2.03	1.70	1.86
25	3.92	3.03	3.48
50	4.79	4.27	4.53
75	5.94	4.96	5.45
100	6.22	5.66	5.94
MEAN	4.15	3.55	3.85

FIELD	HIGHFLD	FOSTERS	MEAN
SOW DATE			
1949	3.97	3.36	3.66
1973	4.34	3.75	4.05
MEAN	4.15	3.55	3.85

N PERCUT	SOW DATE 1949		SOW DATE 1973	
	FIELD	HIGHFLD	HIGHFLD	FOSTERS
0		2.03	1.84	1.56
25		3.81	2.77	3.30
50		4.55	3.70	4.85
75		5.48	4.70	5.22
100		5.91	5.29	6.04

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N PERCUT	N PERCUT* SOW DATE	N PERCUT** FIELD	N PERCUT*** SOW DATE FIELD	MIN REP	MAX-MIN
SED	0.233	0.329	0.329	0.466		
	0.202	0.285	0.285	0.404		

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	24	0.466	12.1
TOTAL OF 3 CUTS MEAN DM%	27.3		
SUB PLOT AREA HARVESTED	0.00075		