Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1976



Full Table of Content

# 76/R/WW/3 and 76/W/WW/3 Growth and Yield on Contrasted Sites - W. Wheat

#### **Rothamsted Research**

Rothamsted Research (1977) 76/R/WW/3 and 76/W/WW/3 Growth and Yield on Contrasted Sites - W. Wheat; Yields Of The Field Experiments 1976, pp 260 - 265 - **DOI:** 

https://doi.org/10.23637/ERADOC-1-15

# 76/R/WW/3 and 76/W/WW/3

#### WINTER WHEAT

# GROWTH AND YIELD ON CONTRASTED SITES

Object: To study the growth and yield of wheat on sites at Rothamsted and Woburn. The effects of rates and times of application of nitrogen and irrigation are also studied - Rothamsted (R) Gt Knott I and Woburn (W) Butt Close III.

Sponsors: P.J. Welbank, F.V. Widdowson.

Design: Single replicate of 2 x 6 x 2 arranged as 12 whole plots split into 2.

Whole plot dimensio: Gt Knott I (R): 13.4 x 15.2.

Butt Close III (W): 14.3 x 14.5.

Treatments: All combinations of:-

Whole plots

1. IRRIGTN Irrigation:

NONE None

FULL Full irrigation

NOTE: Because of practical difficulties the amounts of water applied (see below) were less than intended.

2. N RATE Nitrogen fertiliser (kg N):

	R	W
0	0	0
25	25	-
50	50	50
75	75	75
100	100	100
125	125	125
150	-	150

3. N TIME Times of applying nitrogen fertiliser:

SINGLE Single dressing in spring

DIVIDED Half in spring, quarter four and eight weeks later

Irrigation treatments (mm water):

Gt Knott I (R): 2 June 25.4 15 June 25.4 7 July 19.0

Total 69.8

# 76/R/WW/3 and 76/W/WW/3

# Butt Close III (W):

18 May	19.0	22	June	12.7
26-27 May	19.0	28-29	June	25.4
2-3 June	19.0	5-8	July	25.4
8-9 June	25.4	14-15	July	25.4
14-15 June	25.4			

#### Total 196.7

#### Basal applications:

Gt Knott I (R): Manures: (0:14:28) at 500 kg, combine drilled. Weed-killers: Ioxynil at 0.53 kg plus mecoprop at 1.6 kg in 220 l. Growth Regulator: Chlormequat at 2.8 kg in 220 l.

Butt Close III (W): Manures: (0:14:28) at 520 kg, combine drilled. Weedkiller: Ioxynil at 0.63 kg plus mecoprop at 1.9 kg in 280 l. Growth Regulator: Chlormequat at 1.7 kg in 280 l.

Seed: Both sites: Maris Huntsman, sown at 190 kg.

#### Cultivations, etc .:-

Gt Knott I (R): Ploughed: 17 Sept, 1975. Spring-tine cultivated three times: 16 Sept, 17 Sept, 10 Oct. Seed sown: 31 Oct. Weedkiller applied, first N treatment applied: 22 Apr, 1976. Chlormequat applied: 5 May. Second N treatment applied: 17 May. Third N treatment applied: 23 June. Combine harvested: 3 Aug. Previous crops: Barley 1974, beans 1975.

Butt Close III (W): Heavy spring-tine cultivated: 2 Sept, 1975. Deeptine cultivated: 24 Sept. Rotary cultivated: 25 Oct. Spring-tine cultivated twice: 28 Oct, 30 Oct. Seed sown: 30 Oct. Weed-killer applied: 21 Apr, 1976. First N treatment applied: 23 Apr. Chlormequat applied: 4 May. Second N treatment applied: 19 May. Third N treatment applied: 14 June. Combine harvested: 30 July. Previous crops: Barley 1974, beans 1975.

- NOTES: (1) Estimates were made of leaf areas and number of tillers and spikelets during the season. Root samples were taken on one occasion.
  - (2) Stomatal resistance and measurements of photosynthetic rates were made on Gt Knott I (R) only.
  - (3) Shoot samples were taken for N determinations.
  - (4) Soil water measurements were made weekly from April to July.
  - (5) The percentages of N, P and K in grain were measured.
  - (6) 1000 grain weights were determined.

# 76/R/WW/3 GREAT KNOTT I(R)

# GRAIN TONNES/HECTARE

# \*\*\*\* TABLES OF MEANS \*\*\*\*

N RATE	0	25	50	75	100	125	MEAN
NONE	4.49	4.00	4.82	4.74	5.05	4.80	4.65
FULL	3.87	4.95	5.29	4.59	5.19	5.49	4.90
MEAN	4.18	4.48	5.05	4.66	5.12	5-14	4.77

# EXCLUDING N RATE 0

	TIME	SINGLE 1	DIVIDED	MEA	N	
IR	RIGTN					
	NONE	4.51	4.86	4.6	8	
	FULL	5.59	4.62	5.1	.0	
	MEAN	5.05	4.74	4.8	19	
	TIME RATE	SINGLE I	DIVIDED	MEA	N	
	25	4.42	4.54	4.4	8	
	50	5.11	5.00	5.0		
	75	4.26	5.07	4.6		
	100	5.63	4.61	5.1		
	125	5.82	4.47	5.1		
	MEAN	5.05	4.74	4.8	9	
227			GTN	NONE	FULL	
N	RATE		CIME			
	25		IGLE	3.28	5.55	
		DIVI	DED	4.73	4.35	
	50		IGLE	4.50	5.72	
		DIVI	DED	5.13	4.86	
	75		IGLE	3.77	4.74	
		DIVI		5.71	4.44	
	100		GLE	5.50	5.76	
		DIVI		4.60	4.63	
	125	SIN	GLE	5.47	6.16	

GRAIN MEAN DM% 88.2 see erse sierry of A bns T . W to segs

PLOT AREA HARVESTED 0.00434

DIVIDED 4.13 4.81

# 76/R/WW/3 GREAT KNOTT I(R)

# STRAW TONNES/HECTARE

# \*\*\*\*\* TABLES OF MEANS \*\*\*\*

N RATE	0	25	50	75	100	125	MEAN
NONE	2.71	2.77 3.51	3.18 3.28	2.86 3.17	2.98 3.84	3.59 3.54	3.02 3.36
MEAN	2.75	3-14	3.23	3.01	3.41	3.56	3.19

#### EXCLUDING N RATE O

N TIME	SINGLE I	DIVIDED	MEAN
IRRIGTN			
NONE	3.09	3.07	3.08
FULL	3.54	3.40	3.47
MEAN	3.31	3.23	3.27
N TIME	SINGLE I	IVIDED	MEAN
N RATE			
25	2.80	3.48	3.14
50	3.26	3.20	3.23
75	3.13	2.90	3.01
100	3.60	3.22	3.41
125	3.77	3.36	3.56
MEAN	3.31	3.23	3.27

	IRRIGTN	NONE	FULL
N RATE	N TIME		
25	SINGLE	2.28	3.32
	DIVIDED	3.26	3.70
50	SINGLE	3.40	3.12
	DIVIDED	2.96	3.44
75	SINGLE	2.86	3.40
	DIVIDED	2.86	2.94
100	SINGLE	3.03	4.17
	DIVIDED	2.93	3.51
125	SINGLE	3.85	3.68
	DIVIDED	3.32	3.40

STRAW MEAN DM% 93.3

PLOT AREA HARVESTED 0.00434

76/W/WW/3 BUTT CLOSE III(W)

GRAIN TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

N RATE	0	50	75	100	125	150	MEAN
NONE FULL	1.13	2.25 4.32	2.02	2.61	1.87	1.96	1.97
MEAN	2.10	3.29	4•20 3•11	4.96 3.78	4.42 3.14	3.64 2.80	4.10

# EXCLUDING N RATE O

N TIME	SINGLE	DIVIDED	MEAN	I
IRRIGIN				
NONE	2.03	2.25	2.14	
FULL	4.56	4.06	4.31	
MEAN	3.29	3.16	3.23	-
N TIME N RATE	SINGLE	DIVIDED	MEAN	
50	2.53	4.05	3.29	
75	3.11	3.11		
100	3.98			
125	3.99			
150	2.86			
100	2.00	2010	2.00	
MEAN	3.29	3-16	3.23	
	IRI	RIGTN	NONE	FULL
N RATE	N	TIME		
50	SI	NGLE	1.35	3.71
	DIV	IDED	3.16	4.94
75	SI	NGLE	1.95	4.27
		IDED	2.09	4.13
100	SI	NGLE	3.35	4.61
	DIV	IDED		5.31
125		NGLE		5.74
	-		1.49	3.10
150		NGLE	1.26	4.46
100	51	подр	1.00	10 10

DIV IDED

2.67

2.83

GRAIN MEAN DM% 85.5

PLOT AREA HARVESTED 0.00408

76/W/WW/3 BUTT CLOSE III(W)

STRAW TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

	MEAN						
N RATE	0	50	75	100	125	150	MEAN
IRRIGIN							
NONE	0.54	1.24	1.36	1.41	1.31	1.38	1.21
FULL	1.85	3.35	2.77	3.88	4.36	3.40	3.27
MEAN	1.20	2.30	2.07	2.65	2.83	2.39	2.24

# EXCLUDING N RATE O

N T	CTN	SINGLE	DIVIDED	MEAN	
	IONE	1.39	1.29	1.34	
_	ULL	3.50			
1	ОГГ	3.30	3.60	3.55	
ħ	ŒAN	2.45	2.45	2.45	
NI	IME	SINGLE	DIVIDED	MEAN	
NF	RATE				
	50	2.07	2.52	2.30	
	75	2.13	2.01	2.07	1
	100	2.27	3.03	2.65	
	125	3.47	2.20	2.83	
	150	2.29			
Ņ	EAN	2.45	2.45	2.45	
		IR	RIGTN	NONE	FULL
NF	RATE	N	TIME		
	50		INGLE	1.09	3.05
		DIV	IDED	1.39	3.65
	75	S			2.91
		DIV	IDED	1.37	2.64
	100	S	INGLE	1.62	2.91
					4.85
	125	S			5.34
		DIV	IDED	1.02	3.37
	150	S	INGLE	1.29	3.30
		271	I T D TID		7 50

DIVIDED

1.48

3.50

STRAW MEAN DM% 93.4

PLOT AREA HARVESTED 0.00408