

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1976

[Full Table of Content](#)

## 76/R/B/4 N and Foliar Diseases - S. Barley

### Rothamsted Research

Rothamsted Research (1977) *76/R/B/4 N and Foliar Diseases - S. Barley* ; Yields Of The Field Experiments 1976, pp 301 - 303 - DOI: <https://doi.org/10.23637/ERADOC-1-15>

76/R/B/4

SPRING BARLEY

N AND FOLIAR DISEASES

Object: To study the effects of mildew and brown rust on response to a range of nitrogen rates applied at different times - Pastures.-

Sponsors: J.F. Jenkyn, M.E. Finney.

Design: Single replicate of 6 x 3 x 2 x 2.

Whole plot dimensions: 4.27 x 9.14.

Treatments: All combinations of:-

1. N RATE      Amounts of nitrogen fertiliser (kg N):

25	25
50	50
70	70
90	90
110	110
135	135

2. N TIME      Times of applying N:

SB	Seedbed (1 Apr, 1976)
TD	Top dressed (21 May)
SB/TD	Half to seedbed, half top dressed

3. MILDEW F    Mildew fungicide:

NONE	None
TRIDEMOR	Tridemorph on 21 May and 7 June

4. RUST F      Rust fungicide:

NONE	None
BENODANI	Benodanil on 17 June

NOTE: Fungicides were applied in 340 l:-

- (a) Tridemorph at 0.53 kg
- (b) Benodanil at 1.12 kg with 175 ml 'Citowett'

Basal applications: Manures: (0:20:20) at 310 kg, combine drilled.

Weedkillers: Paraquat at 0.42 kg ion in 220 l in autumn. Dicamba with mecoprop and MCPA ('Banlene Plus' at 5.6 l in 220 l) in spring.

Seed: Zephyr, sown at 160 kg.

Cultivations, etc.:- Autumn weedkiller applied: 6 Nov, 1975.

Ploughed: 18-24 Nov. Spring-tine cultivated: 2, 12 Mar, 1976.

Seed sown: 22 Mar. Spring weedkiller applied: 11 May. Combine harvested: 26 July. Previous crops: Potatoes 1974, wheat 1975.

NOTE: Seedling emergence counts were made. Leaf diseases were assessed on three occasions and ear counts made in early July.

75/R/B/4

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

MILDEW F	NONE	TRIDEMOR					MEAN
N TIME							
SB	4.04	4.85					4.45
TD	3.93	4.47					4.20
SB/TD	4.11	4.81					4.46
MEAN	4.03	4.71					4.37
RUST F	NONE	BENODANI					MEAN
N TIME							
SB	4.43	4.46					4.45
TD	4.21	4.19					4.20
SB/TD	4.41	4.51					4.46
MEAN	4.35	4.39					4.37
RUST F	NONE	BENODANI					MEAN
MILDEW F							
NONE	3.99	4.06					4.03
TRIDEMOR	4.70	4.72					4.71
MEAN	4.35	4.39					4.37
N RATE	25	50	70	90	110	135	MEAN
N TIME							
SB	3.85	4.38	4.25	4.64	4.79	4.77	4.45
TD	3.96	4.01	4.09	4.46	4.41	4.27	4.20
SB/TD	4.18	4.41	4.59	4.50	4.62	4.45	4.46
MEAN	4.00	4.26	4.31	4.53	4.61	4.50	4.37
N RATE	25	50	70	90	110	135	MEAN
MILDEW F							
NONE	3.77	3.96	3.91	4.02	4.24	4.25	4.03
TRIDEMOR	4.22	4.56	4.71	5.05	4.97	4.75	4.71
MEAN	4.00	4.26	4.31	4.53	4.61	4.50	4.37
N RATE	25	50	70	90	110	135	MEAN
RUST F							
NONE	3.90	4.29	4.25	4.59	4.56	4.50	4.35
BENODANI	4.10	4.23	4.37	4.48	4.65	4.50	4.39
MEAN	4.00	4.26	4.31	4.53	4.61	4.50	4.37
N TIME	N RATE	25	50	70	90	110	135
SB	MILDEW F						
	NONE	3.65	3.96	4.06	4.04	4.31	4.22
	TRIDEMOR	4.06	4.79	4.44	5.23	5.27	5.31
TD	NONE	3.72	4.02	3.62	4.01	3.96	4.27
	TRIDEMOR	4.21	4.00	4.56	4.91	4.86	4.28
SB/TD	NONE	3.95	3.91	4.05	4.01	4.46	4.26
	TRIDEMOR	4.41	4.90	5.13	4.99	4.79	4.65

76/R/B/4 GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

	N RATE	25	50	70	90	110	135
N TIME	RUST F						
SB	NONE	3.82	4.28	4.11	4.54	4.78	5.04
	BENODANI	3.89	4.47	4.39	4.73	4.81	4.50
TD	NONE	3.77	4.18	3.99	4.63	4.55	4.12
	BENODANI	4.15	3.83	4.18	4.29	4.26	4.43
SB/TD	NONE	4.10	4.42	4.65	4.59	4.36	4.35
	BENODANI	4.26	4.39	4.53	4.41	4.88	4.56
	N RATE	25	50	70	90	110	135
MILDEW F	RUST F						
	NONE	3.59	3.85	3.85	4.05	4.33	4.29
	BENODANI	3.96	4.07	3.98	3.99	4.15	4.20
TRIDEMOR	NONE	4.21	4.74	4.66	5.13	4.79	4.70
	BENODANI	4.24	4.39	4.76	4.96	5.15	4.79

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	N TIME	MILDEW F	RUST F	N RATE
SED	0.076	0.062	0.062	0.108

TABLE	N TIME MILDEW F	N TIME RUST F	MILDEW F RUST F	N TIME N RATE
SED	0.108	0.108	0.088	0.187

TABLE	MILDEW F N RATE	RUST F N RATE	N TIME MILDEW F RUST F	N TIME MILDEW F N RATE
SED	0.153	0.153	0.153	0.264

TABLE	N TIME RUST F N RATE	MILDEW F RUST F N RATE
SED	0.264	0.216

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
WP	10	0.264	6.1

GRAIN MEAN DM% 88.2

PLOT AREA HARVESTED 0.00195