

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1976

[Full Table of Content](#)



A small, rectangular thumbnail image showing the front cover of the document. The cover features a grid of data tables and some text at the top and bottom.

## 76/R/B/5 Sowing Dates and Pathogen Control - Barley

### Rothamsted Research

Rothamsted Research (1977) *76/R/B/5 Sowing Dates and Pathogen Control - Barley ; Yields Of The Field Experiments 1976*, pp 304 - 306 - DOI: <https://doi.org/10.23637/ERADOC-1-15>

76/R/B/5

SPRING BARLEY

SOWING DATES AND PATHOGEN CONTROL

Object: To study the effects of aphid, virus and fungus control on pathogens and yield of barley sown on two dates - Gt. Harpenden II.

Sponsors: R.T. Plumb, J.F. Jenkyn.

Design: 3 blocks of 2 x 2 x 2 x 2, randomisation restricted.

Whole plot dimensions: 6.40 x 15.2.

Treatments: All combinations of:-

1. SOW DATE      Dates of sowing:

4 MAR	4 March, 1976
13 APR	13 April

2. FUNGicide      Fungicide:

NONE	None
E+T+B	Ethirimol seed dressing; tridemorph and benodanil sprays

3. APHICIDE(1) Aphicide to seedbed:

NONE	None
PHORATE	Phorate at 5 kg as granules

4. APHICIDE(2) Aphicide on 4 June:

NONE	None
MENAZON	Menazon ('Saphi-col' at 0.7 l in 450 l)

NOTES: (1) Fungicides applied:-

Tridemorph at 0.53 kg in 450 l on 27 May and with benodanil on 7 July. Benodanil at 1.12 kg with 175 ml 'Citowett' in 450-l.

(2) The second application of fungicides was applied to SOW DATE 13 APR only.

Basal applications: Manures: (20:14:14) at 310 kg, combine drilled. Weedkillers: Dicamba with mecoprop and MCPA ('Banlene Plus' at 5.6 l in 220 l).

Seed: Julia, sown at 160 kg.

Cultivations, etc.: Heavy spring-tine cultivated twice: 4 Nov, 1975. Deep-tine cultivated twice: 13, 14 Nov. Heavy spring-tine cultivated: 1 Mar, 1976. Power harrowed for early sowing: 4 Mar. Power harrowed for late sowing: 13 Apr. Weedkiller applied: 10 May. Combine harvested: 23 July. Previous crops: Beans 1974, potatoes 1975.

NOTE: Emergence counts were made for both sowings. Mildew was assessed on two occasions, aphids on five and viruses once. Tiller counts were made on two occasions in July.

76/R/B/5

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

FUNGCIDE	NONE	E+T+B	MEAN	
SOW DATE				
4 MAR	4.82	5.47	5.15	
13 APR	3.06	3.55	3.30	
MEAN	3.94	4.51	4.23	
APHICIDE(1)	NONE	PHORATE	MEAN	
SOW DATE				
4 MAR	4.87	5.42	5.15	
13 APR	3.17	3.44	3.30	
MEAN	4.02	4.43	4.23	
APHICIDE(1)	NONE	PHORATE	MEAN	
FUNGCIDE				
NONE	3.71	4.17	3.94	
E+T+B	4.33	4.69	4.51	
MEAN	4.02	4.43	4.23	
APHICIDE(2)	NONE	MENAZON	MEAN	
SOW DATE				
4 MAR	4.98	5.31	5.15	
13 APR	3.06	3.55	3.30	
MEAN	4.02	4.43	4.23	
APHICIDE(2)	NONE	MENAZON	MEAN	
FUNGCIDE				
NONE	3.70	4.18	3.94	
E+T+B	4.34	4.68	4.51	
MEAN	4.02	4.43	4.23	
APHICIDE(2)	NONE	MENAZON	MEAN	
APHICIDE(1)				
NONE	3.76	4.28	4.02	
PHORATE	4.28	4.58	4.43	
MEAN	4.02	4.43	4.23	
FUNGCIDE	NONE	E+T+B		
APHICIDE(1)	NONE	PHORATE	NONE PHORATE	
SOW DATE				
4 MAR	4.55	5.09	5.19	5.75
13 APR	2.86	3.25	3.47	3.63
FUNGCIDE	NONE	E+T+B		
APHICIDE(2)	NONE	MENAZON	NONE MENAZON	
SOW DATE				
4 MAR	4.61	5.03	5.35	5.59
13 APR	2.78	3.33	3.33	3.77

76/R/B/5

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

APHICIDE(1)	NONE		PHORATE		
APHICIDE(2)	NONE	MENAZON	NONE	MENAZON	
SOW DATE					
4 MAR	4.63	5.12	5.34	5.51	
13 APR	2.90	3.44	3.22	3.66	
APHICIDE(1)	NONE		PHORATE		
APHICIDE(2)	NONE	MENAZON	NONE	MENAZON	
FUNGCIDE					
NONE	3.44	3.98	3.96	4.39	
E+T+B	4.09	4.58	4.60	4.78	
APHICIDE(1)	NONE		PHORATE		
APHICIDE(2)	NONE	MENAZON	NONE	MENAZON	
SOW DATE FUNGCIDE					
4 MAR	NONE	4.31	4.80	4.92	5.27
	E+T+B	4.95	5.44	5.75	5.74
13 APR	NONE	2.57	3.15	2.99	3.51
	E+T+B	3.22	3.72	3.45	3.81

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	SOW DATE	FUNGCIDE	APHICIDE(1)	APHICIDE(2)	
SED	0.075		0.075	0.075	0.075
TABLE	SOW DATE	SOW DATE	FUNGCIDE	SOW DATE	
	FUNGCIDE	APHICIDE(1)	APHICIDE(1)	APHICIDE(1)	APHICIDE(2)
	APHICIDE(2)	APHICIDE(2)	FUNGCIDE	FUNGCIDE	
SED	0.106		0.106	0.106	0.106
TABLE	FUNGCIDE	APHICIDE(1)	SOW DATE	SOW DATE	
	APHICIDE(2)	APHICIDE(2)	FUNGCIDE	FUNGCIDE	
		APHICIDE(1)	APHICIDE(1)	APHICIDE(2)	
SED	0.106		0.106	0.150	0.150
TABLE	SOW DATE	FUNGCIDE	SOW DATE		
	APHICIDE(1)	APHICIDE(1)	FUNGCIDE		
	APHICIDE(2)	APHICIDE(2)	APHICIDE(1)		
		APHICIDE(2)	APHICIDE(2)		
SED	0.150		0.150	0.212	

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	30	0.260	6.2

GRAIN MEAN DM% 85.0

PLOT AREA HARVESTED 0.00260