


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1977

[Full Table of Content](#)



77/R/CS/13 N Levels to Old Grass - Old Grass

Rothamsted Research

Rothamsted Research (1978) *77/R/CS/13 N Levels to Old Grass - Old Grass* ; Yields Of The Field Experiments 1977, pp 114 - 117 - DOI: <https://doi.org/10.23637/ERADOC-1-29>

77/R/CS/13

N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture given a single dressing of P and K annually. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 13th year, old grass.

For previous years see 'Details' 1973 and 74-76/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

Treatments

TOTAL N	Fertiliser nitrogen (kg N-total per annum applied in four equal dressings as 25:0:16):
0(S)	0 (sprayed with ioxynil plus mecoprop to control legumes, duplicated)
0	0 (duplicated)
75	
150	
225	
300	
375	
450	

NOTE: Ioxynil at 0.42 kg with mecoprop at 1.3 kg in 280 l applied on 27 Apr, 1977.

Basal applications: Manures: 34 kg P as superphosphate. 224 kg K as potassium sulphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.: - Basal P, K and Mg applied: 2 Dec, 1976. N applied: 14 Mar, 1977, 13 May, 27 June, 15 Aug. Cut: 12 May, 27 June, 15 Aug, 3 Nov.

77/R/CS/13

1ST CUT (12/5/77) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.12	0.66	1.27	2.32	3.28	3.89	4.04	4.01	2.04

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.234 MIN REP
	0.202 MAX-MIN
	0.165 MAX REP

TOTAL N
MAX REP 0(S) V O
MAX-MIN 0(S) OR O ANY OF REMAINDER
MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.331	16.2

1ST CUT MEAN DM% 18.5

2ND CUT (27/6/77) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.83	2.00	2.52	3.20	3.55	3.69	3.44	3.49	2.55

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.247 MIN REP
	0.214 MAX-MIN
	0.174 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.349	13.7

2ND CUT MEAN DM% 22.2

77/R/CS/13

3RD CUT (15/8/77) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.44	0.84	0.88	1.27	1.42	1.74	1.67	1.81	1.14

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.149 MIN REP
	0.129 MAX-MIN
	0.105 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.211	18.6

3RD CUT MEAN DM% 20.0

4TH CUT (3/11/77) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.44	0.96	1.57	2.66	2.72	3.27	3.01	3.03	1.91

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.155 MIN REP
	0.135 MAX-MIN
	0.110 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.220	11.5

4TH CUT MEAN DM% 17.9

77/R/CS/13

TOTAL OF 4 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	1.82	4.46	6.25	9.45	10.98	12.59	12.16	12.34	7.63

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	

SED	0.363	MIN REP
	0.314	MAX-MIN
	0.256	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.513	6.7

TOTAL OF 4 CUTS MEAN DM% 19.6

PLOT AREA HARVESTED 0.00086