


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1977

[Full Table of Content](#)



---

### 77/R/CS/140 Chemical Reference Plots - Barley

#### Rothamsted Research

Rothamsted Research (1978) *77/R/CS/140 Chemical Reference Plots - Barley*; Yields Of The Field Experiments 1977, pp 173 - 175 - DOI: <https://doi.org/10.23637/ERADOC-1-29>

77/R/CS/140

CHEMICAL REFERENCE PLOTS

Object: To study the persistence in soil of four agricultural chemicals applied annually, singly and in combination and their effects on soil microflora and on yield of continuous barley - Long Hoos V 3.

Sponsors: G.G. Briggs, N. Walker, R. MacDonald.

The fourth year, barley.

For previous years see 74-76/R/CS/140.

Design: Two replicates of 2 x 2 x 2 x 2 fully randomised.

Whole plot dimensions: 4.06 x 4.57.

Treatments, applied cumulatively 1974-77 except WEEDKLLR - 1974 and 76 only:  
All combinations of:-

1. FUNGCIDE      Fungicide:  
    NONE            None  
    BENOMYL        Benomyl at 4 kg applied 10 Mar, 1977
2. INSECTCIDE    Insecticide:  
    NONE            None  
    CHLORFEN       Chlorfenvinphos at 2 kg applied 10 Mar
3. NEMACIDE      Nematicide:  
    NONE            None  
    ALDICARB       Aldicarb at 6 kg applied 10 Mar
4. WEEDKLLR     Weedkiller:  
    NONE            None  
    CHLORTOL       Chlortoluron at 2 kg applied 1974 and 1976 only

NOTE: Chemicals applied to the seedbed.

Basal applications: Manures: (0:14:28) at 880 kg, 'Nitro-Chalk' at 500 kg.  
Weedkillers: Dicamba with mecoprop and MCPA ('Tetralax Plus' at 5.6 l in 340 l).

Seed: Julia (undressed), sown at 160 kg.

Cultivations, etc.: - Deep-tine cultivated: 13 Sept, 1976. PK applied: 8 Nov.  
Ploughed: 9 Nov-14 Dec. N applied, spring-tine cultivated: 9 Mar, 1977.  
Power harrowed: 10 Mar. Seed sown: 11 Mar. Weedkillers applied: 23 May.  
Combine harvested: 29 Aug.

NOTE: Mildew and aphids were assessed during the season.

77/R/CS/140

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

INSCTCDE	NONE	CHLORFEN	MEAN	
FUNGICIDE				
NONE	4.89	4.53	4.71	
BENOMYL	4.98	4.67	4.83	
MEAN	4.93	4.60	4.77	
NEMACIDE	NONE	ALDICARB	MEAN	
FUNGICIDE				
NONE	4.56	4.87	4.71	
BENOMYL	4.41	5.24	4.83	
MEAN	4.48	5.05	4.77	
NEMACIDE	NONE	ALDICARB	MEAN	
INSCTCDE				
NONE	4.72	5.15	4.93	
CHLORFEN	4.25	4.96	4.60	
MEAN	4.48	5.05	4.77	
WEEDKLLR	NONE	CHLORTOL	MEAN	
FUNGICIDE				
NONE	4.83	4.59	4.71	
BENOMYL	5.05	4.60	4.83	
MEAN	4.94	4.60	4.77	
WEEDKLLR	NONE	CHLORTOL	MEAN	
INSCTCDE				
NONE	4.93	4.94	4.93	
CHLORFEN	4.95	4.26	4.60	
MEAN	4.94	4.60	4.77	
WEEDKLLR	NONE	CHLORTOL	MEAN	
NEMACIDE				
NONE	4.78	4.18	4.48	
ALDICARB	5.09	5.01	5.05	
MEAN	4.94	4.60	4.77	
INSCTCDE	NONE	CHLORFEN		
NEMACIDE	NONE	ALDICARB	NONE	ALDICARB
FUNGICIDE				
NONE	4.77	5.01	4.34	4.72
BENOMYL	4.66	5.30	4.15	5.19
INSCTCDE	NONE	CHLORFEN		
WEEDKLLR	NONE	CHLORTOL	NONE	CHLORTOL
FUNGICIDE				
NONE	4.81	4.97	4.85	4.22
BENOMYL	5.05	4.91	5.05	4.29

77/R/CS/140

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

NEMACIDE	NONE	ALDICARB		
WEEDKLLR	NONE	CHLORTOL	NONE	
FUNGCIDE			CHLORTOL	
NONE	4.79	4.32	4.87	4.86
BENOMYL	4.78	4.04	5.32	5.17

NEMACIDE	NONE	ALDICARB		
WEEDKLLR	NONE	CHLORTOL	NONE	
INSCTCDE			CHLORTOL	
NONE	4.77	4.66	5.09	5.21
CHLORFEN	4.80	3.70	5.10	4.82

	NEMACIDE	NONE	ALDICARB		
FUNGCIDE	WEEDKLLR	NONE	CHLORTOL	NONE	
	INSCTCDE			CHLORTOL	
NONE	NONE	4.78	4.75	4.84	5.18
	CHLORFEN	4.80	3.89	4.90	4.55
BENOMYL	NONE	4.75	4.58	5.34	5.25
	CHLORFEN	4.80	3.50	5.29	5.09

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	FUNGCIDE	INSCTCDE	NEMACIDE	WEEDKLLR
SED	0.148	0.148	0.148	0.148

TABLE	FUNGCIDE	FUNGCIDE	INSCTCDE	FUNGCIDE
	INSCTCDE	NEMACIDE	NEMACIDE	WEEDKLLR
SED	0.209	0.209	0.209	0.209

TABLE	INSCTCDE	NEMACIDE	FUNGCIDE	FUNGCIDE
	WEEDKLLR	WEEDKLLR	INSCTCDE	INSCTCDE
			NEMACIDE	WEEDKLLR
SED	0.209	0.209	0.296	0.296

TABLE	FUNGCIDE	INSCTCDE	FUNGCIDE
	NEMACIDE	NEMACIDE	INSCTCDE
	WEEDKLLR	WEEDKLLR	NEMACIDE
			WEEDKLLR
SED	0.296	0.296	0.419

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
WP	16	0.419	8.8

GRAIN MEAN DM% 85.8

PLOT AREA HARVESTED 0.00075