


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1977

[Full Table of Content](#)



77/R/BE/8 Soil Insecticides and Sitona Control - Beans

Rothamsted Research

Rothamsted Research (1978) *77/R/BE/8 Soil Insecticides and Sitona Control - Beans* ; Yields Of The Field Experiments 1977, pp 381 - 382 - DOI: <https://doi.org/10.23637/ERADOC-1-29>

77/R/BE/8

SPRING BEANS

SOIL INSECTICIDES AND SITONA CONTROL

Object: To study the effects of a range of soil-applied insecticides on the control of Sitona larvae and on yield - Pastures.

Sponsors: R. Bardner, K.E. Fletcher, D.C. Griffiths.

Design: 4 randomised blocks of 16 plots.

Whole plot dimensions: 2.67 x 4.27.

Treatments:

INSECTICIDE	Insecticides (kg):
NONE	None (2 plots per block)
CARBOP 1	Carbophenothion 2.24
CARBOP 2	Carbophenothion 4.48
CHLORM 2	Chlormephos 4.48
CHLORM 4	Chlormephos 8.96
DIAZIN 1	Diazinon 2.24
DIAZIN 2	Diazinon 4.48
FONOF 2	Fonofos 4.48
FONOF 4	Fonofos 8.96
HCH 1	HCH (BHC) 2.24
HCH 2	HCH (BHC) 4.48
METHIO 1	Methiocarb 2.24
METHIO 2	Methiocarb 4.48
TRIAZO 1	Triazophos 2.24
TRIAZO 2	Triazophos 4.48

NOTE: Treatments applied on 5 Apr, 1977.

Basal applications: Manures: FYM at 20 t. Chalk at 7.5 t. Weedkiller: Simazine at 0.8 kg in 340 l. Insecticide: Pirimicarb at 0.14 kg in 280 l.

Seed: Minden, sown at 220 kg.

Cultivations, etc.: - Chalk applied: 1 Sept, 1976. FYM applied: 16 Sept. Ploughed: 17 Sept. Heavy spring-tine cultivated: 7 Mar, 1977. Spike rotary cultivated: 5 Apr. Seed sown: 7 Apr. Weedkiller applied: 11 May. Insecticide applied: 19 July. Harvested by hand: 14 Sept. Previous crops: Wheat 1975, barley 1976.

NOTE: Germination counts were made. Leaves and leaf notches were counted during the season. Sitona larvae were counted twice.

77/R/BE/8

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

INSCTCDE	
NONE	3.30
CARBOP 1	3.28
CARBOP 2	3.49
CHLORM 2	3.07
CHLORM 4	3.44
DIAZIN 1	3.36
DIAZIN 2	3.28
FONOF 2	3.64
FONOF 4	3.35
HCH 1	3.51
HCH 2	3.20
METHIO 1	3.24
METHIO 2	3.42
TRIAZO 1	3.36
TRIAZO 2	3.31
MEAN	3.35

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	INSCTCDE
-----	-----
SED	0.227 MIN REP
	0.197 MAX-MIN

INSCTCDE
 MAX-MIN NONE V ANY OF REMAINDER
 MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	46	0.321	9.6
GRAIN MEAN DM%	80.4		
PLOT AREA HARVESTED	0.00059		