


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1977

[Full Table of Content](#)



77/R/BE/11 Red Tick Lines - Beans

Rothamsted Research

Rothamsted Research (1978) 77/R/BE/11 Red Tick Lines - Beans ; Yields Of The Field Experiments 1977, pp 383 - 384 - DOI: <https://doi.org/10.23637/ERADOC-1-29>

77/R/BE/11

SPRING BEANS

RED TICK LINES

Object: To compare agronomic characters and yields of several lines of red-seeded field beans with two standard white varieties - Long Hoos IV 6.

Sponsor: J. McEwen.

Design: 3 randomised blocks of 14 plots.

Whole plot dimensions: 2.03 x 2.13.

Treatments:

VARIETY	Varieties:
RT1-RT11	Eleven red-seeded lines selected at Rothamsted
RT C	Bulk seed from red-seeded lines selected at P.B.I. Cambridge
BLAZE	Maris Blaze (white-seeded)
MINDEN	Minden (white-seeded)

NOTE: Seed was sown by hand in rows 61 cm apart, seed spaced 5 cm apart in the row.

Basal applications: Manures: (0:14:28) at 940 kg. Chalk at 2.9 t. Insecticide: Permethrin at 0.15 kg in 340 l on two occasions.

Cultivations, etc.: - PK applied: 18 Nov, 1976. Chalk applied: 3 Dec. Ploughed: 14 Dec-18 Jan, 1977. Power harrowed: 5 Apr. Seed sown: 6 Apr. Insecticide applied: 18 May, 21 June. Harvested by hand: 11 Oct. Previous crops: Wheat 1975, swedes 1976.

NOTE: Plant counts were made after establishment and again before harvest. Flowering dates were recorded. Components of yield were measured before harvest.

77/R/BE/11

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY	
RT1	4.01
RT2	3.98
RT3	3.94
RT4	4.03
RT5	3.98
RT6	3.87
RT7	4.19
RT8	4.25
RT9	4.08
RT10	3.97
RT11	3.76
RT C	3.61
BLAZE	4.37
MINDEN	3.89
MEAN	3.99

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	VARIETY
SED	0.249

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	26	0.305	7.6
GRAIN MEAN DM%	75.0		
PLOT AREA HARVESTED	0.00015		