


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1977

[Full Table of Content](#)



---

### 77/R/BE/14 Comparison of Sprayers - Beans

#### Rothamsted Research

Rothamsted Research (1978) *77/R/BE/14 Comparison of Sprayers - Beans* ; Yields Of The Field Experiments 1977, pp 385 - 386 - DOI: <https://doi.org/10.23637/ERADOC-1-29>

77/R/BE/14

SPRING BEANS

COMPARISON OF SPRAYERS

Object: To study the performance of an electrostatic spraying system on distribution of spray material and on yield of beans - Geescroft.

Sponsor: A.J. Arnold.

Design: 3 blocks of 2 plots split into 5.

Whole plot dimensions: 2.67 x 9.14.

Treatments: All combinations of:-

Whole plots:

1. SPRAYDAY	Dates of spraying:
1 JUNE	1 June for electrostatic sprayer, 30 May for farm sprayer
23 JUNE	23 June

Sub plots

2. SPRAYER	Sprayer used to apply permethrin at 0.07 kg:
NONE	None applied
EC 1 E	Electrostatic sprayer, spraying charged particles with a single rotary atomiser, sprayer earthed (SPRAYDAY 1 JUNE only)
EC 2 E	Electrostatic sprayer, spraying charged particles with two rotary atomisers, sprayer earthed
EC 2 -	Electrostatic sprayer, spraying charged particles with two rotary atomisers, sprayer not earthed (SPRAYDAY 23 JUNE only)
EU	Electrostatic sprayer, spraying uncharged particles
FU	Standard Farm sprayer, spraying uncharged particles

NOTES: (1) Farm sprayer applied permethrin in 560 l.  
(2) Electrostatic sprayer applied permethrin in 31 l.

Basal applications: Manures: Chalk at 7.5 t. Weedkiller: Simazine at 1.1 kg in 220 l.

Seed: Minden, sown at 220 kg.

Cultivations, etc.: - Chalk applied: 2 Sept, 1976. Ploughed: 9 Sept. Heavy spring-tine cultivated four times: 21 Sept, 22 Sept, 3 Nov, 8 Mar, 1977. Seed sown: 9 Mar. Weedkiller applied: 4 Apr. Combine harvested: 30 Sept. Previous crops: Wheat 1975, barley 1976.

NOTE: Observations were made on patterns of spray deposition.

77/R/BE/14

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

SPRAYER SPRAYDAY	NONE	EC 1 E	EC 2 E	EC 2 -	EU	FU
1 JUNE	4.61	4.95	4.80		4.79	4.93
23 JUNE	4.11		4.62	4.72	4.44	4.44
GRAND MEAN	4.64					

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	SPRAYDAY* SPRAYER
-----	
SED	0.184

\* WITHIN THE SAME LEVEL OF SPRAYDAY ONLY

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP.SP	16	0.225	4.9

GRAIN MEAN DM% 81.6

SUB PLOT AREA HARVESTED 0.00244