
Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1977



Full Table of Content

# 77/R/PE/3 Effects of N - Peas

## **Rothamsted Research**

Rothamsted Research (1978) 77/R/PE/3 Effects of N - Peas; Yields Of The Field Experiments 1977, pp 396 - 397 - DOI: https://doi.org/10.23637/ERADOC-1-29

### 77/R/PE/3

#### PEAS

### EFFECTS OF N

Object: To study the effects of small dressings of nitrogen fertiliser on the yield of leafless peas - Fosters O & EI.

Sponsor: J. McEwen.

Design: 3 randomised blocks of 6 plots.

Whole plot dimensions: 4.19 x 6.10.

#### Treatments:

N	Nitrogen fertiliser (kg N):
0	0 (2 plots per block)
25 S	25 to seedbed (25 Apr, 1977)
50 S	50 to seedbed (25 Apr)
25 F	25 at flowering (1 July)
50 F	50 at flowering (1 July)

Basal applications: Manures: (0:14:28) at 500 kg. Weedkillers: Trietazine with simazine ('Remtal' at 2.2 lb in 340 l).

Seed: BS4, dressed thiram, sown at 224 kg.

Cultivations, etc.:- Ploughed: 12 Nov, 1976. PK applied: 10 Mar, 1977. Power harrowed and seed sown: 12 Apr. Weedkillers applied: 15 Apr. Harvested by hand: 29 Aug. Previous crops: Barley 1975, 1976.

77/R/PE/3

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

N 0 25 S 50 S 25 F 50 F MEAN 3.31 3.32 3.66 3.32 3.40 3.39

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE

SED 0.232 MIN REP 0.201 MAX-MIN

MAX-MIN O V ANY OF REMAINDER MIN REP ANY OF REMAINDER

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM DF SE CV%

BLOCK.WP 11 0.284 8.4

GRAIN MEAN DM% 75.9

STRAW TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

N 0 25 S 50 S 25 F 50 F MEAN 2.94 3.65 3.23 3.04 2.92 3.12

STRAW MEAN DM% 87.3

PLOT AREA HARVESTED 0.00101