

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/W/CS/35 Nematicides Dosage - Potatoes

Rothamsted Research

Rothamsted Research (1979) *78/W/CS/35 Nematicides Dosage - Potatoes* ; Yields Of The Field Experiments 1978, pp 154 - 158 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/W/CS/35

NEMATOCIDES DOSAGE

Object: To study the effects of rates and methods of applying nematocides on *Globodera rostochiensis* and yield of potatoes, residual effects are also studied - Woburn Stackyard AII.

Sponsor: A.G. Whitehead.

The seventh year, potatoes.

For previous years see 72/W/CS/35(t) and 73-77/W/CS/35.

Design: 3 series of 4 replicates of 18 plots.

Whole plot dimensions: 4.27 x 6.10.

Treatments:-

The experiment has three series with the following cropping:-

	1968-71	1972	1973	1974	1975	1976	1977	1978
Series I	P	P*	SB	B	P*	P	P	P*
Series II	P	P	P*	SB	B	P*	P	P
Series III	P	P	P	P*	SB	B	P*	P

P = Potatoes, SB = Sugar beet, B = Barley

*Treatments applied to potatoes, following two crops test residual effects.

Treatments:

On Series I new sets of treatments were applied which ignore those applied in earlier years. All combinations of:-

1. A NEM Autumn nematocide:

NONE None
TELONE 'Telone' at 224 kg

2. S NEM Spring nematocides:

ALDICARB
OXAMYL

3. SNEMRATE Rates of spring nematocides (kg):

2.5
5.0
7.5
10.0

NONE plus two untreated plots per replicate

78/W/CS/35

Series II & III test all combinations of:-

Treatments: All combinations of:-

1. Varieties and residual effects of varieties:

VARIETY	Series II	
	1973	1976-78
(PC)PC3	Pentland Crown	Pentland Crown
(MP)PC3	Maris Piper	Pentland Crown

VARIETY	Series III	
	1974	1977-78
(PC)PC2	Pentland Crown	Pentland Crown
(MP)PC2	Maris Piper	Pentland Crown

2. Residues of nematicides (kg) (applied to Series II 1976, Series III 1977):

NEM RES(76)	Series II
NEM RES(77)	Series III
NONE	None
	Dazomet (half before, half after autumn ploughing)
DAZ2	220
DAZ3	330
DAZ4	440
DAZ6	660
DAZ2+TE2	Dazomet, 220, 'Telone', 220, all after autumn ploughing
TE4	'Telone' 450 all after autumn ploughing
OX	Oxamyl 5.6 in spring
TE2+OX	'Telone' 220, after autumn ploughing, oxamyl 5.6 in spring

NOTES: (1) Because of the wet autumn all nematicides were applied in the spring for Series III 1977.

(2) On Series I many of the plots were affected by flooding soon after planting. Yields were not taken.

Standard applications: Manures: Magnesian limestone at 5.6 t to Series III only.

All Series: (13:13:20) at 1850 kg. Weedkillers: Linuron at 1.3 kg plus paraquat at 0.42 kg ion in 280 l to Series II and III. All series: Fungicide: Mancozeb at 1.3 kg on three occasions in 280 l on the first, in 420 l on the second, in 420 l with insecticide on the third. Fentin acetate with maneb ('Fennite A' at 1.7 kg in 280 l). Insecticide: Pirimicarb at 0.14 kg on one occasion with fungicide, in 420 l. Haulm desiccant: Undiluted BOV at 170 l.

Seed: Pentland Crown.

Cultivations, etc.:-

All Series: Deep-tine cultivated three times: 7 Mar, 1978, 15 Mar, 10 Apr. Insecticide applied: 10 Aug. Fentin acetate with maneb applied: 23 Aug. Haulm mechanically destroyed: 15 Sept. Haulm desiccant applied: 23 Sept.

78/W/CS/35

Series I: Spring-tine cultivated, 'Telone' injected, spring-tine cultivated with crumbler attached two strokes: 19 Oct, 1977. NPK applied: 10 Apr, 1978. Spring-tine cultivated with crumbler attached: 20 Apr. Aldicarb and oxamyl applied, spring-tine cultivated: 24 Apr. Rotary cultivated, potatoes planted: 25 Apr. Grubbed three times: 17 May, 1 June, 9 July. Earthed up three times: 19 May, 9 June, 9 July. Mancozeb applied: 6 July, 20 July, 10 Aug. Lifted: 27 Sept.

Series II: Spring-tine cultivated: 19 Oct, 1977. NPK applied: 5 Apr, 1978. Rotary cultivated, potatoes planted: 19 Apr. Weedkiller applied: 15 May. Grubbed and earthed up twice: 9 June, 9 July. Mancozeb applied: 5 July, 20 July, 10 Aug. Lifted: 27 Sept.

Series III: Magnesian limestone applied: 8 Nov, 1977. NPK applied: 5 Apr, 1978. Rotary cultivated, potatoes planted: 18 Apr. Weedkiller applied: 15 May. Grubbed and earthed up: 9 June. Mancozeb applied: 5 July, 20 July, 10 Aug. Lifted: 3 Oct.

NOTE: Soil samples were taken before treatments were applied and after harvest for cyst and egg counts of *Globodera rostochiensis*.

78/W/CS/35

POTATOES SERIES II

TOTAL TUBERS TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY NEM RES(76)	(PC)PC3	(MP)PC3	MEAN
NONE	18.9	16.8	17.9
DAZ2	10.3	17.8	14.1
DAZ3	14.5	20.8	17.7
DAZ4	14.6	24.8	19.7
DAZ6	17.7	26.4	22.1
DAZ2+TE2	14.9	20.3	17.6
TE4	11.4	13.8	12.6
OX	12.8	19.8	16.3
TE2+OX	24.4	29.7	27.0
MEAN	15.5	21.1	18.3

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	VARIETY NEM RES(76)	VARIETY NEM RES(76)
-----	-----	-----
SED	1.33	2.97 4.19

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	47	5.65	30.9

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

***** TABLES OF MEANS *****

VARIETY NEM RES(76)	(PC)PC3	(MP)PC3	MEAN
NONE	91.3	90.7	91.0
DAZ2	79.5	86.3	82.9
DAZ3	86.5	92.6	89.5
DAZ4	85.7	92.6	89.2
DAZ6	88.7	90.7	89.7
DAZ2+TE2	88.5	91.8	90.2
TE4	85.3	89.6	87.5
OX	84.5	89.2	86.9
TE2+OX	92.5	92.6	92.5
MEAN	86.9	90.7	88.8

PLOT AREA HARVESTED 0.00087

78/W/CS/35

POTATOES SERIES III

TOTAL TUBERS TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY NEM RES(77)	(PC)PC2	(MP)PC2	MEAN
NONE	16.0	14.7	15.3
DAZ2	19.0	32.6	25.8
DAZ3	20.6	35.3	28.0
DAZ4	22.8	33.5	28.1
DAZ6	30.1	28.7	29.4
DAZ2+TE2	20.0	35.8	27.9
TE4	13.8	26.5	20.2
OX	34.6	33.9	34.3
TE2+OX	36.7	32.2	34.5
MEAN	23.7	30.4	27.0

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	VARIETY NEM RES(77)	VARIETY NEM RES(77)
SED	1.17	2.63
		3.71

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	47	4.98	18.4

PERCENTAGE WARE 3.81CM (1.5 INCH) RIDDLE

***** TABLES OF MEANS *****

VARIETY NEM RES(77)	(PC)PC2	(MP)PC2	MEAN
NONE	85.8	89.6	87.7
DAZ2	89.5	92.5	91.0
DAZ3	90.3	92.8	91.5
DAZ4	92.9	93.2	93.1
DAZ6	92.7	91.8	92.3
DAZ2+TE2	91.4	92.3	91.8
TE4	88.0	90.9	89.4
OX	91.1	93.0	92.1
TE2+OX	92.0	91.8	91.9
MEAN	90.4	92.0	91.2

PLOT AREA HARVESTED 0.00087