


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1978

[Full Table of Content](#)



78/R/CS/165 Sclerotinia Control - Red and White Clover

Rothamsted Research

Rothamsted Research (1979) 78/R/CS/165 *Sclerotinia Control - Red and White Clover ; Yields Of The Field Experiments 1978*, pp 207 - 211 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/R/CS/165

SCLEROTINIA CONTROL

Object: To study the effects of two fungicides and paraquat on the incidence of Sclerotinia and on yield of red and white clover - Little Knott I.

Sponsor: J.F. Jenkyn.

The first year of treatments, red and white clover.

Design: 2 randomised blocks of 30 plots.

Whole plot dimensions: 2.13 x 3.05.

Treatments: All combinations of:-

1. VARIETY Varieties and their resistance to Sclerotinia trifoliorum:

BLANC WR	Blanca, white clover, resistant
SABED WS	Sabeda, white clover, susceptible
HUNGA RR	Hungaropoly, red clover, resistant
SABTO RS	Sabtoron, red clover, susceptible

2. TREATMNT Chemical sprays and timing:

NONE	None
IPROD E	Iprodione early period, 26 Sept, 1977 and 18 Oct
IPROD M	Iprodione mid period, 18 Oct, and 29 Nov
IPROD L	Iprodione late period, 29 Nov, and 16 Dec
IPROD A	Iprodione all periods, 26 Sept, 18 Oct, 29 Nov, 16 Dec, 1977 and 15 Feb, 1978
BENOMY A	Benomyl all periods, 26 Sept, 18 Oct, 29 Nov, 16 Dec, 1977 and 15 Feb, 1978
PARAQ W	Paraquat in winter, 29 Nov, 1977

plus two extra treatments:

EXTRA

SABED PS	Sabeda, sprayed paraquat in spring, 20 Mar, 1978
SABTO PS	Sabtoron, sprayed paraquat in spring, 20 Mar, 1978

NOTE: Chemical treatments applied as follows:-

Iprodione at 0.50 kg in 340 l. Benomyl at 0.50 kg in 340 l (both applied with 'Spreadite', a wetting agent, at 0.25 kg). Paraquat at 0.56 kg ion in 340 l.

Basal applications: None.

Cultivations, etc.: - Cut three times: 13 June, 1978, 4 Aug, 27 Sept. Previous crops: 1976 Fallow, 1977 Clover.

78/R/CS/165

1ST CUT (13/6/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY TREATMNT	BLANC WR	SABED WS	HUNGA RR	SABTO RS	MEAN
NONE	3.41	3.16	5.26	5.39	4.31
IPROD E	3.85	3.05	6.59	5.23	4.68
IPROD M	3.58	3.13	6.62	5.53	4.71
IPROD L	3.56	3.84	6.00	5.44	4.71
IPROD A	3.86	3.82	6.96	5.75	5.10
BENOMY A	4.86	4.17	7.44	5.86	5.58
PARAQ W	3.30	3.09	6.23	4.83	4.36
MEAN	3.78	3.47	6.44	5.43	4.78
EXTRA	SABED PS	SABTO PS			
	2.36	4.60			
GRAND MEAN		4.69			

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	TREATMNT	VARIETY	TREATMNT VARIETY & EXTRA
SED	0.739	0.370	0.279	0.739

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.739	15.8

1ST CUT MEAN DM% 16.2

78/R/CS/165

2ND CUT (4/8/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY TREATMNT	BLANC WR	SABED WS	HUNGA RR	SABTO RS	MEAN
NONE	2.26	1.93	3.79	4.26	3.06
IPROD E	1.89	1.46	4.07	3.76	2.80
IPROD M	1.88	1.62	4.34	4.15	3.00
IPROD L	1.82	1.96	4.09	4.25	3.03
IPROD A	1.76	1.83	4.36	4.15	3.03
BENOMY A	1.76	1.87	4.02	4.88	3.13
PARAQ W	2.31	1.94	4.83	4.24	3.33
MEAN	1.95	1.80	4.22	4.24	3.05
EXTRA	SABED PS	SABTO PS			
	1.86	4.07			

GRAND MEAN 3.05

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	TREATMNT	VARIETY	TREATMNT VARIETY & EXTRA
SED	0.373	0.187	0.141	0.373

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.373	12.3

2ND CUT MEAN DM% 16.1

78/R/CS/165

3RD CUT (27/9/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY TREATMNT	BLANC WR	SABED WS	HUNGA RR	SABTO RS	MEAN
NONE	1.57	1.61	1.60	1.77	1.64
IPROD E	1.13	1.68	1.56	1.94	1.58
IPROD M	1.39	1.46	1.95	1.90	1.68
IPROD L	1.59	1.45	1.85	1.61	1.63
IPROD A	2.11	1.81	1.78	1.65	1.83
BENOMY A	1.92	1.48	1.05	2.18	1.66
PARAQ W	1.16	1.49	1.82	1.92	1.60
MEAN	1.55	1.57	1.66	1.85	1.66
EXTRA	SABED PS	SABTO PS			
	1.29	1.84			

GRAND MEAN 1.65

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	TREATMNT	VARIETY	TREATMNT VARIETY & EXTRA
SED	0.228	0.114	0.086	0.228

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.228	13.8

3RD CUT MEAN DM% 20.8

78/R/CS/165

TOTAL OF 3 CUTS DRY MATER TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY TREATMNT	BLANC WR	SABED WS	HUNGA RR	SABTO RS	MEAN
NONE	7.25	6.70	10.66	11.42	9.01
IPROD E	6.87	6.19	12.23	10.92	9.05
IPROD M	6.85	6.21	12.91	11.58	9.39
IPROD L	6.97	7.26	11.94	11.29	9.37
IPROD A	7.73	7.46	13.10	11.54	9.96
BENOMY A	8.54	7.53	12.52	12.91	10.38
PARAQ W	6.77	6.52	12.89	10.99	9.29
MEAN	7.28	6.84	12.32	11.52	9.49
EXTRA	SABED PS	SABTO PS			
	5.51	10.52			
GRAND MEAN		9.39			

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	TREATMNT	VARIETY	TREATMNT VARIETY & EXTRA
SED	0.980	0.490	0.371	0.980

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.980	10.4

TOTAL OF 3 CUTS MEAN DM% 17.7

PLOT AREA HARVESTED 0.00028