

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1978

[Full Table of Content](#)



---

### 78/W/CS/184 Cereal Cyst Nematode Study - Oats

#### Rothamsted Research

Rothamsted Research (1979) *78/W/CS/184 Cereal Cyst Nematode Study - Oats* ; Yields Of The Field Experiments 1978, pp 233 - 238 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/W/CS/184

CEREAL CYST NEMATODE STUDY

Object: To study the residual effects of varieties, aldicarb and formalin on cereal cyst nematode (*Heterodera avenae*), nematode-parasitic fungi and on the yield of oats - Woburn Butt Close.

Sponsor: T.D. Williams.

The third year, oats.

For previous years see 76-77/W/CS/184.

Design: 4 randomised blocks of 4 plots split into 4.

Whole plot dimensions: 2.13 x 21.0.

Treatments: All combinations of:-

Whole plots

1. VARIETY(77) Varieties and resistance to cereal cyst nematode (all Manod (susceptible) in 1978):

NELSON/R Nelson (resistant)  
TABARD/S Maris Tabard (susceptible)

2. ALDICARB(77) Aldicarb to seedbed (kg):

0  
10

Sub plots

3. FORMALIN(76) Formalin applied in 1976 (1):

0  
3000

4. FORMALIN(77) Formalin applied in 1977 (1):

0  
3000

Basal applications: Manures: (20:14:14) at 400 kg, combine drilled. Weedkillers: Mecoprop, bromoxynil and ioxynil ('Brittox' at 2.5 l in 340 l).

Seed: Manod, sown at 200 kg.

Cultivations, etc.: - Ploughed: 28 Sept, 1977. Spring-tine cultivated with crumbler attached, seed sown: 31 Mar, 1978. Harrowed: 6 Apr. Weedkiller applied: 15 May. Combine harvested: 4 Sept.

78/W/CS/184

- NOTES: (1) Plant samples were taken in May for measurements of fresh tops and root weights and counts were made of *Heterodera avenae* invasion.  
 (2) Soil samples were taken in June to estimate populations of *Heterodera avenae* remaining from the unhatched residues of the 1977 populations.  
 (3) Plant samples were taken in June for measurements of fresh top and root weights, and counts were made of total numbers of white females of *Heterodera avenae* females and proportion infected with fungi.  
 (4) Soil samples were taken in September for egg counts of *Heterodera avenae*.

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

ALDICARB(77)	0	10	MEAN
VARIETY(77)			
NELSON/R	2.71	2.66	2.68
TABARD/S	1.08	2.45	1.77
MEAN	1.90	2.55	2.23
FORMALIN(76)	0	3000	MEAN
VARIETY(77)			
NELSON/R	2.68	2.69	2.68
TABARD/S	1.65	1.88	1.77
MEAN	2.16	2.29	2.23
FORMALIN(76)	0	3000	MEAN
ALDICARB(77)			
0	1.83	1.96	1.90
10	2.49	2.61	2.55
MEAN	2.16	2.29	2.23
FORMALIN(77)	0	3000	MEAN
VARIETY(77)			
NELSON/R	2.68	2.69	2.68
TABARD/S	1.72	1.81	1.77
MEAN	2.20	2.25	2.23
FORMALIN(77)	0	3000	MEAN
ALDICARB(77)			
0	1.80	1.99	1.90
10	2.60	2.51	2.55
MEAN	2.20	2.25	2.23
FORMALIN(77)	0	3000	MEAN
FORMALIN(76)			
0	2.20	2.13	2.16
3000	2.20	2.38	2.29
MEAN	2.20	2.25	2.23

78/W/CS/184

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

ALDICARB(77)	0		10		
FORMALIN(76)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	2.67	2.75	2.68	2.63	
TABARD/S	1.00	1.17	2.31	2.59	
ALDICARB(77)	0		10		
FORMALIN(77)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	2.58	2.84	2.77	2.54	
TABARD/S	1.02	1.14	2.42	2.47	
FORMALIN(76)	0		3000		
FORMALIN(77)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	2.64	2.72	2.71	2.67	
TABARD/S	1.77	1.54	1.68	2.08	
FORMALIN(76)	0		3000		
FORMALIN(77)	0	3000	0	3000	
ALDICARB(77)					
0	1.79	1.88	1.81	2.11	
10	2.62	2.37	2.58	2.64	
	FORMALIN(76)	0		3000	
	FORMALIN(77)	0	3000	0	3000
VARIETY(77)	ALDICARB(77)				
NELSON/R	0	2.47	2.87	2.68	2.82
	10	2.80	2.56	2.74	2.52
TABARD/S	0	1.10	0.89	0.94	1.40
	10	2.43	2.18	2.42	2.77

78/W/CS/184

GRAIN TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY(77)	ALDICARB(77)	FORMALIN(76)	FORMALIN(77)
SED	0.173	0.173	0.123	0.123

TABLE	VARIETY(77) ALDICARB(77)	VARIETY(77) FORMALIN(76)	ALDICARB(77) FORMALIN(76)	VARIETY(77) FORMALIN(77)
SED	0.245	0.212	0.212	0.212
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
	VARIETY(77)	0.174		0.174
	ALDICARB(77)		0.174	

TABLE	ALDICARB(77) FORMALIN(77)	FORMALIN(76) FORMALIN(77)	VARIETY(77) ALDICARB(77) FORMALIN(76)	VARIETY(77) ALDICARB(77) FORMALIN(77)
SED	0.212	0.174	0.300	0.300
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
	ALDICARB(77)	0.174		
	VARIETY(77).ALDICARB(77)		0.246	0.246

TABLE	VARIETY(77) FORMALIN(76) FORMALIN(77)	ALDICARB(77) FORMALIN(76) FORMALIN(77)	VARIETY(77) ALDICARB(77) FORMALIN(76) FORMALIN(77)
SED	0.275	0.275	0.388
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:			
	VARIETY(77)	0.246	
	ALDICARB(77)	0.246	
	VARIETY(77).ALDICARB(77)		0.348

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	9	0.347	15.6
BLOCK.WP.SP	36	0.492	22.1

GRAIN MEAN DM% 79.5

78/W/CS/184

STRAW TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

ALDICARB(77)	0	10	MEAN
VARIETY(77)			
NELSON/R	1.90	1.89	1.90
TABARD/S	1.07	1.91	1.49
MEAN	1.48	1.90	1.69
FORMALIN(76)	0	3000	MEAN
VARIETY(77)			
NELSON/R	1.94	1.85	1.90
TABARD/S	1.46	1.51	1.49
MEAN	1.70	1.68	1.69
FORMALIN(76)	0	3000	MEAN
ALDICARB(77)			
0	1.54	1.43	1.48
10	1.87	1.93	1.90
MEAN	1.70	1.68	1.69
FORMALIN(77)	0	3000	MEAN
VARIETY(77)			
NELSON/R	1.91	1.88	1.90
TABARD/S	1.40	1.57	1.49
MEAN	1.66	1.73	1.69
FORMALIN(77)	0	3000	MEAN
ALDICARB(77)			
0	1.41	1.56	1.48
10	1.90	1.90	1.90
MEAN	1.66	1.73	1.69
FORMALIN(77)	0	3000	MEAN
FORMALIN(76)			
0	1.70	1.70	1.70
3000	1.61	1.75	1.68
MEAN	1.66	1.73	1.69

78/W/CS/184

STRAW TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

ALDICARB(77)	0		10		
FORMALIN(76)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	1.99	1.82	1.90	1.89	
TABARD/S	1.08	1.05	1.84	1.98	
ALDICARB(77)	0		10		
FORMALIN(77)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	1.86	1.95	1.96	1.82	
TABARD/S	0.96	1.17	1.83	1.98	
FORMALIN(76)	0		3000		
FORMALIN(77)	0	3000	0	3000	
VARIETY(77)					
NELSON/R	1.89	1.99	1.93	1.77	
TABARD/S	1.51	1.41	1.29	1.73	
FORMALIN(76)	0		3000		
FORMALIN(77)	0	3000	0	3000	
ALDICARB(77)					
0	1.51	1.57	1.31	1.55	
10	1.89	1.84	1.90	1.96	
FORMALIN(76)		0		3000	
FORMALIN(77)		0	3000	0	3000
VARIETY(77) ALDICARB(77)					
NELSON/R	0	1.93	2.05	1.79	1.84
10	1.86	1.94	2.07	1.70	
TABARD/S	0	1.09	1.08	0.84	1.26
10	1.93	1.74	1.74	2.21	

STRAW MEAN DM% 56.2

PLOT AREA HARVESTED 0.00098