

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1978

[Full Table of Content](#)



---

### 78/R/WW/8 Rates and Times of Applying N - W. Wheat

#### Rothamsted Research

Rothamsted Research (1979) *78/R/WW/8 Rates and Times of Applying N - W. Wheat* ; Yields Of The Field Experiments 1978, pp 361 - 362 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/R/WW/8

WINTER WHEAT

RATES & TIMES OF APPLYING N

Object: To study the effects of applying a range of nitrogen rates before and after ear initiation on the growth and yield of winter wheat - Gt. Field I.

Sponsors: G.N. Thorne, P.J. Taylor, P.J. Welbank.

Design: 4 randomised blocks of 8 plots.

Whole plot dimensions: 4.27 x 13.1.

Treatments: All combinations of:-

1. N DATE                      Dates of applying nitrogen fertiliser:  
    6 MARCH                    6 March, before ear initiation  
    17 APRIL                    17 April, after ear initiation
2. N RATE                      Rates of applying nitrogen fertiliser (kg N as 'Nitro-Chalk 25'):  
    0  
    60  
    120  
    180

Basal applications: Manures: (0:20:20) at 310 kg. Weedkillers: Dicamba with mecoprop and MCPA ('Banlene Plus' at 4.9 l in 220 l). Fungicide: Triadimefon at 0.13 kg in 220 l.

Seed: Maris Huntsman, sown at 190 kg.

Cultivations, etc.:- Ploughed: 20 Oct, 1977. Heavy spring-tine cultivated and PK applied: 24 Oct. Rotary harrowed: 25 Oct. Seed sown: 26 Oct. Weedkiller applied: 10 May, 1978. Fungicide applied: 15 June. Combine harvested: 4 Sept. Previous crops: Barley 1976, beans 1977.

NOTE: Shoots were counted, apical development observed and lodging scored. Measurements of dry weights of tops and ears, leaf areas, nitrogen contents and shoot lengths were made during the season.

78/R/WW/8

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

N RATE	0	60	120	180	MEAN
N DATE					
6 MARCH		6.12	7.34	7.54	7.00
17 APRIL		6.34	7.43	8.13	7.30
MEAN	4.31	6.23	7.38	7.83	6.44

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	N DATE	N RATE	N DATE N RATE
SED	0.140	0.172	0.243 0.210*

\* FOR COMPARING WITH N RATE 0

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	22	0.343	5.3

GRAIN MEAN DM% 82.3

PLOT AREA HARVESTED 0.00260