


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/R/RA/1 Foliar Fungicides - Oilseed Rape

Rothamsted Research

Rothamsted Research (1979) *78/R/RA/1 Foliar Fungicides - Oilseed Rape* ; Yields Of The Field Experiments 1978, pp 428 - 429 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/R/RA/1

WINTER OILSEED RAPE

FOLIAR FUNGICIDES

Object: To study the effects of two fungicides, applied as foliar sprays, on the incidence of foliar diseases and on the yield of winter oilseed rape - Gt. Field I.

Sponsor: C.J. Rawlinson.

Design: 4 randomised blocks of 6 plots.

Whole plot dimensions: 8.53 x 4.27.

Treatments:

FUNGICIDE	Fungicides (kg) and frequency of application:
NONE	None (duplicated)
BEN 1	Benomyl foliar spray at 1.1 kg applied early
BEN 2	Benomyl foliar spray at 1.1 kg applied early and late
TRI 1	Triadimefon foliar spray at 0.25 kg applied early
TRI 2	Triadimefon foliar spray at 0.25 kg applied early and late

NOTE: Fungicide treatments were applied on 5 Oct, 1977 and 18 Jan, 1978 in 340 l.

Basal applications: Manures: (10:24:24) at 310 kg, 'Nitro-Chalk 25' at 800 kg.
Weedkillers: Dalapon at 0.95 kg with propyzamide at 0.56 kg in 220 l.
Haulm desiccant: Diquat at 0.69 kg ion plus 'Agral' (a wetting agent) at 0.3 l in 220 l.

Seed: Self-sown Victor.

Cultivations, etc.: - NPK applied: 30 Aug, 1977. Weedkillers applied: 23 Sept.
N applied: 7 Mar, 1978. Haulm desiccant applied: 4 Aug. Combine harvested: 11 Aug. Previous crops: Oilseed rape 1976 & 1977.

NOTES: (1) Disease assessments were made in October and November 1977 and in January, May and June 1978.
(2) Spores were trapped and counted weekly from September 1977 to August 1978.

78/R/RA/1

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

FUNGCIDE	NONE	BEN 1	BEN 2	TRI 1	TRI 2	MEAN
	0.43	0.48	0.58	0.43	0.50	0.48

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	FUNGCIDE
SED	0.093 MIN REP 0.081 MAX-MIN

	FUNGCIDE
MAX-MIN	NONE V ANY OF REMAINDER
MIN REP	ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	16	0.132	27.6

GRAIN MEAN DM% 80.8

PLOT AREA HARVESTED 0.00260