

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/W/P/4 Oxamyl Sprays Against Pcn - Potatoes

Rothamsted Research

Rothamsted Research (1979) *78/W/P/4 Oxamyl Sprays Against Pcn - Potatoes* ; Yields Of The Field Experiments 1978, pp 438 - 439 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/W/P/4

POTATOES

OXAMYL SPRAYS AGAINST PCN

Object: To study the effects of a range of rates and times of applying foliar sprays of oxamyl on the control of potato cyst-nematode (PCN) and on the yield of potatoes - Butt Close I.

Sponsor: A.G. Whitehead.

Design: 2 randomised blocks of 14 plots.

Whole plot dimensions: 2.84 x 9.14.

Treatments: All combinations of:-

1. OX RATE Rates of applying oxamyl on each spraying occasion (kg):

1
2
4

2. OX FREQ Frequency of applying oxamyl

2 Twice (20 June and 5 July)
4 Four times (20 June, 5 July, 19 July and 9 Aug)
6 Six times (duplicated) (20 June, 5 July, 19 July, 9 Aug, 22 Aug and 7 Sept)

EXTRA Plus one extra treatment not given oxamyl

NONE None (duplicated)

NOTES: (1) The first spray on 1 June was applied at a quarter of the intended rate.

(2) The site of this experiment was sown to winter wheat given (10:24:24) at 250 kg, combine drilled. The crop failed and was ploughed up for potatoes.

Basal applications: Manures: (13:13:20) at 1870 kg. Weedkillers: Linuron at 1.3 kg plus paraquat at 0.42 kg ion in 280 l. Fungicide: Fentin acetate with maneb ('Fennite A' at 1.7 kg in 280 l). Haulm desiccant: Undiluted BOV at 170 l.

Seed: Pentland Crown.

Cultivations, etc.: - Ploughed: 4 Nov, 1977. Spring-tine cultivated with crumbler attached, winter wheat sown: 15 Nov. Ploughed: 6 Mar, 1978. NPK applied, deep-tine cultivated: 5 Apr. Rotary cultivated, ridged up, potatoes planted: 21 Apr. Weedkillers applied: 18 May. Grubbed, earthed up: 9 June. Hand hoed: 27 July. Fungicide applied: 23 Aug. Haulm desiccant applied: 23 Sept. Lifted: 2 Oct.

Note: Soil samples were taken before applying treatments and after harvest for counts of cysts, eggs and larvae of *Globodera rostochiensis*.

78/W/P/4

TOTAL TUBERS TONNES/HECTARE

***** TABLES OF MEANS *****

OX FREQ OX RATE	2	4	6	MEAN
1	18.1	24.4	27.9	24.6
2	26.9	29.2	28.0	28.0
4	24.3	19.3	25.1	23.5
MEAN	23.1	24.3	27.0	25.3

EXTRA NONE 24.6

GRAND MEAN 25.2

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	OX RATE	OX FREQ	OX RATE OX FREQ & EXTRA NONE	
SED	2.64	3.04	5.28	MIN REP
		2.64	4.58	MAX-MIN
			3.74	MAX REP

OX FREQ
MAX-MIN 6 OR EXTRA NONE V ANY OF REMAINDER
MIN REP ANY OF REMAINDER
MAX REP 6 ONLY

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	17	5.28	20.9

PERCENTAGE WARE 3.81CM (1.5 INCH) RIDDLE

***** TABLES OF MEANS *****

OX FREQ OX RATE	2	4	6	MEAN
1	91.9	89.3	89.9	90.2
2	87.8	91.8	87.8	88.8
4	89.4	92.0	91.6	91.1
MEAN	89.7	91.1	89.7	90.1

EXTRA NONE 89.2

GRAND MEAN 89.9

PLOT AREA HARVESTED 0.00130