


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/R/G/1 and 78/W/G/1 Aqueous Urea and Nitrification Inhibitors - Grass

Rothamsted Research

Rothamsted Research (1979) *78/R/G/1 and 78/W/G/1 Aqueous Urea and Nitrification Inhibitors - Grass* ; Yields Of The Field Experiments 1978, pp 442 - 454 - DOI:

<https://doi.org/10.23637/ERADOC-1-30>

78/R/G/1 and 78/W/G/1

GRASS

AQUEOUS UREA AND NITRIFICATION INHIBITORS

Object: To study the effects of adding nitrification inhibitors to liquid fertilisers on the yield and nitrogen uptake of grass cut for silage - Rothamsted (R) Great Harpenden I and Woburn (W) Stackyard II.

Sponsors: J. Ashworth, A. Penny, M.V. Hewitt, A.J. Gibbs.

Design: 2 randomised blocks of 28 plots.

Whole plot dimensions: 2.43 x 9.14.

Treatments: All combinations of:-

1. U T1 N Rates of nitrogen fertiliser applied as aqueous urea as a single application, injection tines spaced 30 cm apart (kg N):
 2 250
 3 375
2. N TIME Times of applying aqueous urea:
 AUTUMN
 SPRING
3. NI FORM Forms of nitrification inhibitors added to aqueous urea:
 NONE None
 NITRAPYR Nitrapyrin
 SOD TRI Sodium trithiocarbonate
 NIT CS Nitrapyrin + carbon disulphide

plus twelve extra treatments:

EXTRA

Aqueous urea, tines spaced 60 cm apart, no inhibitors:

- | | |
|---------|------------------------------|
| UT2 N2A | Supplying 250 kg N in autumn |
| UT2 N2S | Supplying 250 kg N in spring |
| UT2 N3A | Supplying 375 kg N in autumn |
| UT2 N3S | Supplying 375 kg N in spring |

Aqueous urea + ammonium nitrate, tines spaced 30 cm apart, supplying 375 kg N applied in spring

- | | |
|----------|---|
| UATIN3SO | No nitrification inhibitor |
| UATIN3ST | Sodium trithiocarbonate |
| UATIN3SN | Nitrapyrin |
| UATIN3SM | Mixture of nitrapyrin and carbon disulphide |

'Nitro-Chalk', dressing divided (kg N total):

- | | |
|-------|------|
| NC N2 | 250 |
| NC N3 | 375 |
| NC N4 | 500 |
| NONE | None |

78/R/G/1 and 78/W/G/1

Basal applications:

Great Harpenden I (R): Manures: (0:14:28) at 500 kg.
Stackyard II (W): Manures: (0:14:28) at 970 kg.

Seed: Great Harpenden I (R): S24 perennial ryegrass, sown May, 1977.
Stackyard II (W): Old ley, sown Sept, 1971.

Cultivations, etc.:-

Great Harpenden I (R): N and NI TIME AUTUMN applied: 25 Nov, 1977. PK applied: 19 Dec. N and NI TIME SPRING applied: 10 Mar, 1978. 'Nitro-Chalk' applied: 10 Mar, 2 June, 19 July, 1 Sept. Cut three times: 31 May, 14 July, 18 Oct. Previous crops: Oats 1976, ley 1977.

Stackyard II (W): PK applied: 10 Nov, 1977. N and NI TIME AUTUMN applied: 24 Nov. N and NI TIME SPRING applied: 8 Mar, 1978. 'Nitro-Chalk' applied: 8 Mar, 25 May, 27 July, 18 Aug. Cut four times: 23 May, 12 July, 18 Aug, 26 Oct. Previous crops: Ley 1976 and 1977.

NOTES: (1) Grass samples were taken for N determination.
(2) N in the injected soil profile was measured at regular intervals and ammonia evaporation measured.

78/R/G/1 GREAT HARPENDEN I (R)
1ST CUT (31/5/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME U T1 N	AUTUMN	SPRING	MEAN		
2	9.36	7.97	8.66		
3	8.93	8.29	8.61		
MEAN	9.14	8.13	8.63		
NI FORM U T1 N	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
2	8.57	8.62	8.93	8.52	8.66
3	8.14	8.33	8.77	9.19	8.61
MEAN	8.36	8.48	8.85	8.85	8.63
NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
AUTUMN	8.69	8.91	9.28	9.69	9.14
SPRING	8.02	8.04	8.43	8.02	8.13
MEAN	8.36	8.48	8.85	8.85	8.63
U T1 N	NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS
2	AUTUMN	9.06	9.28	9.61	9.48
	SPRING	8.09	7.96	8.25	7.56
3	AUTUMN	8.32	8.54	8.95	9.90
	SPRING	7.95	8.12	8.60	8.48
EXTRA					
UT2 N2A		8.75			
UT2 N2S		7.29			
UT2 N3A		8.73			
UT2 N3S		7.80			
UAT1N3SO		7.23			
UAT1N3ST		8.47			
UAT1N3SN		8.08			
UAT1N3SM		8.30			
NC N2		6.72			
NC N3		7.98			
NC N4		8.77			
NONE		2.80			
MEAN		7.58			
GRAND MEAN		8.18			

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.586	0.207	0.207	0.293
TABLE	U T1 N N TIME	U T1 N NI FORM	N TIME NI FORM	U T1 N N TIME NI FORM & EXTRA
SED	0.293	0.414	0.414	0.586

78/R/G/1 GREAT HARPENDEN I (R)
2ND CUT(14/7/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME	AUTUMN	SPRING	MEAN		
U T1 N					
2	1.11	2.01	1.56		
3	2.07	3.45	2.76		
MEAN	1.59	2.73	2.16		
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
U T1 N					
2	1.32	1.56	1.48	1.86	1.56
3	2.54	2.84	2.70	2.97	2.76
MEAN	1.93	2.20	2.09	2.41	2.16
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
N TIME					
AUTUMN	1.58	1.67	1.32	1.78	1.59
SPRING	2.28	2.73	2.86	3.04	2.73
MEAN	1.93	2.20	2.09	2.41	2.16
U T1 N	NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS
	N TIME				
2	AUTUMN	1.21	1.08	0.86	1.27
	SPRING	1.42	2.05	2.11	2.44
3	AUTUMN	1.95	2.27	1.78	2.29
	SPRING	3.13	3.41	3.61	3.64
EXTRA					
UT2 N2A	1.03				
UT2 N2S	2.13				
UT2 N3A	2.41				
UT2 N3S	3.77				
UAT1N3SO	2.60				
UAT1N3ST	2.71				
UAT1N3SN	2.88				
UAT1N3SM	3.25				
NC N2	2.57				
NC N3	3.61				
NC N4	3.56				
NONE	0.27				
MEAN	2.57				
GRAND MEAN	2.33				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.294	0.104	0.104	0.147
TABLE	U T1 N	U T1 N	N TIME	U T1 N
	N TIME	NI FORM	NI FORM	N TIME
				NI FORM & EXTRA
SED	0.147	0.208	0.208	0.294

78/R/G/1 GREAT HARPENDEN I (R)
3RD CUT(18/10/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME	AUTUMN	SPRING	MEAN		
U T 1 N					
2	0.22	0.27	0.25		
3	0.37	0.49	0.43		
MEAN	0.29	0.38	0.34		
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
U T 1 N					
2	0.24	0.20	0.19	0.35	0.25
3	0.40	0.46	0.41	0.44	0.43
MEAN	0.32	0.33	0.30	0.40	0.34
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
N TIME					
AUTUMN	0.33	0.30	0.23	0.32	0.29
SPRING	0.31	0.36	0.38	0.47	0.38
MEAN	0.32	0.33	0.30	0.40	0.34
U T 1 N	NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS
	N TIME				
2	AUTUMN	0.29	0.17	0.16	0.27
	SPRING	0.19	0.23	0.23	0.43
3	AUTUMN	0.37	0.42	0.30	0.38
	SPRING	0.43	0.50	0.52	0.51
EXTRA					
UT2 N2A	0.19				
UT2 N2S	0.17				
UT2 N3A	0.54				
UT2 N3S	0.85				
UAT1N3SO	0.33				
UAT1N3ST	0.35				
UAT1N3SN	0.43				
UAT1N3SM	0.46				
NC N2	2.85				
NC N3	4.25				
NC N4	4.24				
NONE	0.02				
MEAN	1.22				
GRAND MEAN	0.72				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T 1 N	N TIME	NI FORM
SED	0.105	0.037	0.037	0.053
TABLE	U T 1 N	U T 1 N	N TIME	U T 1 N
	N TIME	NI FORM	NI FORM	N TIME
				NI FORM
				& EXTRA
SED	0.053	0.074	0.074	0.105

78/R/G/1 GREAT HARPENDEN I (R)
TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME	AUTUMN	SPRING	MEAN		
U T1 N					
2	10.69	10.24	10.46		
3	11.37	12.23	11.80		
MEAN	11.03	11.23	11.13		
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
U T1 N					
2	10.13	10.39	10.61	10.72	10.46
3	11.08	11.63	11.88	12.60	11.80
MEAN	10.61	11.01	11.25	11.66	11.13
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
N TIME					
AUTUMN	10.61	10.88	10.83	11.79	11.03
SPRING	10.60	11.14	11.66	11.53	11.23
MEAN	10.61	11.01	11.25	11.66	11.13
U T1 N	NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS
	N TIME				
2	AUTUMN	10.57	10.53	10.63	11.02
	SPRING	9.70	10.25	10.59	10.43
3	AUTUMN	10.65	11.23	11.03	12.57
	SPRING	11.51	12.03	12.74	12.63
EXTRA					
UT2 N2A	9.97				
UT2 N2S	9.60				
UT2 N3A	11.68				
UT2 N3S	12.42				
UAT1N3SO	10.17				
UAT1N3ST	11.54				
UAT1N3SN	11.39				
UAT1N3SM	12.01				
NC N2	12.14				
NC N3	15.84				
NC N4	16.57				
NONE	3.09				
MEAN	11.37				
GRAND MEAN	11.23				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.551	0.195	0.195	0.275
TABLE	U T1 N	U T1 N	N TIME	U T1 N
	N TIME	NI FORM	NI FORM	NI FORM & EXTRA
SED	0.275	0.389	0.389	0.551

78/R/G/1 GREAT HARPENDEN I (R)

1ST CUT (31/5/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.586	7.2

1ST CUT MEAN DM% 19.6

1ST CUT PLOT AREA HARVESTED 0.00104

2ND CUT(14/7/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.294	12.6

2ND CUT MEAN DM% 24.3

2ND CUT PLOT AREA HARVESTED 0.00111

3RD CUT(18/10/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.105	14.7

3RD CUT MEAN DM% 38.7

3RD CUT PLOT AREA HARVESTED 0.00104

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.551	4.9

TOTAL OF 3 CUTS MEAN DM% 27.5

78/W/G/1 STACKYARD II
1ST CUT (31/5/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME	AUTUMN	SPRING	MEAN		
U T1 N					
2	2.98	2.29	2.63		
3	3.39	2.69	3.04		
MEAN	3.18	2.49	2.84		
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
U T1 N					
2	2.73	2.67	2.65	2.49	2.63
3	3.15	3.16	2.91	2.93	3.04
MEAN	2.94	2.92	2.78	2.71	2.84
NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
N TIME					
AUTUMN	3.27	3.19	3.26	3.00	3.18
SPRING	2.61	2.65	2.30	2.42	2.49
MEAN	2.94	2.92	2.78	2.71	2.84
U T1 N	NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS
	N TIME				
2	AUTUMN	3.08	3.03	3.13	2.67
	SPRING	2.38	2.31	2.17	2.31
3	AUTUMN	3.46	3.34	3.40	3.34
	SPRING	2.83	2.98	2.43	2.53
EXTRA					
UT2 N2A	2.62				
UT2 N2S	1.53				
UT2 N3A	2.98				
UT2 N3S	1.92				
UAT1N3SO	3.27				
UAT1N3ST	2.55				
UAT1N3SN	2.98				
UAT1N3SM	2.73				
NC N2	2.16				
NC N3	2.72				
NC N4	3.12				
NONE	0.78				
MEAN	2.45				
GRAND MEAN	2.67				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.249	0.088	0.088	0.125
TABLE	U T1 N	U T1 N	N TIME	U T1 N
	N TIME	NI FORM	NI FORM	N TIME
SED	0.125	0.176	0.176	0.249

78/W/G/1 STACKYARD II
2ND CUT (12/7/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME U T1 N	AUTUMN	SPRING	MEAN		
2	2.48	3.03	2.76		
3	2.86	3.24	3.05		
MEAN	2.67	3.14	2.90		
NI FORM U T1 N	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
2	3.02	2.93	2.59	2.48	2.76
3	3.17	3.13	2.86	3.04	3.05
MEAN	3.10	3.03	2.73	2.76	2.90
NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
AUTUMN	2.76	2.74	2.65	2.52	2.67
SPRING	3.43	3.32	2.80	3.00	3.14
MEAN	3.10	3.03	2.73	2.76	2.90
U T1 N	NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS
2	AUTUMN	2.65	2.53	2.40	2.33
	SPRING	3.40	3.34	2.77	2.63
3	AUTUMN	2.88	2.95	2.89	2.71
	SPRING	3.46	3.30	2.84	3.37
EXTRA					
UT2 N2A	2.47				
UT2 N2S	2.15				
UT2 N3A	2.92				
UT2 N3S	3.59				
UAT1N3SO	3.12				
UAT1N3ST	2.81				
UAT1N3SN	3.16				
UAT1N3SM	3.25				
NC N2	2.72				
NC N3	3.47				
NC N4	2.64				
NONE	1.82				
MEAN	2.84				
GRAND MEAN	2.88				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.336	0.119	0.119	0.168
TABLE	U T1 N N TIME	U T1 N NI FORM	N TIME NI FORM	U T1 N N TIME NI FORM
SED	0.168	0.238	0.238	0.336

78/W/G/1 STACKYARD II
3RD CUT (18/8/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME	AUTUMN	SPRING	MEAN
U T1 N			
2	0.64	1.10	0.87
3	0.85	1.63	1.24
MEAN	0.75	1.37	1.06

NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
U T1 N					
2	0.79	1.09	0.75	0.84	0.87
3	1.19	1.28	1.21	1.30	1.24
MEAN	0.99	1.19	0.98	1.07	1.06

NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
N TIME					
AUTUMN	0.67	0.94	0.62	0.75	0.75
SPRING	1.31	1.43	1.34	1.39	1.37
MEAN	0.99	1.19	0.98	1.07	1.06

U T1 N	NI FORM	NONE	NITRAPYR	SOD TRI	NIT CS
N TIME					
2	AUTUMN	0.55	0.94	0.51	0.57
	SPRING	1.04	1.24	1.00	1.11
3	AUTUMN	0.80	0.94	0.74	0.94
	SPRING	1.58	1.62	1.68	1.66

EXTRA	
UT2 N2A	0.74
UT2 N2S	1.26
UT2 N3A	1.17
UT2 N3S	1.39
UAT1N3SO	1.30
UAT1N3ST	1.49
UAT1N3SN	1.37
UAT1N3SM	1.41
NC N2	1.29
NC N3	1.72
NC N4	1.80
NONE	0.87
MEAN	1.32
GRAND MEAN	1.17

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.264	0.094	0.094	0.132

TABLE	U T1 N	U T1 N	N TIME	U T1 N
	N TIME	NI FORM	NI FORM	NI FORM
SED	0.132	0.187	0.187	0.264

78/W/G/1 STACKYARD II
4TH CUT (26/10/78) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME U T 1 N	AUTUMN	SPRING	MEAN		
2	0.47	0.50	0.49		
3	0.50	0.77	0.64		
MEAN	0.49	0.64	0.56		
NI FORM U T 1 N	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
2	0.37	0.78	0.37	0.43	0.49
3	0.66	0.67	0.51	0.71	0.64
MEAN	0.51	0.73	0.44	0.57	0.56
NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
AUTUMN	0.44	0.74	0.33	0.44	0.49
SPRING	0.58	0.72	0.55	0.69	0.64
MEAN	0.51	0.73	0.44	0.57	0.56
U T 1 N	NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS
2	AUTUMN	0.29	0.92	0.33	0.36
	SPRING	0.45	0.64	0.41	0.50
3	AUTUMN	0.59	0.56	0.33	0.52
	SPRING	0.72	0.79	0.69	0.89
EXTRA					
UT2 N2A	0.62				
UT2 N2S	0.61				
UT2 N3A	0.55				
UT2 N3S	0.63				
UAT1N3SO	0.71				
UAT1N3ST	0.78				
UAT1N3SN	0.59				
UAT1N3SM	0.70				
NC N2	0.89				
NC N3	1.12				
NC N4	0.81				
NONE	0.89				
MEAN	0.74				
GRAND MEAN	0.64				

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T 1 N	N TIME	NI FORM
SED	0.254	0.090	0.090	0.127
TABLE	U T 1 N N TIME	U T 1 N NI FORM	N TIME NI FORM	U T 1 N N TIME NI FORM
SED	0.127	0.179	0.179	0.254

78/W/G/1 STACKYARD II
TOTAL OF 4 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME U T1 N	AUTUMN	SPRING	MEAN
2	6.57	6.92	6.75
3	7.60	8.34	7.97
MEAN	7.08	7.63	7.36

NI FORM U T1 N	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
2	6.91	7.48	6.35	6.24	6.75
3	8.16	8.24	7.50	7.98	7.97
MEAN	7.54	7.86	6.93	7.11	7.36

NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
AUTUMN	7.15	7.61	6.86	6.72	7.08
SPRING	7.93	8.11	6.99	7.50	7.63
MEAN	7.54	7.86	6.93	7.11	7.36

U T1 N	NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS
2	AUTUMN	6.56	7.42	6.36	5.92
	SPRING	7.26	7.54	6.35	6.55
3	AUTUMN	7.74	7.79	7.37	7.51
	SPRING	8.59	8.69	7.63	8.45

EXTRA	
UT2 N2A	6.46
UT2 N2S	5.55
UT2 N3A	7.63
UT2 N3S	7.54
UAT1N3SO	8.40
UAT1N3ST	7.63
UAT1N3SN	8.10
UAT1N3SM	8.09
NC N2	7.06
NC N3	9.03
NC N4	8.37
NONE	4.35

MEAN 7.35

GRAND MEAN 7.35

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T1 N	N TIME	NI FORM
SED	0.813	0.287	0.287	0.406
TABLE	U T1 N N TIME	U T1 N NI FORM	N TIME NI FORM	U T1 N N TIME NI FORM
SED	0.406	0.575	0.575	0.813

78/W/G/1 STACKYARD II

1ST CUT (31/5/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.249	9.3

1ST CUT MEAN DM% 19.5

1ST CUT PLOT AREA HARVESTED 0.00104

2ND CUT (12/7/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.336	11.7

2ND CUT MEAN DM% 24.1

2ND CUT PLOT AREA HARVESTED 0.00104

3RD CUT (18/8/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.264	22.6

3RD CUT MEAN DM% 21.6

3RD CUT PLOT AREA HARVESTED 0.00104

4TH CUT (26/10/78) DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.254	39.7

4TH CUT MEAN DM% 25.3

4TH CUT PLOT AREA HARVESTED 0.00097

TOTAL OF 4 CUTS DRY MATTER TONNES/HECTARE

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.813	11.1

TOTAL OF 4 CUTS DM% 22.6