

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1979

[Full Table of Content](#)



79/R/CS/201 Factors Affecting Yield - Wheat

Rothamsted Research

Rothamsted Research (1980) *79/R/CS/201 Factors Affecting Yield - Wheat* ; Yields Of The Field Experiments 1979, pp 194 - 203 - DOI: <https://doi.org/10.23637/ERADOC-1-45>

79/R/CS/201

FACTORS AFFECTING YIELD

Object: To study the residual effects on wheat of a range of treatments applied to field beans in 1977 - Pastures.

Sponsors: R. Bardner, G.G. Briggs, A.J. Cockbain, J.M. Day, K.E. Fletcher, B.J. Legg, J. McEwen, R.J. Roughley, G.A. Salt, H.R. Simpson, R.M. Webb, J.F. Witty.

The third year, winter wheat.

For previous years see 77-78/R/CS/201.

Design: Half replicate of 2^8 in 8 blocks of 2 plots split into 8.

Whole plot dimensions: 10.4 x 57.6.

Treatments applied in 1977: Combinations of:-

Whole plots

- | | |
|-----------------|---------------|
| 1. IRRIGATN(77) | Irrigation: |
| NONE | None |
| FULL | Full (119 mm) |

Sub plots

- | | |
|-----------------|--|
| 2. N(77) | Nitrogen fertiliser at flowering (kg N): |
| 0 | |
| 150 | |
| 3. ALDICARB(77) | Aldicarb to seedbed (kg): |
| 0 | |
| 10 | |
| 4. FONOFOS(77) | Fonofos to seedbed (kg): |
| 0 | |
| 5 | |
| 5. BEN 1(77) | Benomyl to seedbed (kg): |
| 0 | |
| 32 | |
| 6. PERMETH(77) | Permethrin foliar spray (kg): |
| 0.00 | |
| 0.15 | |

79/R/CS/201

7. PIRIMICA(77) Pirimicarb foliar spray (kg):

0.00
0.14

8. BEN 2(77) Benomyl foliar spray (kg):

0.0
0.6

Basal applications: Manures: (0:20:20) at 310 kg, combine drilled. 'Nitro-Chalk' at 380 kg. Weedkiller: Mecoprop at 2.5 kg in 220 l.

Seed: Atou, sown at 200 kg.

Cultivations, etc.:- Ploughed: 18 Oct, 1978. Rotary harrowed: 19 Oct. Seed sown: 20 Oct. N applied: 27 Apr, 1979. Weedkiller applied: 8 May. Combine harvested: 30 Aug.

NOTES: (1) The crop was sampled in July for take-all and eyespot assessments.
(2) There were marked differences in yields between the outer and inner strips of subplots; the yields presented have been adjusted for this.

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

N(77)	0	150	MEAN
IRRIGATN(77)			
NONE	4.77	4.38	4.57
FULL	4.96	4.95	4.96
MEAN	4.86	4.67	4.77
ALDICARB(77)	0	10	MEAN
IRRIGATN(77)			
NONE	4.89	4.26	4.57
FULL	5.08	4.84	4.96
MEAN	4.99	4.55	4.77
ALDICARB(77)	0	10	MEAN
N(77)			
0	5.08	4.65	4.86
150	4.89	4.44	4.67
MEAN	4.99	4.55	4.77
FONOFOS(77)	0	5	MEAN
IRRIGATN(77)			
NONE	4.69	4.46	4.57
FULL	4.93	4.98	4.96
MEAN	4.81	4.72	4.77

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

FONOFOS(77)	0	5	MEAN
N(77)			
0	5.00	4.73	4.86
150	4.63	4.71	4.67
MEAN	4.81	4.72	4.77
FONOFOS(77)	0	5	MEAN
ALDICARB(77)			
0	4.99	4.98	4.99
10	4.63	4.46	4.55
MEAN	4.81	4.72	4.77
BEN 1(77)	0	32	MEAN
IRRIGATN(77)			
NONE	4.54	4.61	4.57
FULL	4.74	5.17	4.96
MEAN	4.64	4.89	4.77
BEN 1(77)	0	32	MEAN
N(77)			
0	4.71	5.02	4.86
150	4.57	4.76	4.67
MEAN	4.64	4.89	4.77
BEN 1(77)	0	32	MEAN
ALDICARB(77)			
0	4.83	5.14	4.99
10	4.45	4.64	4.55
MEAN	4.64	4.89	4.77
BEN 1(77)	0	32	MEAN
FONOFOS(77)			
0	4.75	4.87	4.81
5	4.53	4.91	4.72
MEAN	4.64	4.89	4.77
PERMETH(77)	0.00	0.15	MEAN
IRRIGATN(77)			
NONE	4.60	4.55	4.57
FULL	5.04	4.87	4.96
MEAN	4.82	4.71	4.77
PERMETH(77)	0.00	0.15	MEAN
N(77)			
0	4.96	4.77	4.86
150	4.68	4.65	4.67
MEAN	4.82	4.71	4.77

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

PERMETH(77)	0.00	0.15	MEAN
ALDICARB(77)			
0	5.07	4.90	4.99
10	4.56	4.53	4.55
MEAN	4.82	4.71	4.77
PERMETH(77)	0.00	0.15	MEAN
FONOFOS(77)			
0	4.83	4.80	4.81
5	4.81	4.63	4.72
MEAN	4.82	4.71	4.77
PERMETH(77)	0.00	0.15	MEAN
BEN 1(77)			
0	4.76	4.52	4.64
32	4.87	4.90	4.89
MEAN	4.82	4.71	4.77
PIRIMICA(77)	0.00	0.14	MEAN
IRRIGATN(77)			
NONE	4.62	4.53	4.57
FULL	5.01	4.91	4.96
MEAN	4.81	4.72	4.77
PIRIMICA(77)	0.00	0.14	MEAN
N(77)			
0	4.85	4.88	4.86
150	4.78	4.56	4.67
MEAN	4.81	4.72	4.77
PIRIMICA(77)	0.00	0.14	MEAN
ALDICARB(77)			
0	4.92	5.05	4.99
10	4.70	4.39	4.55
MEAN	4.81	4.72	4.77
PIRIMICA(77)	0.00	0.14	MEAN
FONOFOS(77)			
0	4.91	4.72	4.81
5	4.72	4.72	4.72
MEAN	4.81	4.72	4.77
PIRIMICA(77)	0.00	0.14	MEAN
BEN 1(77)			
0	4.58	4.70	4.64
32	5.04	4.73	4.89
MEAN	4.81	4.72	4.77

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

PIRIMICA(77)	0.00	0.14	MEAN
PERMETH(77)			
	0.00	4.84	4.80
	0.15	4.79	4.64
MEAN	4.81	4.72	4.77
BEN 2(77)	0.0	0.6	MEAN
IRRIGATN(77)			
	NONE	4.65	4.50
	FULL	4.84	5.08
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
N(77)			
	0	4.82	4.91
	150	4.67	4.67
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
ALDICARB(77)			
	0	4.94	5.03
	10	4.55	4.55
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
FONOFOS(77)			
	0	4.77	4.85
	5	4.72	4.72
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
BEN 1(77)			
	0	4.59	4.69
	32	4.90	4.88
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
PERMETH(77)			
	0.00	4.78	4.85
	0.15	4.71	4.72
MEAN	4.74	4.79	4.77
BEN 2(77)	0.0	0.6	MEAN
PIRIMICA(77)			
	0.00	4.80	4.82
	0.14	4.69	4.75
MEAN	4.74	4.79	4.77

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS (INDIVIDUAL VALUES) *****

IRRIGATN(77)	N(77)	ALDICARB(77)	FONOFOS(77)	BEN 1(77)	PERMETH(77)	PIRIMICA(77)	BEN 2(77)	GRAIN
NONE	0	0	0	0	0.00	0.00	0.0	5.49
NONE	0	0	0	0	0.00	0.14	0.6	5.95
NONE	0	0	0	0	0.15	0.00	0.6	4.56
NONE	0	0	0	0	0.15	0.14	0.0	4.01
NONE	0	0	0	32	0.00	0.00	0.6	5.76
NONE	0	0	0	32	0.00	0.14	0.0	5.62
NONE	0	0	0	32	0.15	0.00	0.0	4.88
NONE	0	0	0	32	0.15	0.14	0.6	6.85
NONE	0	0	5	0	0.00	0.00	0.6	4.29
NONE	0	0	5	0	0.00	0.14	0.0	5.73
NONE	0	0	5	0	0.15	0.00	0.0	2.85
NONE	0	0	5	0	0.15	0.14	0.6	4.98
NONE	0	0	5	32	0.00	0.00	0.0	5.28
NONE	0	0	5	32	0.00	0.14	0.6	4.72
NONE	0	0	5	32	0.15	0.00	0.6	3.96
NONE	0	0	5	32	0.15	0.14	0.0	5.83
NONE	0	0	0	0	0.00	0.00	0.6	4.29
NONE	0	10	0	0	0.00	0.14	0.0	4.29
NONE	0	10	0	0	0.15	0.00	0.0	4.97
NONE	0	10	0	0	0.15	0.14	0.6	5.95
NONE	0	10	0	32	0.00	0.00	0.0	5.55
NONE	0	10	0	32	0.00	0.14	0.6	3.04
NONE	0	10	0	32	0.15	0.00	0.6	4.92
NONE	0	10	0	32	0.15	0.14	0.0	4.53
NONE	0	10	5	0	0.00	0.00	0.0	4.33
NONE	0	10	5	0	0.00	0.14	0.6	3.99
NONE	0	10	5	0	0.15	0.00	0.6	4.46
NONE	0	10	5	0	0.15	0.14	0.0	4.58
NONE	0	10	5	32	0.00	0.00	0.6	4.00
NONE	0	10	5	32	0.00	0.14	0.0	5.01
NONE	0	10	5	32	0.15	0.00	0.0	5.25
NONE	0	10	5	32	0.15	0.14	0.6	2.67

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS (INDIVIDUAL VALUES) *****

IRRIGATN(77)	N(77)	ALDICARB(77)	FONOFOS(77)	BEN 1(77)	PERMETH(77)	PIRIMICA(77)	BEN 2(77)	GRAIN
NONE	150	0	0	0	0.00	0.00	0.6	4.88
NONE	150	0	0	0	0.00	0.14	0.0	4.77
NONE	150	0	0	0	0.15	0.15	0.0	5.72
NONE	150	0	0	0	0.15	0.14	0.6	4.32
NONE	150	0	0	32	0.00	0.00	0.0	3.95
NONE	150	0	0	32	0.00	0.14	0.6	4.28
NONE	150	0	0	32	0.15	0.00	0.6	4.80
NONE	150	0	0	32	0.15	0.14	0.0	4.68
NONE	150	0	5	0	0.00	0.00	0.0	4.44
NONE	150	0	5	0	0.00	0.14	0.6	5.24
NONE	150	0	5	0	0.15	0.00	0.6	3.69
NONE	150	0	5	0	0.15	0.14	0.0	5.50
NONE	150	0	5	32	0.00	0.00	0.6	6.15
NONE	150	0	5	32	0.00	0.14	0.0	3.39
NONE	150	0	5	32	0.15	0.00	0.0	6.03
NONE	150	0	5	32	0.15	0.14	0.6	3.96
NONE	150	10	0	0	0.00	0.00	0.0	3.93
NONE	150	10	0	0	0.00	0.14	0.6	5.24
NONE	150	10	0	0	0.15	0.00	0.6	3.90
NONE	150	10	0	0	0.15	0.14	0.0	3.37
NONE	150	10	0	32	0.00	0.00	0.6	3.42
NONE	150	10	0	32	0.00	0.14	0.0	4.24
NONE	150	10	0	32	0.15	0.00	0.0	4.87
NONE	150	10	0	32	0.15	0.14	0.6	3.02
NONE	150	10	5	0	0.00	0.00	0.6	3.40
NONE	150	10	5	0	0.00	0.14	0.0	3.46
NONE	150	10	5	0	0.15	0.00	0.0	4.99
NONE	150	10	5	0	0.15	0.14	0.6	3.78
NONE	150	10	5	32	0.00	0.00	0.0	4.14
NONE	150	10	5	32	0.00	0.14	0.6	4.82
NONE	150	10	5	32	0.15	0.00	0.6	4.60
NONE	150	10	5	32	0.15	0.14	0.0	3.15

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS (INDIVIDUAL VALUES) *****

IRRIGATN(77)	N(77)	ALDICARB(77)	FONOFOS(77)	BEN 1(77)	PERMETH(77)	PIRIMICA(77)	BEN 2(77)	GRAIN
FULL	0	0	0	0	0.00	0.00	0.6	5.69
FULL	0	0	0	0	0.00	0.14	0.0	4.17
FULL	0	0	0	0	0.15	0.00	0.0	4.17
FULL	0	0	0	0	0.15	0.14	0.6	3.78
FULL	0	0	0	32	0.00	0.00	0.0	5.98
FULL	0	0	0	32	0.00	0.14	0.6	6.21
FULL	0	0	0	32	0.15	0.00	0.6	5.26
FULL	0	0	0	32	0.15	0.14	0.0	4.72
FULL	0	0	5	0	0.00	0.00	0.0	6.04
FULL	0	0	5	0	0.00	0.14	0.6	5.22
FULL	0	0	5	0	0.15	0.00	0.6	5.92
FULL	0	0	5	0	0.15	0.14	0.0	5.57
FULL	0	0	5	32	0.00	0.00	0.6	4.09
FULL	0	0	5	32	0.00	0.14	0.0	5.41
FULL	0	0	5	32	0.15	0.00	0.0	3.11
FULL	0	0	5	32	0.15	0.14	0.6	6.56
FULL	0	10	0	0	0.00	0.00	0.0	5.47
FULL	0	10	0	0	0.00	0.14	0.6	4.77
FULL	0	10	0	0	0.15	0.00	0.6	5.93
FULL	0	10	0	0	0.15	0.14	0.0	4.77
FULL	0	10	0	32	0.00	0.00	0.6	5.40
FULL	0	10	0	32	0.00	0.14	0.0	3.01
FULL	0	10	0	32	0.15	0.00	0.0	5.44
FULL	0	10	0	32	0.15	0.14	0.6	4.45
FULL	0	10	5	0	0.00	0.00	0.6	3.95
FULL	0	10	5	0	0.00	0.14	0.0	4.20
FULL	0	10	5	0	0.15	0.00	0.0	2.44
FULL	0	10	5	0	0.15	0.14	0.6	3.94
FULL	0	10	5	32	0.00	0.00	0.0	5.83
FULL	0	10	5	32	0.00	0.14	0.6	5.87
FULL	0	10	5	32	0.15	0.00	0.6	5.56
FULL	0	10	5	32	0.15	0.14	0.0	5.84

79/R/CS/201

GRAIN TONNES/HECTARE

***** TABLES OF MEANS (INDIVIDUAL VALUES) *****

IRRIGATN(77)	N(77)	ALDICARB(77)	FONOFOS(77)	BEN 1(77)	PERMETH(77)	PIRIMICA(77)	BEN 2(77)	GRAIN
FULL	150	0	0	0	0.00	0.00	0.0	3.74
FULL	150	0	0	0	0.00	0.14	0.6	3.96
FULL	150	0	0	0	0.15	0.00	0.6	3.40
FULL	150	0	0	0	0.15	0.14	0.0	5.60
FULL	150	0	0	32	0.00	0.00	0.6	5.10
FULL	150	0	0	32	0.00	0.14	0.0	5.61
FULL	150	0	0	32	0.15	0.00	0.0	6.04
FULL	150	0	0	32	0.15	0.14	0.6	5.87
FULL	150	0	5	0	0.00	0.00	0.6	5.37
FULL	150	0	5	0	0.00	0.14	0.0	5.45
FULL	150	0	5	0	0.15	0.00	0.0	4.46
FULL	150	0	5	0	0.15	0.14	0.6	5.68
FULL	150	0	5	32	0.00	0.00	0.0	6.16
FULL	150	0	5	32	0.00	0.14	0.6	4.25
FULL	150	0	5	32	0.15	0.00	0.6	6.15
FULL	150	0	5	32	0.15	0.14	0.0	3.78
FULL	150	10	0	0	0.00	0.00	0.6	6.07
FULL	150	10	0	0	0.00	0.14	0.0	5.88
FULL	150	10	0	0	0.15	0.00	0.0	5.19
FULL	150	10	0	0	0.15	0.14	0.6	3.80
FULL	150	10	0	32	0.00	0.00	0.0	3.30
FULL	150	10	0	32	0.00	0.14	0.6	5.38
FULL	150	10	0	32	0.15	0.00	0.6	4.97
FULL	150	10	0	32	0.15	0.14	0.0	4.73
FULL	150	10	5	0	0.00	0.00	0.0	3.71
FULL	150	10	5	0	0.00	0.14	0.6	4.94
FULL	150	10	5	0	0.15	0.00	0.6	4.79
FULL	150	10	5	0	0.15	0.14	0.0	3.61
FULL	150	10	5	32	0.00	0.00	0.6	5.57
FULL	150	10	5	32	0.00	0.14	0.0	5.47
FULL	150	10	5	32	0.15	0.00	0.0	5.91
FULL	150	10	5	32	0.15	0.14	0.6	4.54

79/R/CS/201

GRAIN TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

SED 0.144*
 0.203**
 0.287***

* USE ONLY ON MARGINS OF A TWO WAY TABLE, EXCEPT FOR IRRIGATN(77) .
** USE FOR THE BODY OF A TWO WAY TABLE, ONLY WITHIN THE SAME LEVEL
OF IRRIGATN(77) (IF APPLICABLE).
*** USE FOR THREE WAY TABLES (IF CONSTRUCTED FROM INDIVIDUAL VALUES),
ONLY WITHIN THE SAME LEVEL OF IRRIGATN(77) (IF APPLICABLE) .
DO NOT USE SED FOR THE FOLLOWING TABLES
ALDICARB(77).FONOFOS(77).BEN 1(77)
N(77).BEN 1(77).PERMETH(77)
N(77).FONOFOS(77).PIRIMICA(77)
ALDICARB(77).PERMETH(77).PIRIMICA(77)
N(77).ALDICARB(77).BEN 2(77)
FONOFOS(77).PERMETH(77).BEN 2(77)
BEN 1(77).PIRIMICA(77).BEN 2(77)
AS NO SED'S ARE AVAILABLE FOR THESE TABLES .

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	27	0.798	16.7
GRAIN MEAN DM%	85.0		
SUB PLOT AREA HARVESTED	0.00259		