

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1979

[Full Table of Content](#)



### **79/R/CS/204 Clover Varieties in Grass/CLOVER Mixtures - Ryegrass, Clover**

#### **Rothamsted Research**

Rothamsted Research (1980) *79/R/CS/204 Clover Varieties in Grass/CLOVER Mixtures - Ryegrass, Clover* ; Yields Of The Field Experiments 1979, pp 209 - 218 - **DOI:**

**<https://doi.org/10.23637/ERADOC-1-45>**

79/R/CS/204

CLOVER VARIETIES IN GRASS/CLOVER MIXTURES

Object: To study the effects of controlling pests and diseases on the persistence of different varieties of white clover in mixed grass/clover swards - Long Hoos IV 2.

Sponsors: I.F. Henderson, R.T. Plumb, J.F. Jenkyn.

The third year, white clover, ryegrass.

For previous years see 77-78/R/CS/204

Design: 2 randomised blocks of 40 plots.

Whole plot dimensions: 1.83 x 6.10.

Treatments: All combinations of:-

1. VARIETY                      Varieties and species:  

S23	S.23 ryegrass
S23/BLAN	S.23 ryegrass + Blanca white clover
S23/KWW	S.23 ryegrass + Kent wild white clover
S23/LAD	S.23 ryegrass + Ladino white clover
S23/MIL	S.23 ryegrass + Milkanova white clover
  
2. CHEMICAL                      Chemicals for pest and disease control:  

NONE	None
ALDICARB	Aldicarb at 5 kg
BENOMYL	Benomyl at 0.5 kg
PHOR+MET	Phorate at 5 kg + metaldehyde at 1.8 kg
  
3. NITROGEN                      Nitrogen fertiliser (kg N as (20:14:14)):  

N 1	100 in spring
N 2	100 in spring + 50 after each cut except the last

NOTES: (1) Aldicarb was applied on 2 Apr, 1979 and 10 Aug  
(2) Benomyl was applied on 8 Jan and 26 Feb  
(3) Phorate and metaldehyde were applied on 6 June, 5 July, 10 Aug, 14 Sept.

Standard applications: Weedkillers (to S.23 only): Dicamba with mecoprop and MCPA (as 'Tetralex Plus' at 6.7 kg) in 220 l.

Cultivations, etc.: - Spring NPK applied: 23 Mar, 1979. Cut: 1 June, 4 July, 8 Aug, 13 Sept, 18 Oct. NPK applied: 1 June, 4 July, 8 Aug, 13 Sept.

NOTE: The proportions of grass and clover, and monocotyledonous and dicotyledonous weeds were determined at each cut. Plots were vacuum sampled for insect pests at monthly intervals during the season.

79/R/CS/204

1ST CUT (1/6/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	4.54	4.25	4.26	4.42	4.37
S23/BLAN	4.81	5.00	4.85	4.74	4.85
S23/KWW	4.93	5.13	4.58	4.90	4.88
S23/LAD	4.08	4.09	4.40	4.23	4.20
S23/MIL	4.61	4.90	5.11	5.17	4.95
MEAN	4.59	4.68	4.64	4.69	4.65

  

NITROGEN VARIETY	N 1	N 2	MEAN
S23	3.48	5.26	4.37
S23/BLAN	4.60	5.10	4.85
S23/KWW	4.67	5.10	4.88
S23/LAD	3.93	4.47	4.20
S23/MIL	4.86	5.04	4.95
MEAN	4.31	4.99	4.65

  

NITROGEN CHEMICAL	N 1	N 2	MEAN
NONE	4.29	4.90	4.59
ALDICARB	4.20	5.16	4.68
BENOMYL	4.67	4.61	4.64
PHOR+MET	4.07	5.31	4.69
MEAN	4.31	4.99	4.65

  

VARIETY	NITROGEN CHEMICAL	N 1	N 2
S23	NONE	3.47	5.60
	ALDICARB	3.71	4.79
	BENOMYL	3.36	5.16
	PHOR+MET	3.37	5.47
S23/BLAN	NONE	4.54	5.09
	ALDICARB	4.79	5.22
	BENOMYL	4.91	4.79
	PHOR+MET	4.17	5.30
S23/KWW	NONE	5.27	4.59
	ALDICARB	4.42	5.84
	BENOMYL	4.65	4.50
	PHOR+MET	4.33	5.47
S23/LAD	NONE	3.75	4.41
	ALDICARB	3.86	4.33
	BENOMYL	4.33	4.47
	PHOR+MET	3.78	4.68
S23/MIL	NONE	4.43	4.79
	ALDICARB	4.20	5.61
	BENOMYL	6.10	4.12
	PHOR+MET	4.70	5.63

79/R/CS/204

1ST CUT (1/6/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.243	0.217	0.154	0.486

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.343	0.307	0.687

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.687	14.8

1ST CUT MEAN DM% 15.4

2ND CUT (4/7/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	2.04	1.61	1.72	2.26	1.91
S23/BLAN	2.69	2.99	2.70	2.99	2.84
S23/KWW	2.13	2.60	2.60	2.57	2.48
S23/LAD	2.45	2.76	2.60	2.85	2.66
S23/MIL	2.72	2.89	3.10	2.96	2.92
MEAN	2.40	2.57	2.55	2.73	2.56

NITROGEN VARIETY	N 1	N 2	MEAN
S23	2.04	1.78	1.91
S23/BLAN	2.93	2.75	2.84
S23/KWW	2.56	2.39	2.48
S23/LAD	2.73	2.60	2.66
S23/MIL	3.04	2.79	2.92
MEAN	2.66	2.46	2.56

NITROGEN CHEMICAL	N 1	N 2	MEAN
NONE	2.45	2.36	2.40
ALDICARB	2.67	2.47	2.57
BENOMYL	2.67	2.42	2.55
PHOR+MET	2.85	2.60	2.73
MEAN	2.66	2.46	2.56

79/R/CS/204

2ND CUT (4/7/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

VARIETY	NITROGEN CHEMICAL	N 1	N 2
S23	NONE	2.03	2.04
	ALDICARB	1.56	1.67
	BENOMYL	1.95	1.50
	PHOR+MET	2.60	1.93
S23/BLAN	NONE	2.80	2.58
	ALDICARB	3.15	2.83
	BENOMYL	2.80	2.59
	PHOR+MET	2.99	3.00
S23/KWW	NONE	2.04	2.22
	ALDICARB	2.85	2.35
	BENOMYL	2.62	2.58
	PHOR+MET	2.73	2.41
S23/LAD	NONE	2.55	2.35
	ALDICARB	2.92	2.60
	BENOMYL	2.65	2.56
	PHOR+MET	2.82	2.88
S23/MIL	NONE	2.84	2.60
	ALDICARB	2.88	2.89
	BENOMYL	3.34	2.86
	PHOR+MET	3.13	2.80

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.104	0.093	0.066	0.208

  

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.147	0.131	0.294

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.294	11.5
2ND CUT MEAN DM%	17.3		

79/R/CS/204

3RD CUT (8/8/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	0.51	0.51	0.55	0.52	0.52
S23/BLAN	0.96	1.02	0.74	1.02	0.94
S23/KWW	0.71	0.79	0.61	0.80	0.73
S23/LAD	0.94	1.02	1.04	1.28	1.07
S23/MIL	1.03	1.00	0.98	1.11	1.03
MEAN	0.83	0.87	0.79	0.95	0.86

NITROGEN VARIETY	N 1	N 2	MEAN
S23	0.34	0.70	0.52
S23/BLAN	0.88	0.99	0.94
S23/KWW	0.70	0.75	0.73
S23/LAD	1.01	1.12	1.07
S23/MIL	1.06	1.00	1.03
MEAN	0.80	0.91	0.86

NITROGEN CHEMICAL	N 1	N 2	MEAN
NONE	0.77	0.88	0.83
ALDICARB	0.79	0.94	0.87
BENOMYL	0.71	0.86	0.79
PHOR+MET	0.92	0.97	0.95
MEAN	0.80	0.91	0.86

VARIETY	NITROGEN CHEMICAL	N 1	N 2
S23	NONE	0.33	0.68
	ALDICARB	0.37	0.65
	BENOMYL	0.30	0.80
	PHOR+MET	0.37	0.67
S23/BLAN	NONE	0.99	0.92
	ALDICARB	0.85	1.19
	BENOMYL	0.68	0.81
	PHOR+MET	1.01	1.04
S23/KWW	NONE	0.62	0.79
	ALDICARB	0.77	0.80
	BENOMYL	0.62	0.61
	PHOR+MET	0.81	0.79
S23/LAD	NONE	0.90	0.97
	ALDICARB	0.94	1.10
	BENOMYL	1.02	1.06
	PHOR+MET	1.20	1.36
S23/MIL	NONE	1.02	1.05
	ALDICARB	1.05	0.95
	BENOMYL	0.96	1.01
	PHOR+MET	1.22	1.01

79/R/CS/204

3RD CUT (8/8/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.072	0.065	0.046	0.145

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.102	0.092	0.205

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.205	23.9

3RD CUT MEAN DM% 28.7

4TH CUT (13/9/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	1.06	1.08	0.90	1.26	1.07
S23/BLAN	1.38	1.52	1.33	1.51	1.43
S23/KWW	1.31	1.65	1.12	1.78	1.46
S23/LAD	1.68	1.80	1.80	1.92	1.80
S23/MIL	1.32	1.55	1.41	1.58	1.47
MEAN	1.35	1.52	1.31	1.61	1.45
NITROGEN VARIETY	N 1	N 2	MEAN		
S23	0.68	1.47	1.07		
S23/BLAN	1.37	1.50	1.43		
S23/KWW	1.36	1.57	1.46		
S23/LAD	1.79	1.81	1.80		
S23/MIL	1.44	1.49	1.47		
MEAN	1.33	1.57	1.45		
NITROGEN CHEMICAL	N 1	N 2	MEAN		
NONE	1.28	1.42	1.35		
ALDICARB	1.37	1.68	1.52		
BENOMYL	1.17	1.45	1.31		
PHOR+MET	1.49	1.72	1.61		
MEAN	1.33	1.57	1.45		

79/R/CS/204

4TH CUT (13/9/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

VARIETY	NITROGEN CHEMICAL	N 1	N 2
S23	NONE	0.71	1.41
	ALDICARB	0.68	1.48
	BENOMYL	0.46	1.34
	PHOR+MET	0.87	1.64
S23/BLAN	NONE	1.32	1.44
	ALDICARB	1.56	1.49
	BENOMYL	1.17	1.48
	PHOR+MET	1.43	1.59
S23/KWW	NONE	1.39	1.23
	ALDICARB	1.43	1.88
	BENOMYL	1.03	1.21
	PHOR+MET	1.59	1.96
S23/LAD	NONE	1.67	1.69
	ALDICARB	1.73	1.87
	BENOMYL	1.85	1.76
	PHOR+MET	1.90	1.94
S23/MIL	NONE	1.32	1.31
	ALDICARB	1.45	1.66
	BENOMYL	1.34	1.48
	PHOR+MET	1.67	1.49

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.066	0.059	0.042	0.132

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.093	0.083	0.186

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.186	12.9
4TH CUT MEAN DM%	26.6		



79/R/CS/204

5TH CUT (18/10/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	0.42	0.38	0.37	0.46	0.41
S23/BLAN	0.40	0.47	0.41	0.50	0.45
S23/KWW	0.33	0.58	0.41	0.53	0.46
S23/LAD	0.50	0.67	0.53	0.61	0.58
S23/MIL	0.38	0.46	0.34	0.55	0.43
MEAN	0.41	0.51	0.41	0.53	0.47

NITROGEN VARIETY	N 1	N 2	MEAN
S23	0.19	0.63	0.41
S23/BLAN	0.35	0.54	0.45
S23/KWW	0.31	0.62	0.46
S23/LAD	0.51	0.65	0.58
S23/MIL	0.35	0.51	0.43
MEAN	0.34	0.59	0.47

NITROGEN CHEMICAL	N 1	N 2	MEAN
NONE	0.29	0.52	0.41
ALDICARB	0.38	0.64	0.51
BENOMYL	0.32	0.50	0.41
PHOR+MET	0.38	0.68	0.53
MEAN	0.34	0.59	0.47

VARIETY	NITROGEN CHEMICAL	N 1	N 2
S23	NONE	0.19	0.65
	ALDICARB	0.19	0.57
	BENOMYL	0.16	0.58
	PHOR+MET	0.22	0.70
S23/BLAN	NONE	0.34	0.47
	ALDICARB	0.32	0.63
	BENOMYL	0.33	0.50
	PHOR+MET	0.43	0.57
S23/KWW	NONE	0.20	0.47
	ALDICARB	0.41	0.75
	BENOMYL	0.30	0.52
	PHOR+MET	0.32	0.75
S23/LAD	NONE	0.41	0.59
	ALDICARB	0.58	0.76
	BENOMYL	0.53	0.54
	PHOR+MET	0.52	0.71
S23/MIL	NONE	0.31	0.45
	ALDICARB	0.40	0.51
	BENOMYL	0.30	0.38
	PHOR+MET	0.41	0.68

79/R/CS/204

5TH CUT (18/10/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.035	0.031	0.022	0.069

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.049	0.044	0.098

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.098	21.0

5TH CUT MEAN DM% 19.3

TOTAL OF 5 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

CHEMICAL VARIETY	NONE	ALDICARB	BENOMYL	PHOR+MET	MEAN
S23	8.56	7.83	7.80	8.92	8.28
S23/BLAN	10.24	11.01	10.03	10.76	10.51
S23/KWW	9.42	10.75	9.32	10.58	10.02
S23/LAD	9.64	10.35	10.38	10.89	10.32
S23/MIL	10.06	10.79	10.95	11.36	10.79

MEAN 9.58 10.15 9.70 10.50 9.98

NITROGEN VARIETY	N 1	N 2	MEAN
S23	6.72	9.83	8.28
S23/BLAN	10.14	10.88	10.51
S23/KWW	9.60	10.43	10.02
S23/LAD	9.97	10.66	10.32
S23/MIL	10.76	10.82	10.79

MEAN 9.44 10.52 9.98

NITROGEN CHEMICAL	N 1	N 2	MEAN
NONE	9.09	10.08	9.58
ALDICARB	9.41	10.88	10.15
BENOMYL	9.55	9.84	9.70
PHOR+MET	9.71	11.29	10.50

MEAN 9.44 10.52 9.98

79/R/CS/204

TOTAL OF 5 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

VARIETY	NITROGEN	N 1	N 2
S23	CHEMICAL		
	NONE	6.73	10.39
	ALDICARB	6.51	9.16
	BENOMYL	6.23	9.37
S23/BLAN	PHOR+MET	7.43	10.41
	NONE	9.99	10.50
	ALDICARB	10.67	11.35
	BENOMYL	9.89	10.17
S23/KWW	PHOR+MET	10.02	11.51
	NONE	9.53	9.31
	ALDICARB	9.88	11.61
	BENOMYL	9.21	9.42
S23/LAD	PHOR+MET	9.78	11.38
	NONE	9.27	10.01
	ALDICARB	10.03	10.66
	BENOMYL	10.37	10.39
S23/MIL	PHOR+MET	10.22	11.57
	NONE	9.91	10.20
	ALDICARB	9.98	11.61
	BENOMYL	12.04	9.86
	PHOR+MET	11.11	11.61

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	VARIETY	CHEMICAL	NITROGEN	VARIETY CHEMICAL
SED	0.2880	0.2576	0.1821	0.5759

TABLE	VARIETY NITROGEN	CHEMICAL NITROGEN	VARIETY CHEMICAL NITROGEN
SED	0.4072	0.3643	0.8145

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	39	0.8145	8.2

TOTAL OF 5 CUTS MEAN DM% 21.5

AVERAGE PLOT AREA HARVESTED 0.00053