

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1979

[Full Table of Content](#)



## 79/R/MA/1 Rates and Times of N - Maize

### Rothamsted Research

Rothamsted Research (1980) *79/R/MA/1 Rates and Times of N - Maize* ; Yields Of The Field Experiments 1979, pp 355 - 356 - DOI: <https://doi.org/10.23637/ERADOC-1-45>

79/R/MA/1

FORAGE MAIZE

RATES & TIMES OF N

Object: To study the effects of a range of nitrogen fertiliser rates, applied before sowing or to the seedbed, on the yields and nitrogen uptakes of forage maize - Long Hoos VI/VII 4.

Sponsor: A.J. Barnard.

Design: 2 randomised blocks of 32 plots.

Whole plot dimensions: 2.13 x 3.66.

Treatments: All combinations of:

1. EARLY N            Rates of nitrogen fertiliser (kg N) applied on 6 April, 1979:

0  
60  
120  
180

2. SDBED N           Rates of nitrogen fertiliser (kg N) applied on 13 June 1979:

0  
30  
60  
90  
120  
150  
180  
210

Basal applications: Weedkiller: Atrazine (as 'Vectal SC' at 3.4 kg) in 340 l.  
Insecticides: Dimethoate at 0.67 kg in 340 l. Pirimicarb at 0.14 kg in 340 l.

Seed: Fronica, sown at 100,000 seeds per hectare.

Cultivations, etc.: - Ploughed twice: 16 Nov, 1978 and 6 Mar, 1979. Spring-tine cultivated: 5 Apr. Power harrowed, seed sown: 7 June. Weedkiller applied: 11 June. Dimethoate applied: 29 June. Pirimicarb applied: 26 July. Harvested by hand: 30 Oct. Previous cropping: Wheat 1977 and 1978.

NOTES: (1) Plant population counts were made in July.  
(2) Nitrogen percentages in harvested produce were determined.  
(3) Because of an inadequate stand on 2 plots of treatment combination

EARLY N	0	180
SDBED N	0	210

yields were not recorded. Estimated values were used in the analysis.

79/R/MA/1

FORAGE MAIZE TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

SDBED N	0	30	60	90	120	150	180	210	MEAN
EARLY N									
0	6.58	5.97	10.40	9.64	8.47	9.27	11.00	9.98	8.91
60	6.74	7.87	10.97	9.83	11.40	10.74	8.60	10.59	9.59
120	11.46	10.71	7.56	9.55	9.26	10.07	9.88	9.10	9.70
180	11.00	8.86	8.12	10.58	10.98	9.80	10.43	12.12	10.24
MEAN	8.95	8.35	9.26	9.90	10.03	9.97	9.98	10.45	9.61

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	EARLY N	SDBED N	EARLY N SDBED N
SED	0.490	0.692	1.385

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	1.385	14.4

GRAIN MEAN DM% 21.2

PLOT AREA HARVESTED 0.00039