Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1979



Full Table of Content

## 79/R/CS/13 N Levels to Old Grass - Old Grass

### **Rothamsted Research**

Rothamsted Research (1980) 79/R/CS/13 N Levels to Old Grass - Old Grass; Yields Of The Field Experiments 1979, pp 96 - 98 - DOI: https://doi.org/10.23637/ERADOC-1-45

#### 79/R/CS/13

#### N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 15th year, old grass.

For previous years see 'Details' 1973 and 74-78/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

#### Treatments

TOTAL N	Fertiliser nitrogen (kg N-total per annum applied in four equal dressings as 25:0:16):
0(S) 0 75 150 225	<pre>0 (sprayed with ioxynil plus mecoprop to control legumes, duplicated) 0 (duplicated)</pre>
300 375 450	

NOTE: Ioxymil at 0.84 kg with mecoprop at 2.5 kg in 280 l applied on 1 June, 1979.

Basal applications: Manures: 34 kg P as superphosphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.:- Basal P and Mg applied: 21 Nov, 1978. NK applied: 23 Mar, 1979, 22 May, and 11 July. Cut: 22 May, 11 July, 4 Oct.

79/R/CS/13

1ST CUT (22/5/79) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N 0(S) 0 75 150 225 300 375 450 MEAN 0.29 1.37 1.24 1.57 2.40 3.30 3.54 3.63 1.90

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE TOTAL N

SED 0.161 MIN REP
0.139 MAX-MIN

MAX REP O(S) V O

MAX-MIN O(S) OR O V ANY OF REMAINDER

MIN REP ANY OF REMAINER

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM DF SE CV%

BLOCK.WP 29 0.227 12.0

0.114 MAX REP

1ST CUT MEAN DM% 18.3

1ST CUT PLOT AREA HARVESTED 0.00086

2ND CUT (11/7/79)DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N 0(S) 0 75 150 225 300 375 450 MEAN 0.58 3.47 2.68 3.00 3.29 3.83 3.81 3.64 2.83

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE TOTAL N

SED 0.194 MIN REP
0.168 MAX-MIN
0.137 MAX REP

\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*

STRATUM DF SE CV%

BLOCK.WP 29 0.274 9.7

2ND CUT MEAN DM% 23.2

2ND CUT PLOT AREA HARVESTED 0.00092

79/R/CS/13

3RD CUT (4/10/79)DRY MATTER TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N 0(S) 0 75 150 225 300 375 450 MEAN 0.70 2.81 2.10 2.35 2.91 2.85 2.55 2.74 2.25

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE TOTAL N

SED 0.234 MIN REP

0.203 MAX-MIN 0.165 MAX REP

\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*

STRATUM DF SE CV%

BLOCK.WP 29 0.331 14.7

3RD CUT MEAN DM% 20.0

3RD CUT PLOT AREA HARVESTED 0.00086

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N O(S) 0 75 150 225 300 375 450 MEAN 1.57 7.65 6.02 6.92 8.59 9.98 9.90 10.01 6.99

\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*

TABLE TOTAL N

SED 0.381 MIN REP
0.330 MAX-MIN

0.269 MAX REP

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM DF SE CV%

BLOCK.WP 29 0.538 7.7

TOTAL OF 3 CUTS MEAN DM% 20.5