

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1979

[Full Table of Content](#)



79/R/CS/13 N Levels to Old Grass - Old Grass

Rothamsted Research

Rothamsted Research (1980) *79/R/CS/13 N Levels to Old Grass - Old Grass* ; Yields Of The Field Experiments 1979, pp 96 - 98 - DOI: <https://doi.org/10.23637/ERADOC-1-45>

79/R/CS/13

N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 15th year, old grass.

For previous years see 'Details' 1973 and 74-78/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

Treatments

TOTAL N	Fertiliser nitrogen (kg N-total per annum applied in four equal dressings as 25:0:16):
0(S)	0 (sprayed with ioxynil plus mecoprop to control legumes, duplicated)
0	0 (duplicated)
75	
150	
225	
300	
375	
450	

NOTE: Ioxynil at 0.84 kg with mecoprop at 2.5 kg in 280 l applied on 1 June, 1979.

Basal applications: Manures: 34 kg P as superphosphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.: - Basal P and Mg applied: 21 Nov, 1978. NK applied: 23 Mar, 1979, 22 May, and 11 July. Cut: 22 May, 11 July, 4 Oct.

79/R/CS/13

1ST CUT (22/5/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.29	1.37	1.24	1.57	2.40	3.30	3.54	3.63	1.90

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.161	MIN REP
	0.139	MAX-MIN
	0.114	MAX REP

TOTAL N
 MAX REP 0(S) V 0
 MAX-MIN 0(S) OR 0 V ANY OF REMAINDER
 MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.227	12.0

1ST CUT MEAN DM% 18.3

1ST CUT PLOT AREA HARVESTED 0.00086

2ND CUT (11/7/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.58	3.47	2.68	3.00	3.29	3.83	3.81	3.64	2.83

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.194	MIN REP
	0.168	MAX-MIN
	0.137	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.274	9.7

2ND CUT MEAN DM% 23.2

2ND CUT PLOT AREA HARVESTED 0.00092

79/R/CS/13

3RD CUT (4/10/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.70	2.81	2.10	2.35	2.91	2.85	2.55	2.74	2.25

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.234	MIN REP
	0.203	MAX-MIN
	0.165	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.331	14.7

3RD CUT MEAN DM% 20.0

3RD CUT PLOT AREA HARVESTED 0.00086

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	1.57	7.65	6.02	6.92	8.59	9.98	9.90	10.01	6.99

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.381	MIN REP
	0.330	MAX-MIN
	0.269	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.538	7.7

TOTAL OF 3 CUTS MEAN DM% 20.5