Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1980



Full Table of Content

80/R/CS/211 Factors Affecting Eyespot

Rothamsted Research

Rothamsted Research (1981) 80/R/CS/211 Factors Affecting Eyespot; Yields Of The Field Experiments 1980, pp 166 - 169 - DOI: https://doi.org/10.23637/ERADOC-1-31

80/R/CS/211

FACTORS AFFECTING EYESPOT

Object: To study the effects of a range of treatments on the incidence of eyespot (Pseudocercosporella herpotrichoides) and on the yield of w. wheat - Meadow.

Sponsors: R.D. Prew, A. Bainbridge.

The third year, w. wheat.

For previous years see 78-79/R/CS/211.

Design: 2 randomised blocks of 2 whole plots split into 6 sub plots split into 3 sub sub plots.

Whole plot dimensions: 94.0 x 9.14.

Treatments: All combinations of:-

Whole plots

STRAW Treatment of straw in autumn:

BURNT Burnt on site after spreading

CARTED Baled and carted off

Sub plots

2. DRILLING Cultivations and drilling in autumn:

CNVNTIAL Cultivated and conventionally drilled DIRECT Uncultivated, direct drilled

SOW DATE Dates of sowing:

17 SEPT 17 September, 1979

15 OCT 15 October 9 NOV 9 November

Sub sub plots

4. SEEDRATE Seed rates (kg):

100

150

200

NOTE: All treatments were cumulative.

Basal applications: Manures: (10:23:23) at 250 kg, combine drilled.
'Nitro-Chalk' at 500 kg. Weedkillers: Paraquat at 0.84 kg ion in 220 l
(to DIRECT only). Metoxuron at 4.4 kg in 220 l. Mecoprop at 2.5 l in 250 l. Insecticide: Demeton-s-methyl at 0.24 kg in 250 l.

Seed: Armada.

80/R/CS/211

Cultivations, etc.:- Straw treatments applied: 7 Sept, 1979. CNVNTIAL treatments ploughed, paraquat applied to DIRECT treatments only: 13 Sept. CNVNTIAL 17 SEPT treatments harrowed. DIRECT 17 SEPT disc harrowed three times. Seed sown on all 17 SEPT plots: 17 Sept. CNVNTIAL 15 OCT treatments rotary harrowed, DIRECT 15 OCT treatments disc harrowed twice, seed sown on all 15 OCT plots: 15 Oct. CNVNTIAL 9 NOV treatments rotary harrowed. DIRECT 9 NOV treatments disc harrowed twice, seed sown on all 9 NOV plots: 9 Nov. Metoxuron applied: 29 Feb, 1980. N applied: 10 Apr. Mecoprop applied: 24 Apr. Insecticide applied: 25 June. Combine harvested: 22 Aug.

NOTE: Plants were assessed for infection with eyespot and the incidence of eyespot spores was measured throughout the year. Take-all (Gaeumannomyces graminis) was assessed at harvest.

GRAIN TONNES/HECTARE

**** TABLES OF MEANS ****

DRILLING STRAW	CNVNTIAL	DIRECT	MEAN	
BURNT	5.00	4.98	4.99	
CARTED	5.06	5.76	5.41	
OMMILED	3.00	3.70	3.41	
MEAN	5.03	5.37	5.20	
SOW DATE STRAW	17 SEPT	15 OCT	9 NOV	MEAN
BURNT	4.70	5.66	4.62	4.99
CARTED	4.55	5.84	5.84	
CARTED	4.55	5.84	5.84	5.41
MEAN	4.63	5.75	5.23	5.20
·	4.03	3.73	3.23	3.20
SOW DATE	17 SEPT	15 OCT	9 NOV	MEAN
DRILLING		20 00.	3	112744
CNVNTIAL	4.20	5.65	5.25	5.03
DIRECT	5.05	5.85	5.21	5.37
DIRLOT	3.03	3.03	3.21	3.37
MEAN	4.63	5.75	5.23	5.20
			0.20	
SEEDRATE	100	150	200	MEAN
STRAW				
BURNT	4.82	5.00	5.16	4.99
CARTED	5.25	5.39	5.59	5.41
07111120	0.20	0.03	3.33	3.41
MEAN	5.03	5.19	5.38	5.20
SEEDRATE	100	150	200	MEAN
DRILLING				
CNVNTIAL	4.84	5.09	5.17	5.03
DIRECT	5.23	5.30	5.58	5.37
5211251	0.20	3.00	3.33	3.37
MEAN	5.03	5.19	5.38	5.20
	0.00	0.13	3.30	3.20

80/R/CS/211

GRAIN TONNES/HECTARE

**** TABLES OF MEANS ****

**** TABLE	S OF MEANS **	***			
SEEDRATE	100	150	200	MEAN	
SOW DATE					
17 SEPT	4.67	4.46	4.74	4.63	
15 OCT	5.57	5.88	5.80	5.75	
9 NOV	4.86	5.24	5.60	5.23	
3 1101	1000	0.21	3.00	3.23	
MEAN	5.03	5.19	5.38	5.20	
	SOW DATE	17 SEPT	15 OCT	9 NOV	
STRAW	DRILLING	I/ JEII	13 001	3 1101	
BURNT	CNVNTIAL	4.98	5.62	4.41	
	DIRECT	4.42	5.69	4.84	
CARTED	CNVNTIAL	3.42	5.68	6.09	
07111722	DIRECT	5.69	6.01	5.59	
		0.00	0.01	0.03	
	SEEDRATE	100	150	200	
STRAW	DRILLING				
BURNT	CNVNTIAL	4.68	5.21	5.12	
	DIRECT	4.96	4.80	5.20	
CARTED	CNVNTIAL	4.99	4.97	5.22	
	DIRECT	5.51	5.80	5.97	
	SEEDRATE	100	150	200	
STRAW	SOW DATE				
BURNT	17 SEPT	4.71	4.57	4.81	
	15 OCT	5.48	5.79	5.70	
	9 NOV	4.26	4.65	4.96	
CARTED	17 SEPT	4.64	4.36	4.66	
	15 OCT	5.67	5.97	5.89	
	9 NOV	5.45	5.83	6.23	
	SEEDRATE	100	150	200	
DRILLING	SOW DATE				
CNVNTIAL	17 SEPT	4.43	4.15	4.01	
	15 OCT	5.26	5.83	5.85	
	9 NOV	4.82	5.29	5.65	
DIRECT	17 SEPT	4.92	4.78	5.46	
	15 OCT	5.88	5.93	5.74	
	9 NOV	4.90	5.20	5.54	
		SEEDRAT	E 10	0 150	200
STRAW	DRILLING	SOW DAT	701	150	200
BURNT	CNVNTIAL	17 SEP		7 4.86	5.00
DUKNI	CHINITAL	15 OC			5.60
		9 NO			4.76
	DIRECT	17 SEP			4.63
	DIRECT	15 OC			5.80
		9 NO			5.16
CARTED	CNVNTIAL	17 SEP			3.02
CARTED	CHINITAL	15 OC			6.10
		9 NO			6.54
	DIRECT	17 SEP			6.30
	DIRECT	17 SEP			5.68
		9 NO			5.92
		3 NO	4.0	0.00	3.32

80/R/CS/211

GRAIN TONNES/HECTARE

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE		DRILLING	SOW DATE	SEEDRATE
SED		0.232	0.285	0.175
TABLE	STRAW* DRILLING	STRAW* SOW DATE	DRILLING SOW DATE	STRAW* SEEDRATE
SED	0.329	0.403	0.403	0.247
TABLE	DRILLING SEEDRATE	SEEDRATE	DRILLING SOW DATE	DRILLING SEEDRATE
DRILLING	0.308 COMPARING MEANS 0.247	0.377 WITH SAME LE	0.569	
SOW DATE STRAW.DRII	LLING	0.303		0.350
TABLE	SEEDRATE	DRILLING SOW DATE SEEDRATE	SOW DATE SEEDRATE	
EXCEPT WHEN STRAW.SOW	0.533 COMPARING MEANS DATE 0.429	0.533 WITH SAME LI	0.754	
	SOW DATE LLING.SOW DATE	0.429	0.606	

^{*} WITHIN THE SAME LEVEL OF STRAW ONLY

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	10	0.569	10.9
BLOCK.WP.SP.SSP	24	0.606	11.7

GRAIN MEAN DM% 84.7

SUB PLOT AREA HARVESTED DRILLING DIRECT 0.00252

SUB PLOT AREA HARVESTED DRILLING CNVNTIAL 0.00257