Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1980



Full Table of Content

80/R/WW/7 Winter Wheat Fungicides and Soil-borne Diseases

Rothamsted Research

Rothamsted Research (1981) 80/R/WW/7 Winter Wheat Fungicides and Soil-borne Diseases; Yields Of The Field Experiments 1980, pp 238 - 239 - DOI: https://doi.org/10.23637/ERADOC-1-31

80/R/WW/7

WINTER WHEAT

FUNGICIDES AND SOIL-BORNE DISEASES

Object: To study the effects of a range of soil-applied fungicides on soilborne diseases and yield of w. wheat - Claycroft.

Sponsor: G.L. Bateman.

Design: 4 randomised blocks of 7 plots.

Whole plot dimensions: 2.13 x 12.2.

Treatments:

FUNGCIDE	rungicides and times and methods of application:
NONE	None (duplicated)
BEN A	Benomyl at 20 kg, worked in to seedbed in autumn
BEN S	Benomyl at 20 kg, as a drench in 5400 l in spring
CHL A	Chloroneb at 14 kg, worked in to seedbed in autumn
KWG A+S	'KWG 0599' at 23 kg a.i. worked in to seedbed in autumn, repeated as a drench in 5400 l in spring
NUA A+S	Nuarimol at 4.4 kg, worked in to seedbed in autumn, repeated as a drench in 5400 l in spring

Basal applications: Manures: (10:23:23) at 250 kg, combine drilled.
'Nitro-Chalk' at 560 kg. Weedkillers: Paraquat at 0.56 kg ion in 220 l.
Mecoprop at 2.5 l in 280 l.

Seed: Flanders, no seed dressing, sown at 190 kg.

CUNICATOR Consisted and time and make to co

Cultivations, etc.:- Heavy spring-tine cultivated twice: 20 Sept, 1979.
Heavy spring-tine cultivated: 4 Oct. Autumn treatments applied: 11 Oct.
Paraquat applied: 16 Oct. Seed sown: 18 Oct. N applied: 11 Apr, 1980.
Mecoprop applied: 16 Apr. Spring treatments applied: 24 Apr.
Combine harvested: 21 Aug. Previous crops: W. wheat 1978, s. barley 1979.

NOTE: Foot and root diseases were assessed monthly between April and July.

80/R/WW/7

GRAIN TONNES/HECTARE

**** TABLES OF MEANS ****

FUNGCIDE NONE BEN A BEN S CHL A KWG A+S NUA A+S MEAN 9.47 9.60 9.78 9.42 9.75 8.65 9.45

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE FUNGCIDE

SED 0.207 MIN REP

0.179 MAX-MIN

FUNGCIDE MAX-MIN NONE V ANY OF REMAINDER MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM DF SE CV%

BLOCK.WP 19 0.292 3.1

GRAIN MEAN DM% 83.4

PLOT AREA HARVESTED 0.00176