

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1980

[Full Table of Content](#)



80/R/BE/6 Spring Beans Control of Sitona

Rothamsted Research

Rothamsted Research (1981) *80/R/BE/6 Spring Beans Control of Sitona* ; Yields Of The Field Experiments 1980, pp 285 - 286 - DOI: <https://doi.org/10.23637/ERADOC-1-31>

80/R/BE/6

SPRING BEANS

CONTROL OF SITONA

Object: To study the effects of three insecticides on the incidence of Sitona and on the yield of s. beans - Gt. Knott II.

Sponsors: R. Bardner, D.C. Griffiths, K.E. Fletcher.

Design: 4 randomised blocks of 8 plots.

Whole plot dimensions: 5.33 x 9.14.

Treatments:

INSCTCDE	Forms, rates and methods of application of insecticides:
NONE	None (duplicated)
CAR 1 CD	Carbofuran at 1.70 kg, combine drilled
CAR 2 CD	Carbofuran at 2.24 kg, combine drilled
PHO 1 CD	Phorate at 1.70 kg, combine drilled
PHO 2 CD	Phorate at 2.24 kg, combine drilled
PER 1 FS	Permethrin at 0.05 kg, foliar spray
PER 2 FS	Permethrin at 0.15 kg, foliar spray

NOTE: Permethrin was applied in 340 l on 15 Apr, 1980.

Basal applications: Manures: Chalk at 7.5 t. Weedkillers: Trietazine and simazine (as 'Remtal SC' at 2.5 l) in 250 l.

Seed: Minden, sown at 180 kg.

Cultivations, etc.: - Chalk applied: 8 Oct, 1979. Ploughed: 29 Nov.
Spring-tine cultivated: 1 Mar, 1980 and 3 Mar. Seed sown: 4 Mar.
Weedkillers applied: 21 Mar. Combine harvested: 19 Sept. Previous crops: W. wheat 1978, s. barley 1979.

NOTES: (1) Leaf notching by adult Sitona was assessed twice in May; soil cores were examined for larval populations in June. In August soil cores were examined for root damage and a full growth analysis was made on ten plants per plot.
(2) Because of an error in applying treatments, four plots were treated as missing, one of each, CAR 1 CD, CAR 2 CD, PER 1 FS, PER 2 FS. Estimated values were used in the analysis.

80/R/BE/6

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

INSCTCDE	NONE	CAR 1	CD	CAR 2	CD	PHO 1	CD	PHO 2	CD	PER 1	FS	PER 2	FS	MEAN
	4.02		5.31		5.49		5.06		5.21		4.19		4.55	4.73

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	INSCTCDE	MIN REP	MAX-MIN
SED	0.220		0.190

INSCTCDE
 MAX-MIN NONE V ANY OF THE REMAINDER
 MIN REP ANY OF THE REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	18	0.311	6.6
GRAIN MEAN DM%	79.8		
PLOT AREA HARVESTED	0.00293		