

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1981

[Full Table of Content](#)



## 81/R/CS/13 N Levels to Old Grass - Old Grass

### Rothamsted Research

Rothamsted Research (1982) *81/R/CS/13 N Levels to Old Grass - Old Grass* ; Yields Of The Field Experiments 1981, pp 107 - 110 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/R/CS/13

N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 17th year, old grass.

For previous years see 'Details' 1973 and 74-80/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

Treatments

TOTAL N	Fertiliser nitrogen (kg N-total per annum applied in four equal dressings as (25:0:16)):
0(S)	0 (sprayed with ioxynil plus mecoprop to control legumes, duplicated)
0	0 (duplicated)
75	
150	
225	
300	
375	
450	

NOTE: Ioxynil at 0.42 kg with mecoprop at 1.3 kg in 280 l applied on 5 May, 1981.

Basal applications: Manures: 34 kg P as superphosphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.: - Test NK applied: 23 Feb, 1981, 14 May, 7 June, and 10 Sept. Basal P and Mg applied: 23 Feb. Cut: 14 May, 6 July, 10 Sept, 2 Nov.

81/R/CS/13

1ST CUT (14/5/81) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.35	1.36	1.46	2.13	2.84	3.61	3.57	4.07	2.11

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TOTAL N	
SED	0.126	MIN REP
	0.109	MAX-MIN
	0.089	MAX REP

MAX REP TOTAL N  
 0(S) V 0  
 MAX-MIN 0(S) OR 0 V ANY OF THE REMAINDER  
 MIN REP ANY OF THE REMAINDER

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.179	8.5

1ST CUT MEAN DM% 20.6

2ND CUT (6/7/81) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.84	2.79	2.84	3.23	3.61	4.06	4.00	4.18	2.92

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TOTAL N	
SED	0.208	MIN REP
	0.180	MAX-MIN
	0.147	MAX REP

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.294	10.1

2ND CUT MEAN DM% 23.5

81/R/CS/13

3RD CUT(10/9/81)DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.78	2.33	2.14	2.31	2.90	3.17	3.20	3.25	2.32

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TOTAL N	
SED	0.146	MIN REP
	0.126	MAX-MIN
	0.103	MAX REP

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.206	8.9

3RD CUT MEAN DM% 22.8

4TH CUT(2/11/81)DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	0.27	0.24	0.52	0.61	0.66	0.83	0.85	0.86	0.54

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TOTAL N	
SED	0.110	MIN REP
	0.095	MAX-MIN
	0.078	MAX REP

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.155	29.0

4TH CUT MEAN DM% 19.8

81/R/CS/13

TOTAL OF 4 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TOTAL N	0(S)	0	75	150	225	300	375	450	MEAN
	2.25	6.71	6.96	8.28	10.01	11.67	11.62	12.35	7.88

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TOTAL N	
-----		
SED	0.294	MIN REP
	0.255	MAX-MIN
	0.208	MAX REP

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.416	5.3

TOTAL OF 4 CUTS MEAN DM% 21.7

PLOT AREA HARVESTED 0.00086