

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1981

[Full Table of Content](#)



81/S/CS/1 Factors Affecting Yield - W. Wheat

Rothamsted Research

Rothamsted Research (1982) *81/S/CS/1 Factors Affecting Yield - W. Wheat* ; Yields Of The Field Experiments 1981, pp 215 - 220 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/S/CS/1

FACTORS AFFECTING YIELD

Object: To study the effects of a range of factors on the yield of w. wheat
- Saxmundham.

Sponsors: F.V. Widdowson, A. Penny.

The 16th year, w. wheat.

For previous years see 66/C/30(t), 67/C/23(t), 68/C/39, 69-70/S/CS/1,
71/S/CS/1(t), 72/S/CS/1(t), and 73-80/S/CS/1.

Design: Half replicate of 2x2x2x4x2 arranged as 8 whole plots split into 4
sub plots. One extra sub plot was included in each whole plot.
Previous treatments have been ignored.

Whole plot dimensions: 8.53 x 18.3.

Treatments: All combinations of:-

Whole plots

1. VARIETY Varieties:

AVALON
VIRTUE

2. AUT N Nitrogen fertiliser to seedbed in autumn on 29 Sept, 1980:

0
50

3. PATHCONT Pest & pathogen control:

NONE None
FULL Carbendazim (as 'Bavistin' at 0.5 kg) with tridemorph at
0.53 kg on 14 April, 1981. Carbendazim with maneb and
tridemorph (as 'Cosmic' at 3.9 kg) with captafol at
1.05 kg on 20 May. Carbendazim at 0.25 kg with maneb at
1.61 kg and captafol at 1.05 kg, applied with pirimicarb
at 0.14 kg on 2 July

Sub plots

4. N RATE Total nitrogen fertiliser applied in spring (kg N):

80
120
160
200

5. N TIME Times of applying nitrogen fertiliser:

SINGLE All on 14 April
DIVIDED 40 kg N on 19 Feb, 1981, remainder on 14 April

plus whole plot treatments as above but given no spring nitrogen

81/S/CS/1

NOTES: (1) Treatment sprays were applied in 280 l.
(2) Plots given autumn N (treatment 2) received it as the compound (15:15:15). Plots not given autumn N received balancing P and K as (0:20:20). Applied 29 Sept, 1980.

Basal applications: Manures: K_2O at 190 kg as muriate of potash.

Weedkillers: Chlortoluron at 5.6 l in 220 l. Mecoprop with bromoxynil and ioxynil (as 'Brittox' at 3.5 l) with 'Wheatclene' (1.26 kg of solid (metoxuron and simazine) plus 1.26 l of liquid (barban)) in 220 l.

Seed: Varieties sown at 375 seed per m^2 .

Cultivations, etc.: - Muriate of potash applied: 27 Aug, 1980. Ploughed: 29 Aug. Seed sown: 29 Sept. Chlortoluron applied: 30 Sept. 'Brittox' and 'Wheatclene' applied: 7 Apr, 1981. Combine harvested: 18 Aug.

NOTE: Plots were sampled in autumn and spring for mineral N content of soil (to 90 cm depth) and for nitrate content of crop. N content of grain and straw was determined at harvest.

81/S/CS/1

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

SPRING NITROGEN APPLIED

AUT N	0	50	MEAN		
VARIETY					
AVALON	9.10	9.58	9.34		
VIRTUE	9.48	9.38	9.43		
MEAN	9.29	9.48	9.38		
PATHCONT	NONE	FULL	MEAN		
VARIETY					
AVALON	8.89	9.78	9.34		
VIRTUE	8.04	10.82	9.43		
MEAN	8.47	10.30	9.38		
PATHCONT	NONE	FULL	MEAN		
AUT N					
0	8.38	10.19	9.29		
50	8.55	10.41	9.48		
MEAN	8.47	10.30	9.38		
N TIME	SINGLE	DIVIDED	MEAN		
VARIETY					
AVALON	9.36	9.31	9.34		
VIRTUE	9.38	9.48	9.43		
MEAN	9.37	9.40	9.38		
N TIME	SINGLE	DIVIDED	MEAN		
AUT N					
0	9.29	9.29	9.29		
50	9.46	9.50	9.48		
MEAN	9.37	9.40	9.38		
N TIME	SINGLE	DIVIDED	MEAN		
PATHCONT					
NONE	8.42	8.51	8.47		
FULL	10.33	10.28	10.30		
MEAN	9.37	9.40	9.38		
N RATE	80	120	160	200	MEAN
VARIETY					
AVALON	8.59	9.27	9.64	9.84	9.34
VIRTUE	8.99	9.48	9.67	9.57	9.43
MEAN	8.79	9.38	9.66	9.71	9.38

81/S/CS/1

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

N RATE	80	120	160	200	MEAN
AUT N					
0	8.49	9.26	9.58	9.82	9.29
50	9.09	9.50	9.73	9.60	9.48
MEAN	8.79	9.38	9.66	9.71	9.38
N RATE	80	120	160	200	MEAN
PATHCONT					
NONE	8.15	8.51	8.69	8.51	8.47
FULL	9.43	10.24	10.63	10.91	10.30
MEAN	8.79	9.38	9.66	9.71	9.38
N RATE	80	120	160	200	MEAN
N TIME					
SINGLE	8.78	9.36	9.65	9.69	9.37
DIVIDED	8.80	9.39	9.66	9.72	9.40
MEAN	8.79	9.38	9.66	9.71	9.38

NO SPRING NITROGEN

AUT N	0	50	MEAN
VARIETY			
AVALON	5.47	6.44	5.96
VIRTUE	7.11	7.56	7.33
MEAN	6.29	7.00	6.65
PATHCONT	NONE	FULL	MEAN
VARIETY			
AVALON	6.44	5.48	5.96
VIRTUE	6.95	7.71	7.33
MEAN	6.70	6.59	6.65
PATHCONT	NONE	FULL	MEAN
AUT N			
0	6.30	6.28	6.29
50	7.09	6.91	7.00
MEAN	6.70	6.59	6.65

GRAND MEAN 8.84

GRAIN MEAN DM% 86.9

81/S/CS/1

STRAW TONNES/HECTARE

***** TABLES OF MEANS *****

SPRING NITROGEN APPLIED

AUT N	0	50	MEAN		
VARIETY					
AVALON	4.19	4.76	4.48		
VIRTUE	4.72	5.25	4.98		
MEAN	4.45	5.01	4.73		
PATHCONT	NONE	FULL	MEAN		
VARIETY					
AVALON	4.12	4.83	4.48		
VIRTUE	4.73	5.23	4.98		
MEAN	4.42	5.03	4.73		
PATHCONT	NONE	FULL	MEAN		
AUT N					
0	4.07	4.84	4.45		
50	4.78	5.23	5.01		
MEAN	4.42	5.03	4.73		
N TIME	SINGLE	DIVIDED	MEAN		
VARIETY					
AVALON	4.35	4.60	4.48		
VIRTUE	4.94	5.03	4.98		
MEAN	4.65	4.81	4.73		
N TIME	SINGLE	DIVIDED	MEAN		
AUT N					
0	4.30	4.61	4.45		
50	4.99	5.02	5.01		
MEAN	4.65	4.81	4.73		
N TIME	SINGLE	DIVIDED	MEAN		
PATHCONT					
NONE	4.26	4.59	4.42		
FULL	5.03	5.04	5.03		
MEAN	4.65	4.81	4.73		
N RATE	80	120	160	200	MEAN
VARIETY					
AVALON	4.29	4.34	4.56	4.70	4.48
VIRTUE	4.57	4.79	5.13	5.45	4.98
MEAN	4.43	4.56	4.85	5.07	4.73

81/S/CS/1

STRAW TONNES/HECTARE

***** TABLES OF MEANS *****

SPRING NITROGEN APPLIED

N RATE	80	120	160	200	MEAN
AUT N					
0	4.08	4.37	4.49	4.88	4.45
50	4.79	4.76	5.20	5.27	5.01
MEAN	4.43	4.56	4.85	5.07	4.73
N RATE	80	120	160	200	MEAN
PATHCONT					
NONE	4.17	4.35	4.45	4.73	4.42
FULL	4.69	4.78	5.24	5.42	5.03
MEAN	4.43	4.56	4.85	5.07	4.73
N RATE	80	120	160	200	MEAN
N TIME					
SINGLE	4.32	4.40	4.84	5.02	4.65
DIVIDED	4.54	4.73	4.85	5.13	4.81
MEAN	4.43	4.56	4.85	5.07	4.73

NO SPRING NITROGEN

AUT N	0	50	MEAN
VARIETY			
AVALON	2.89	3.31	3.10
VIRTUE	3.20	3.80	3.50
MEAN	3.05	3.56	3.30
PATHCONT	NONE	FULL	MEAN
VARIETY			
AVALON	3.15	3.06	3.10
VIRTUE	3.40	3.60	3.50
MEAN	3.27	3.33	3.30
PATHCONT	NONE	FULL	MEAN
AUT N			
0	3.17	2.92	3.05
50	3.38	3.74	3.56
MEAN	3.27	3.33	3.30

GRAND MEAN 4.44

STRAW MEAN DM% 76.2

SUBPLOT AREA HARVESTED 0.00126