

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1981

[Full Table of Content](#)



## 81/R/B/3 Seed Treatment and Rhynchosporium - W. Barley

### Rothamsted Research

Rothamsted Research (1982) *81/R/B/3 Seed Treatment and Rhynchosporium - W. Barley* ; Yields Of The Field Experiments 1981, pp 280 - 281 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/R/B/3

WINTER BARLEY

SEED TREATMENT AND RHYNCHOSPORIUM

Object: To study the effects of fungicidal seed treatment on the incidence of Rhynchosporium and on the yield of w. barley - Sawyers II.

Sponsor: G.L. Bateman.

Design: 4 randomised blocks of 4 plots.

Whole plot dimensions: 2.13 x 9.14.

Treatments: All combinations of:-

1. SEED INF            Seed infection with Rhynchosporium:

NONE  
INFECTED

2. SEEDRESS            Fungicidal seed dressing:

NONE                    None  
PMA+EMC                Phenyl mercury acetate at 25 mg of mercury plus ethyl  
mercury chloride at 2.5 mg of mercury per kg of seed

NOTE: Plot sides were separated by 2.13 m and plot ends by 9.14 m sown to w. oats.

Basal applications: Manures: (0:20:20) at 310 kg, combine drilled. 'Nitro-Chalk' at 390 kg. Weedkillers: Mecoprop with bromoxynil and ioxynil (as 'Brittox' at 3.7 l) in 250 l.

Seed: Maris Otter, sown at 160 kg.

Cultivations, etc.:- Heavy spring-tine cultivated: 13 Oct, 1980. Heavy spring-tine cultivated, spring-tine cultivated, seed sown: 14 Oct. N applied: 15 Apr, 1981. Weedkillers applied: 17 Apr. Combine harvested: 17 Aug. Previous crops: W. wheat 1979, potatoes 1980.

NOTE: Leaf diseases were assessed at monthly intervals between April and July.

81/R/B/3

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

SEEDRESS SEED INF	NONE	PMA+EMC	MEAN
NONE	5.17	5.16	5.16
INFECTED	5.28	5.20	5.24
MEAN	5.23	5.18	5.20

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	SEED INF	SEEDRESS	SEED INF SEEDRESS
-----	-----	-----	-----
SED	0.093	0.093	0.131

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	9	0.186	3.6
GRAIN MEAN DM%	87.3		
SUB PLOT AREA HARVESTED	0.00195		