

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1981

[Full Table of Content](#)



## 81/R/BE/11 Conidiobolus and Aphids - S. Beans

### Rothamsted Research

Rothamsted Research (1982) *81/R/BE/11 Conidiobolus and Aphids - S. Beans* ; Yields Of The Field Experiments 1981, pp 310 - 311 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/R/BE/11

SPRING BEANS

CONIDIOBOLUS AND APHIDS

Object: To study the effects of two rates of applying the aphid-pathogenic fungus *Conidiobolus obscurus* (formerly *Entomophthora obscura*) on the incidence of black aphids (*Aphis fabae*) and on the yield of s. beans - Fosters Corner.

Sponsor: N. Wilding.

Design: 4 randomised blocks of 4 plots.

Whole plot dimensions: 2.13 x 2.67.

Treatments:

APH CONT	Chemical and biological aphid control:
NONE	None
PIRIMICA	Pirimicarb at 0.14 kg in 340 l on 19 June
C OBS M1	<i>C. obscurus</i> applied as a powder of mummified aphids at 0.5 mg per plant on 18 June
C OBS M2	<i>C. obscurus</i> applied as a powder of mummified aphids at 5.0 kg per plant on 18 June

NOTE: Basal irrigation was applied as follows (mm water):

22 June	12
2 July	12
7 July	6
8 July	6
10 July	12
15 July	12
28 July	<u>12</u>
Total	72

Basal applications: Manures: Chalk at 7.5 t. Weedkiller: Simazine at 1.2 kg in 250 l.

Seed: Minden, sown at 240 kg.

Cultivations, etc.: - Chalk applied: 3 Dec, 1980. Ploughed: 10 Dec. Spring-tine cultivated twice: 18 Feb, 1981. Seed sown: 20 Feb. Weedkiller applied: 8 Apr. Combine harvested: 8 Sept. Previous crops: W. wheat 1979, s. barley 1980.

NOTE: Visual estimates of aphid numbers were made weekly in June and July and samples of 50 live aphids per plot were examined for infection with *Conidiobolus* and parasites.

81/R/BE/11

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

APH CONT	NONE	PIRIMICA	C OBS M1	C OBS M2	MEAN
	2.20	4.77	3.51	3.06	3.39

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	APH CONT
-----	-----
SED	0.365

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	9	0.517	15.3

GRAIN MEAN DM% 88.4

PLOT AREA HARVESTED 0.00024