

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1981

[Full Table of Content](#)



## 81/R/P/5 Alarm Pheromone Study - Potatoes

### Rothamsted Research

Rothamsted Research (1982) *81/R/P/5 Alarm Pheromone Study - Potatoes* ; Yields Of The Field Experiments 1981, pp 335 - 336 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/R/P/5

POTATOES

ALARM PHEROMONE STUDY

Object: To study the effects of an aphid alarm pheromone on the effectiveness of a contact aphicide - Geescroft.

Sponsors: D.C. Griffiths, J.A. Pickett.

Design: 4 randomised blocks of 6 plots.

Whole plot dimensions: 2.25 x 6.10.

Treatments:

TREATMNT	Aphicide and pheromone treatments:
NONE	None
PHEROMON	Aphid alarm pheromone (beta farnesene at 0.3 g)
PERMETH	Permethrin at 0.10 kg
PHER + PER	Aphid alarm pheromone plus permethrin
DEMETON	Demeton-s-methyl at 0.25 kg
PIRIMICA	Pirimicarb at 0.15 kg

NOTE: Treatments were applied on 23 June, insecticide sprays in 340 l of water, beta farnesene in nitrogen gas at 5000 l.

Basal applications: Manures: (10:10:15 + 4.5 Mg) at 1960 kg. Weedkillers: Zinuron at 1.1 l with paraquat at 0.6 kg ion in 250 l. Fungicide: Mancozeb at 1.4 kg in 250 l applied six times. Desiccant: BOV at 170 l.

Seed: King Edward.

Cultivations, etc.: - Ploughed: 20 Nov, 1980. NPK applied: 16 Apr, 1981. Spike rotary cultivated, seed sown: 7 May. Weedkillers applied: 27 May. Fungicide applied: 22 June, 1 July, 13 July, 27 July, 11 Aug and 24 Aug. Haulm mechanically destroyed: 11 Sept. Desiccant applied: 25 Sept. Lifted: 7 Oct. Previous crops: S. barley 1979, w. beans 1980.

NOTE: Aphids were counted three times between late June and late July.

81/R/P/5

TOTAL TUBERS TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	NONE	PHEROMON	PERMETH	PHER+PER	DEMETON	PIRIMICA	MEAN
	37.1	37.8	36.3	41.2	40.4	38.6	38.6

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TREATMNT
-----	-----
SED	2.57

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	15	3.63	9.4

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	NONE	PHEROMON	PERMETH	PHER+PER	DEMETON	PIRIMICA	MEAN
	87.4	89.2	86.9	88.6	89.9	88.9	88.5

PLOT AREA HARVESTED 0.00091