

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1981

[Full Table of Content](#)



81/W/RN/14 Long Term Phosphate - Clover/GRASS Ley

Rothamsted Research

Rothamsted Research (1982) *81/W/RN/14 Long Term Phosphate - Clover/GRASS Ley* ; Yields Of The Field Experiments 1981, pp 90 - 92 - DOI: <https://doi.org/10.23637/ERADOC-1-35>

81/W/RN/14

LONG TERM PHOSPHATE

Object: To study the residual effects of superphosphate on a clover/grass ley - Woburn Stackyard III.

Sponsor: G.E.G. Mattingly.

The 14th year, clover/grass ley.

For previous years see 68/B/8(t), 69/W/RN/14, 70/W/RN/14(t), 71/W/RN/14(t), 72/W/RN/14(t) and 73-80/W/RN/14.

Design: 6 blocks of 6 plots, split into 2.

Whole plot dimensions: 8.53 x 15.8.

Treatments: All combinations of:-

Whole plots

1. P205RES(73) Residues of superphosphate applied autumn 1967 and spring 1973 (kg P205):

	1967	1973	Total
0	None	None	None (Duplicate plots)
360	188	172	360
720	376	344	720
1440	753	687	1440
2160	1130	1030	2160

Sub plots

2. P205 81 Superphosphate in 1980 & 1981 in addition to residues, applied in three equal dressings 1970-72, (kg P205):

(0)0	None
(376)114	376 total applied 1970-72, 57 in 1980, 57 in 1981.

Basal applications: Manures: MgO at 30 kg as kieserite and K₂O at 240 kg as muriate of potash in winter. (25:0:16) at 390 kg in spring and 360 kg after the first cut.

Cultivations, etc.: - Mg applied: 3 Dec, 1980. K applied: 4 Dec. P treatments and NK applied: 19 Mar, 1981. Cut: 17 June, 26 Aug. NK applied: 25 June.

81/W/RN/14

1ST CUT(17/6/81) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

P205RES(73)	0	360	720	1440	2160	MEAN
P205 81						
0(0)	7.94	8.57	7.68	7.01	7.00	7.69
(376)114	7.95	8.44	7.83	7.03	7.72	7.82
MEAN	7.95	8.50	7.75	7.02	7.36	7.75

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	P205RES(73)	P205 81	P205RES(73) P205 81	
SED	0.471		0.601	MIN REP
	0.408	0.216	0.520	MAX-MIN
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
P205RES(73)			0.528	MIN REP
			0.374	MAX REP

P205RES(73)
 MAX REP 0
 MAX-MIN 0 V ANY OF THE REMAINDER
 MIN REP ANY OF THE REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	26	0.815	10.5
BLOCK.WP.SP	31	0.915	11.8

1ST CUT MEAN DM% 23.5

81/W/RN/14
2ND CUT (26/8/81) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

P205RES(73)	0	360	720	1440	2160	MEAN
P205 81						
0(0)	3.11	3.16	3.31	3.49	3.28	3.24
(376)114	3.30	3.43	3.49	3.43	3.37	3.39
MEAN	3.21	3.30	3.40	3.46	3.33	3.32

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	P205RES(73)	P205 81	P205RES(73) P205 81	
SED	0.126		0.177	MIN REP
	0.109	0.071	0.153	MAX-MIN
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
P205RES(73)			0.175	MIN REP
			0.123	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	26	0.218	6.6
BLOCK.WP.SP	31	0.302	9.1

2ND CUT MEAN DM% 22.4

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

P205RES(73)	0	360	720	1440	2160	MEAN
P205 81						
0(0)	11.05	11.73	10.98	10.49	10.28	10.93
(376)114	11.25	11.87	11.31	10.46	11.09	11.21
MEAN	11.15	11.80	11.15	10.48	10.69	11.07

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	P205RES(73)	P205 81	P205RES(73) P205 81	
SED	0.431		0.589	MIN REP
	0.374	0.231	0.510	MAX-MIN
EXCEPT WHEN COMPARING MEANS WITH SAME LEVEL(S) OF:				
P205RES(73)			0.567	MIN REP
			0.401	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	26	0.747	6.7
BLOCK.WP.SP	31	0.982	8.9

TOTAL OF 2 CUTS MEAN DM% 22.9 PLOT AREA HARVESTED 0.00145