

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1982

[Full Table of Content](#)



82/R/CS/13 N Levels to Old Grass - Old Grass

Rothamsted Research

Rothamsted Research (1983) *82/R/CS/13 N Levels to Old Grass - Old Grass* ; Yields Of The Field Experiments 1982, pp 97 - 99 - DOI: <https://doi.org/10.23637/ERADOC-1-33>

82/R/CS/13

N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 18th year, old grass.

For previous years see 'Details' 1973 and 74-81/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

Treatments

TOTAL N	Fertilizer nitrogen (kg N-total per annum applied in two equal dressings as (25:0:16)):
0(S)	0 (sprayed with ioxynil plus mecoprop and bromoxynil to control legumes, duplicated)
0	0 (duplicated)
38	
75	
112	
150	
188	
225	

- NOTES: (1) Ioxynil, mecoprop and bromoxynil (as 'Brittox' at 3.5 l) in 220 l applied on 27 Apr, 1982.
(2) Rates of fertilizer nitrogen per cut were as hitherto but only two cuts were taken instead of the usual four; accordingly total rates of nitrogen were halved.

Basal applications: Manures: 34 kg P as superphosphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.: - Basal P and Mg applied: 2 Dec, 1981. Test NK applied: 19 Mar, 1982 and 22 July. Cut: 20 July and 24 Sept.

82/R/CS/13

1ST CUT (20/7/82) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	38	75	112	150	188	225	MEAN
	2.65	5.99	5.65	5.73	6.62	6.25	6.78	5.82	5.41

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.384 MIN REP
	0.332 MAX-MIN
	0.271 MAX REP

TOTAL N
 MAX REP 0(S) V 0
 MAX-MIN 0(S) OR 0 V ANY OF THE REMAINDER
 MIN REP ANY OF THE REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.542	10.0
1ST CUT MEAN DM%	29.8		

2ND CUT(24/9/82) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	38	75	112	150	188	225	MEAN
	0.87	1.90	1.92	2.03	2.10	2.45	2.40	2.64	1.91

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
SED	0.174 MIN REP
	0.151 MAX-MIN
	0.123 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.246	12.9
2ND CUT MEAN DM%	17.7		

82/R/CS/13

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	38	75	112	150	188	225	MEAN
	3.52	7.89	7.57	7.77	8.72	8.71	9.19	8.45	7.32

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
-----	-----
SED	0.467 MIN REP
	0.404 MAX-MIN
	0.330 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.660	9.0
TOTAL OF 2 CUTS MEAN DM%	23.7		
PLOT AREA HARVESTED	0.00086		