

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1983

[Full Table of Content](#)



83/R/CS/13 N Levels to Old Grass - Old Grass

Rothamsted Research

Rothamsted Research (1984) *83/R/CS/13 N Levels to Old Grass - Old Grass* ; Yields Of The Field Experiments 1983, pp 100 - 102 - DOI: <https://doi.org/10.23637/ERADOC-1-44>

83/R/CS/13

N LEVELS TO OLD GRASS

Object: To study the effects of a range of nitrogen rates on yield and botanical composition of very old permanent pasture. N fixed by legumes is estimated and the effect of treatments on nutrients available in the soil is also studied - Park Grass Old Plot 6.

Sponsor: A.E. Johnston.

The 19th year, old grass.

For previous years see 'Details' 1973 and 74-82/R/CS/13.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 1.83 x 10.1.

Treatments

TOTAL N	Fertilizer nitrogen (kg N-total per annum applied in three equal dressings as (25:0:16)):
0(S)	0 (sprayed with mecoprop to control legumes, duplicated)
0	0 (duplicated)
56	
112	
168	
225	
281	
338	

NOTES: (1) Mecoprop was applied (as 'Farmon CMPP' at 4.2 l) in 220 l on 30 Mar, 1983.

(2) Rates of fertilizer nitrogen per cut were as hitherto but only three cuts were taken instead of the usual four; accordingly total rates of nitrogen were three quarters of standard.

Basal applications: Manures: 34 kg P as superphosphate. 11 kg Mg as magnesium sulphate.

Cultivations, etc.: - Basal P and Mg applied: 22 Nov, 1982. Test NK applied: 16 Mar, 1983, 2 June, 5 Aug. Cut: 2 June, 3 Aug and 26 Oct.

83/R/CS/13

1ST CUT (2/6/83) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	56	112	168	225	281	338	MEAN
	1.11	3.63	3.75	3.86	5.29	7.14	6.35	6.85	4.27

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.444	MIN REP
	0.384	MAX-MIN
	0.314	MAX REP

TOTAL N
 MAX REP 0(S) V 0
 MAX-MIN 0(S) OR 0 V ANY OF THE REMAINDER
 MIN REP ANY OF THE REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.627	14.7

1ST CUT MEAN DM% 16.6

2ND CUT (3/8/83) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	56	112	168	225	281	338	MEAN
	0.56	2.48	2.29	2.33	2.91	2.93	3.30	3.40	2.32

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N	
SED	0.204	MIN REP
	0.177	MAX-MIN
	0.144	MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.288	12.4

2ND CUT MEAN DM% 29.0

83/R/CS/13

3RD CUT (26/10/83) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	56	112	168	225	281	338	MEAN
	0.37	0.55	0.93	1.20	1.65	2.16	2.12	2.04	1.19

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
-----	-----
SED	0.101 MIN REP
	0.087 MAX-MIN
	0.071 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.142	11.9

3RD CUT MEAN DM% 19.5

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TOTAL N	0(S)	0	56	112	168	225	281	338	MEAN
	2.04	6.65	6.97	7.39	9.86	12.23	11.78	12.29	7.79

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TOTAL N
-----	-----
SED	0.542 MIN REP
	0.470 MAX-MIN
	0.384 MAX REP

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	29	0.767	9.8

TOTAL OF 3 CUTS MEAN DM% 21.7

PLOT AREA HARVESTED 0.00086