

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1983

[Full Table of Content](#)

ROTHAMSTED RESEARCH  
LONDON  
1984

## 83/W/CS/295 Effects of Aldicarb and Benomyl - Maize

### Rothamsted Research

Rothamsted Research (1984) *83/W/CS/295 Effects of Aldicarb and Benomyl - Maize* ; Yields Of The Field Experiments 1983, pp 185 - 186 - DOI: <https://doi.org/10.23637/ERADOC-1-44>

83/W/CS/295

FORAGE MAIZE

EFFECTS OF ALDICARB AND BENOMYL

Object: To study the effects of aldicarb and benomyl on nematodes, mycorrhiza and on the yield of forage maize - Woburn Butt Close.

Sponsor: T.D. Williams.

The second year.

For first year see 82/W/MA/1.

Design: 4 randomised blocks of 4 plots, omitting 4 of the blocks in 82/W/MA/1.

Whole plot dimensions: 2.13 x 4.57.

Treatments: All combinations of:-

1. ALDICARB(82) Aldicarb (kg) to seedbed in 1982:

0  
5

2. BENOMYL(82) Benomyl (kg) to seedbed in 1982:

0  
22

Basal applications: Manures: (20:10:10) at 750 kg. Weedkillers: Atrazine at 1.1 kg in 280 l. Insecticide: Chlorfenvinphos at 2.2 kg as granules.

Seed: Fronica, sown at 100,900 seeds per hectare.

Cultivations, etc.:-

Ploughed: 19 Nov, 1982. Spring-tine cultivated with crumbler attached: 18 Mar, 1983. NPK applied, rotary cultivated: 11 May. Spring-tine cultivated with crumbler attached, atrazine applied: 16 May. Spring-tine cultivated with crumbler attached, seed sown: 25 May. Chlorfenvinphos applied: 22 June. Hand harvested: 3 Oct.

NOTE: Nematodes were assessed in soil samples taken at three depths to 60 cm in May, July, August and October, roots were sampled in August.

83/W/CS/295

FORAGE DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

BENOMYL(82) ALDICARB(82)	0	22	MEAN
0	17.38	18.14	17.76
5	17.78	18.04	17.91
MEAN	17.58	18.09	17.84

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	ALDICARB	BENOMYL	ALDICARB BENOMYL
SED	1.060	1.060	1.499

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	9	2.120	11.9

GRAIN MEAN DM% 31.0

PLOT AREA HARVESTED 0.00049