Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1983



Full Table of Content

83/R/WW/10 Erynia and Aphid Control in Cages - W. Wheat

Rothamsted Research

Rothamsted Research (1984) 83/R/WW/10 Erynia and Aphid Control in Cages - W. Wheat; Yields Of The Field Experiments 1983, pp 240 - 241 - DOI: https://doi.org/10.23637/ERADOC-1-44

83/R/WW/10

WINTER WHEAT

ERYNIA AND APHID CONTROL IN CAGES

Object: To determine whether Erynia neoaphidis can be established in cereal aphid populations by the distribution of triturated bodies of fungus-killed aphids - Long Hoos VI/VII 5.

Sponsor: N. Wilding.

Design: 3 blocks of 3 plots.

Whole plot dimensions: 2.03 x 2.13.

Treatments:

TREATMNT

Introduction of fungal-infected dead aphids:

NONE

None

ER JUNE ER JULY Erynia neoaphidis, 2 kg on 22 June Erynia neoaphidis, 2 kg on 7 July

NOTE: Plots were enclosed by mesh-sided cages and Sitobion avenae and Metopolophium dirhodum were introduced in May.

Basal applications: Manures: 'Nitro-Chalk' at 540 kg. Weedkiller: Glyphosate at 1.5 kg in 340 l.

Seed: Maris Huntsman, sown at 210 kg.

Cultivations, etc.:- Weedkiller applied: 14 Sept, 1982. Ploughed: 15 Oct. Seed sown with harrow, seed drill combination: 17 Jan, 1983. N applied: 14 Apr. Harvested by hand: 18 Aug. Previous crops: Fallow 1981, w. and s. beans 1982.

NOTE: Aphids were counted weekly during June and July. Samples of live aphids were taken to determine proportions infected with Erynia.

83/R/WW/10

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

TREATMNT NONE ER JUNE ER JULY MEAN 2.42 2.60 2.71 2.57

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE TREATMNT
SED 0.654

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM DF SE CV%

BLOCK.WP 4 0.801 31.1

GRAIN MEAN DM% 86.7

PLOT AREA HARVESTED 0.00010