Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1983



Full Table of Content

# 83/R/GC/8 Garden Clover - Clover

## **Rothamsted Research**

Rothamsted Research (1984) 83/R/GC/8 Garden Clover - Clover; Yields Of The Field Experiments 1983, pp 32 - 33 - DOI: https://doi.org/10.23637/ERADOC-1-44

#### 83/R/GC/8

### GARDEN CLOVER

Object: To study yields and pathogens of red clover grown continuously - Manor Garden.

Sponsor: J. McEwen.

The 130th year, red clover.

For previous years see 'Details' 1967 and 1973, and 74-82/R/GC/8.

Design: 2 blocks of 2 plots.

Whole plot dimensions: 1.02 x 1.42.

Treatments:

FUNG RES Fungicide residues:

NONE None

BENOMYL Benomyl in the winters of 1979/80, 1980/81 and 1981/82.

Basal applications: Manures: Chalk at 1.25 t. (0:18:36) at 420 kg. Mg at 50 kg, as Epsom Salts. Nematicide: Aldicarb at 10 kg. Irrigation: 20 mm.

Seed: Hungaropoly, sown at 34 kg.

Cultivations, etc.:- Hand dug, root stumps carted, PK, Mg and chalk applied: 8 March, 1983. Sown, aldicarb applied: 14 Apr. Irrigation applied: 20 July. Cut: 28 July, 31 Aug, 27 Sept.

83/R/GC/8

1ST CUT (28/7/83) DRY MATTER TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

FUNG RES NONE BENOMYL MEAN 2.44 2.36 2.40

1ST CUT MEAN DM% 23.3

2ND CUT (31/8/83) DRY MATTER TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

FUNG RES NONE BENOMYL MEAN 1.28 1.33 1.30

2ND CUT MEAN DM% 30.7

3RD CUT (27/9/83) DRY MATTER TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

FUNG RES NONE BENOMYL MEAN 0.77 0.84 0.81

3RD CUT MEAN DM% 15.7

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\* TABLES OF MEANS \*\*\*\*

FUNG RES NONE BENOMYL MEAN 4.49 4.53 4.51

TOTAL OF 3 CUTS MEAN DM% 23.2

PLOT AREA HARVESTED 0.00008